

RF TEST REPORT

FCC ID: 2AXXQHNR2306

Test Report No.....: RF250901013-01-002

Product(s) Name.....: Tri-Band AP Router

Model(s).....: HNR2306P, HNR2306A

Trade Mark.....: HUMAX Networks Inc.

Applicant.....: Humax Networks, INC

Address.....: 216, Hwangsaoul-ro, Bundang-gu, Seongnam-si, South Korea
13595

Receipt Date.....: 2025.09.26

Test Date.....: 2025.09.20~2025.10.27

Issued Date.....: 2025.11.03

Standards.....: 47 CFR FCC Part 15, Subpart E(Section 15.407);
ANSI C63.10:2013

Testing Laboratory.....: Shenzhen Haiyun Standard Technical Co., Ltd.

Prepared By:	Checked By:	Approved By:	
Jason Huang	Black Ding	Tim Zhang	
<i>Jason Huang</i>	<i>Black Ding</i>	<i>Tim Zhang</i>	

Table of Contents

History of this test report.....	4
1. General Information	5
1.1 Applicant.....	5
1.2 Manufacturer	5
1.3 Basic Description of Equipment Under Test.....	5
1.4 Transmit Operating Mode.....	6
2. Summary of Test Results	7
2.1 Summary of Test Items	7
2.2 Application of Standard	7
2.3 Test Instruments.....	8
2.4 Operation Mode	9
2.5 Test Condition	9
2.6 Duty Cycle of Test Signal	10
2.7 Measurement Uncertainty	17
2.8 Test Location	17
2.9 SUPPORT UNITS	17
3. Test Procedure And Results	18
3.1 AC Power Line Conducted Emission.....	18
3.1.1 Limit	18
3.1.2 Test Procedure	18
3.1.3 Test Setup.....	18
3.1.4 Test Result.....	19
3.2 Radiated Emission.....	21
3.2.1 Limit	21
3.2.2 Test Procedure	22
3.2.3 Test Setup.....	23
3.2.4 Test Result.....	24
3.3 Spectrum Bandwidth	272
3.3.1 Limit	272
3.3.2 Test Procedure	272

3.3.3	Test Setup.....	273
3.3.4	Test Result.....	274
3.4	Conducted Output Power	879
3.4.1	Limit	879
3.4.2	Test Procedure	880
3.4.3	Test Setup.....	880
3.4.4	Table of Parameters of Text Software Setting	881
3.4.5	The Result.....	888
3.5	Power Spectral Density	944
3.5.1	Limit	944
3.5.2	Test Procedure	944
3.5.3	Test Setup.....	945
3.5.4	The Result.....	946

History of this test report

Original Report Issue Date: 2025.11.03

- No additional attachment
- Additional attachments were issued following record

Attachment No.	Issue Date	Description

1. General Information

1.1 Applicant

Humax Networks, INC

216, Hwangsaеul-ro, Bundang-gu, Seongnam-si, South Korea 13595

1.2 Manufacturer

Humax Networks, INC

216, Hwangsaеul-ro, Bundang-gu, Seongnam-si, South Korea 13595

1.3 Basic Description of Equipment Under Test

Test sample no.	POC250901013-S001	
Product(s) Name	Tri-Band AP Router	
Test Model	HNR2306P	
Model Name	HNR2306P, HNR2306A	
Model difference	the model difference is: HNR2306P with VoIP port,HNR2306A without VoIP	
Trade Mark	HUMAX Networks Inc.	
Power Supply	DC 12V from adapter	
Adapter information	Model: NBS24N120200VU Input: 100-240V~, 50/60Hz, 0.6A Output: 12.0V==2.0A	
Operate temperature	0℃-40℃	
EUT Stage	○ Product Unit	● Final-Sample
Operating Band & Max Conducted Output Power	5150MHz ~5250MHz	802.11ac40: 29.56dBm(0.904W)
	5250MHz ~5350MHz	802.11ac40: 23.58dBm(0.228W)
	5470MHz ~5725MHz	802.11be40: 23.96dBm(0.249W)
	5725MHz ~5850MHz	802.11ac20: 29.90dBm(0.977W)
Product Type	IEEE 802.11a/n/ac/ax/be: WLAN (MIMO)	
Nominal Bandwidth	20MHz / 40MHz / 80MHz / 160MHz	
Modulation	IEEE 802.11a/n/ac: OFDM IEEE 802.11ax/be: OFDMA	
Antenna gain	Ant1: 4.51 dBi, Ant2: 5.28 dBi, Ant3: 3.10 dBi, Ant4: 4.99 dBi	
Directional gain	Uncorrelated:0.86dBi(from the antenna report) Correlated:5.79 dBi(from the antenna report)	
Antenna type	PCB antenna	
Data Rate (Mbps)	IEEE 802.11a mode : 6/9/12/18/24/36/48/54 IEEE 802.11n mode : up to 600 IEEE 802.11ac mode : up to 3466.7 IEEE 802.11ax mode : up to 4803.9 IEEE 802.11be mode : up to 5764.4	

Channel Information			
Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	802.11a /n /ac /ax /be (20MHz)	5180-5240	36-48
5250-5350		5260-5320	52-64
5470-5725		5500-5720	100-144
5725-5850		5745-5825	149-165
5150-5250	802.11n /ac /ax /be (40MHz)	5190-5230	38-46
5250-5350		5270-5310	54-62
5470-5725		5510-5710	102-142
5725-5850		5755-5795	151-159
5150-5250	802.11ac /ax /be (80MHz)	5210	42
5250-5350		5290	58
5470-5725		5530-5690	106-138
5725-5850		5775	155
5150-5350	802.11 ac /ax /be (160MHz)	5250	50
5470-5725		5570	114

Note: EUT supports one configuration only in 802.11ax, 802.11be full RU mode.

1.4 Transmit Operating Mode

Transmit Operating Mode					Transmit Multiple Antennas				
☒ Operating mode 1 (single antenna)					☒ 1TX				
☐ Operating mode 2 (multiple antenna, no beam forming)					☐ 2TX	☐ 3TX	☐	4TX	
☒ Operating mode 3 (multiple antenna, with beam forming)					☐ 2TX	☐ 3TX	☒	4TX	
☒ 802.11a	Operating mode	☒ 1TX	☐ 2TX	☐ 3TX	☐ 4TX				
☒ 802.11n(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11n(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				

2. Summary of Test Results

2.1 Summary of Test Items

47 CFR FCC Part 15, Subpart E (Section 15.407)			
Test item	Standard	Results	Remarks
AC Power Conducted Emission	15.207 15.407(b)	Pass	Meet the requirement of the limit
Radiated Emission	15.205(a) 15.209(a) 15.407(b)	Pass	Meet the requirement of the limit
Antenna Requirements	15.203	Compliance	Note
Spectrum Bandwidth	15.407(a) 15.407(e)	Pass	Meet the requirement of the limit
Conducted Output Power	15.407(a)	Pass	Meet the requirement of the limit
Power Spectral Density	15.407(a)	Pass	Meet the requirement of the limit
Dynamic Frequency Selection (DFS)	15.407(h)	Pass	See the report RF250516013-01-003 for details
Note: The EUT has 4 PCB Antennas arrangement which was permanently attached. For AC Power Conducted Emission and Radiated Emission below 1GHz, Only the worst-case scenario of HNR2306P was recorded.			

2.2 Application of Standard

47 CFR FCC Part 15, Subpart E

KDB 789033 D02 General UNII Test Procedures New Rules v02r01

KDB 662911 D01 Multiple Transmitter Output v02r01

KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02

ANSI C63.10:2013

2.3 Test Instruments

No.	Name of Equipment	Manufacturer	Model Number	Serial Number	Inventory No.	Last Calibration	Due Calibration
Radiated Emission							
1	Test receiver	Rohde&Schwarz	ESU	100184	JLE011	2025/3/1	2026/2/28
2	Log periodic antenna	Schwarzbeck	VULB 9168	1151	JLE012	2025/4/12	2026/4/11
3	Low frequency amplifier	/	LNA 0920N	2014	JLE023	2025/3/1	2026/2/28
4	High frequency amplifier	Schwarzbeck	BBV 9718	9718-284	JLE024	2025/3/1	2026/2/28
5	Horn Antenna	SCHWARZBECK	BBHA 9120 D	02670	JLE028	2025/4/12	2026/4/11
6	Temp&Humidity Recorder	Meideshi	JR900	/	JLE021	2025/4/15	2026/4/14
7	Horn Antenna	SCHWARZBECK	BBHA 9170	9170#685	JLE029	2024/7/15	2027/7/14
8	Loop Antenna	SCHWARZBECK	FMZB1519B	00029	JLE030	2024/7/15	2027/7/14
9	Broadband preamplifier	Schwarzbeck	BBV9721	9721-019	JLE025	2025/3/1	2026/2/28
10	Test software	Farad Technology Co., Ltd	EZ-EMC Ver.TW-03A2				
Conducted Emission							
1	LISN	Rohde&Schwarz	ENV216	100075	JLE002	2025/3/1	2026/2/28
2	ISN	Schwarzbeck	CATE 5 8158	#171	JLE003	2025/2/21	2026/2/20
3	ISN	Schwarzbeck	CAT 3 8158	00187	JLE032	2025/2/21	2026/2/20
4	Test receiver	Rohde&Schwarz	ESCI	100718	JLE010	2025/3/1	2026/2/28
5	Pulse limiter	Rohde&Schwarz	ESH3-Z2	102299	JLE047	2025/3/1	2026/2/28
6	Temp&Humidity Recorder	Meideshi	JR900	/	JLE020	2025/4/15	2026/4/14
7	Test software	Farad Technology Co., Ltd	EZ-EMC Ver.TW-03A2				
RF Conducted Emissions							
1	MXA Signal Analyzer	Keysight	N9021B	MY60080169	JLE050	2025/3/1	2026/2/28
2	RF Control Unit	dsusoft	JS0806-2	21G8060449	JLE053	2025/3/1	2026/2/28
3	power supply unit	dsusoft	JS0806-4ADC	N/A	JLE055	2025/3/1	2026/2/28
4	VXG Signal Generator	Keysight	M9384B	MY61270787	JLE051	2025/6/10	2026/6/09
5	EXG Analog Signal Generator	Keysight	N5173B	MY59101282	JLE052	2025/3/1	2026/2/28
6	Wideband Radio Communication Tester	Rohde&Schwarz	CMW500	1201.0002K5 0-116064-Dt	JLE054	2025/3/1	2026/2/28
7	Test software	dsusoft	JS1120-3 Ver.3.2.22.0				

2.4 Operation Mode

The EUT was supplied by and it was run in TX mode that was controlled by Master provided RF testing program. The worst case test result was showed in the report.

2.5 Test Condition

Test Item	Environmental conditions	Input Power	Tested by
AC Power Conducted Emission	23.8°C, 52% RH	AC 120V/60Hz	Keith Huang
Radiated Emission	23.9-24.3°C, 50-59% RH	AC 120V/60Hz	Lemon He
Spectrum Bandwidth	23.0~24.8°C, 51~57% RH	DC 12V	Freedom Zhuo
Conducted Power	23.0~24.8°C, 51~57% RH	DC 12V	Freedom Zhuo
Power Spectral Density	23.0~24.8°C, 51~57% RH	DC 12V	Freedom Zhuo

Note: Adapter supply voltage AC 120V/60Hz.

The applicant declare the operating environment of EUT as below:

Normal conditions: DC 12V, 0~40°C

2.6 Duty Cycle of Test Signal


If duty cycle is $\geq 98\%$, duty factor is not required.


If duty cycle is $< 98\%$, duty factor shall be considered.

All the duty factor of other test mode have been considered.


TestMode	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	5180	2.06	2.17	94.93
11N20MIMO	5180	1.92	2.03	94.58
11N40MIMO	5190	0.94	1.05	89.52
11AC20MIMO	5180	1.92	1.96	97.96
11AC40MIMO	5190	0.95	0.99	95.96
11AC80MIMO	5210	0.46	0.50	92.00
11AC160MIMO	5250	0.25	0.29	86.21
11AX20MIMO	5180	1.49	1.53	97.39
11AX40MIMO	5190	0.78	0.82	95.12
11AX80MIMO	5210	0.41	0.44	93.18
11AX160MIMO	5250	0.24	0.28	85.71
11BE20MIMO	5180	1.49	1.53	97.39
11BE40MIMO	5190	0.78	0.81	96.30
11BE80MIMO	5210	0.41	0.44	93.18
11BE160MIMO	5250	0.24	0.28	85.71

Test Graphs







NTNV-11N40MIMO -5190




NTNV-11AC20MIMO -5180




NTNV-11AC40MIMO -5190




NTNV-11AC80MIMO -5210




NTNV-11AC160MIMO-5250




NTNV-11AX20MIMO-5180



NTNV-11AX40MIMO-5190



NTNV-11AX80MIMO-5210



2.7 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Uncertainty	
Parameter	Uncertainty
Occupied Channel Bandwidth	$\pm 102\text{kHz}$
Power Spectral Density	$\pm 0.243\text{dB}$
Conducted Spurious Emission	$\pm 0.743\text{dB}$
RF power conducted	$\pm 1.328\text{dB}$
Conducted emission(9kHz~30MHz) AC main	$\pm 2.68\text{dB}$
Radiated emission(9kHz~30MHz)	$\pm 3.50\text{dB}$
Radiated emission (30MHz~1GHz)	$\pm 4.20\text{dB}$
Radiated emission (1GHz~18GHz)	$\pm 5.10\text{dB}$
Radiated emission (18GHz~40GHz)	$\pm 5.26\text{dB}$

2.8 Test Location

Company:	Shenzhen Haiyun Standard Technical Co., Ltd.
Address:	No. 110-113, 115, 116, Block B, Jinyuan Business Building, Bao'an District, Shenzhen, China
CNAS Registration Number:	CNAS L18252
CAB identifier:	CN0145
A2LA Certificate Number:	6823.01
Telephone:	0755-26024411

2.9 SUPPORT UNITS

No.	Equipment	Model	Manufacturer	Series No
1	PC	M4500T	Thinkpad	M032004854IT
2	Notebook	L450	Think	/
3	Notebook	L450	Think	/

3. Test Procedure And Results

3.1 AC Power Line Conducted Emission

3.1.1 Limit

Frequency	Maximum RF Line Voltage	
	Quasi-Peak Level dB(μ V)	Average Level dB(μ V)
150kHz ~ 500kHz	66 ~ 56*	56 ~ 46*
500kHz ~ 5MHz	56	46
5MHz ~ 30MHz	60	50

Notes: 1. * Decreasing linearly with logarithm of frequency.


2. The lower limit shall apply at the transition frequencies.

3.1.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
○ Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note: ●:Test ○:No Test	

- The EUT was placed 0.4 meters from the conducting wall of the shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). Other support units were connected to the power mains through another LISN. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument.
- Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- The frequency range from 150kHz to 30MHz was searched. Emission levels under (Limit - 20dB) was not recorded.

3.1.3 Test Setup



3.1.4 Test Result


Note:

1. Correct Factor = LISN Factor + Cable Loss + Pulse Limiter Factor, the value was added to Original Receiver Reading by the software automatically.
2. Measurement = Reading + Correct Factor.
3. Over = Measurement – Limit
4. The TX AC20 Mode Channel 157 is found to be the worst case and recorded.

150kHz~30MHz

TX 11AC20MIMO Channel 157

Line




150kHz~30MHz

TX 11AC20MIMO Channel 157

Neutral

Conducted Emission Measurement



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1500	32.11	19.51	51.62	66.00	-14.38	QP	
2		0.1500	15.95	19.51	35.46	56.00	-20.54	AVG	
3		0.4340	18.55	19.47	38.02	57.18	-19.16	QP	
4 *		0.4340	15.61	19.47	35.08	47.18	-12.10	AVG	
5		1.6980	8.25	19.62	27.87	56.00	-28.13	QP	
6		1.6980	2.00	19.62	21.62	46.00	-24.38	AVG	
7		5.4700	3.71	19.98	23.69	60.00	-36.31	QP	
8		5.4700	-1.77	19.98	18.21	50.00	-31.79	AVG	
9		10.0380	2.13	20.16	22.29	60.00	-37.71	QP	
10		10.0380	-2.71	20.16	17.45	50.00	-32.55	AVG	
11		25.1380	1.78	21.04	22.82	60.00	-37.18	QP	
12		25.1380	-3.31	21.04	17.73	50.00	-32.27	AVG	

3.2 Radiated Emission

3.2.1 Limit

1) Limit of radiated emission measurement:

Radiated emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table. Other emissions shall be at least 20dB below the highest level of the desired power:

Frequency (MHz)	Distance Meters(m)	Field Strength Limit	
		$\mu\text{V/m}$	$\text{dB}(\mu\text{V})/\text{m}$
0.009 – 0.49	300	2400/F(kHz)	-
0.490 – 1.705	30	24000/F(kHz)	-
1.705 – 30	30	30	-
30~88	3	100	40.0
88~216	3	150	43.5
216~960	3	200	46.0
960~1000	3	500	54.0
Above 1000	3	74.0 $\text{dB}(\mu\text{V})/\text{m}$ (Peak) 54.0 $\text{dB}(\mu\text{V})/\text{m}$ (Average)	

Note: (1) Emission level $\text{dB}\mu\text{V} = 20 \log$ Emission level $\mu\text{V/m}$

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

2) Limit of unwanted emission out of the restricted bands:

Frequency(MHz)	EIRP Limit(dBm/MHz)	Equivalent Field Strength at 3m($\text{dB}\mu\text{V}/\text{m}$)
5150-5250	-27	68.2
5250-5350	-27	68.2
5470-5725	-27	68.2
5725-5850	-27 NOTE (2)	68.2
	10 NOTE (2)	105.2
	15.6 NOTE (2)	110.8
	27 NOTE (2)	122.2

Note: (1) The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength: $E[\text{dB}\mu\text{V}/\text{m}] = \text{EIRP}[\text{dBm}] + 95.2$, for $d=3\text{m}$

(2) According to 15.407(b)(4)(i), all emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.


3.2.2 Test Procedure

Test Method	
○Conducted Measurement	●Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	


- a) The measuring distance of 3 m shall be used for measurements. The EUT was placed on the top of a rotating table 0.8 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.(below 1 GHz)
- b) The measuring distance of 3 m or 1.5m shall be used for measurements. The EUT was placed on the top of a rotating table 1.5 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.(above 1GHz)
- c) The height of the equipment or of the substitution antenna shall be 0.8m or 1.5m; the height of the test antenna shall vary between 1 m to 4 m. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d) For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights find the maximum reading (used Bore sight function).
- e) The receiver system was set to peak and average detect function and specified bandwidth with maximum hold mode when the test frequency is above 1 GHz.
- f) The initial step in collecting radiated emission data is a receiver peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- g) All readings are Peak unless otherwise stated QP in column of Note. Peak denotes that the Peak reading compliance with the QP Limits and then QP Mode measurement didn't perform. (below 1 GHz)
- h) All readings are Peak Mode value unless otherwise stated AVG in column of Note. If the Peak Mode Measured value compliance with the Peak Limits and lower than AVG Limits, the EUT shall be deemed to meet both Peak & AVG Limits and then only Peak Mode was measured, but AVG Mode didn't perform. (above 1 GHz)
- i) For the actual test configuration, please refer to the related Item -EUT Test Photos.

3.2.3 Test Setup


(A) Radiated Emission Test Set-Up Frequency Below 30 MHz



(B) Radiated Emission Test Set-Up Frequency 30 MHz-1000 MHz



(C) Radiated Emission Test Set-Up Frequency Above 1 GHz



3.2.4 Test Result

1) Radiated emission: 9kHz-30MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

2) Radiated emission: 30MHz-1GHz


Note:

1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit
3. The TX AC20 Mode Channel 157is found to be the worst case and recorded.


Below 1GHz (30MHz~1GHz)

TX 11AC20MIMO Channel 157

VERTICAL



HORIZONTAL



3) Radiated emission: Above 1GHz

Note:



1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit
3. Pre-scan TPC_H and TPC_L, worst case for TPC_H was recorded.

Above 1GHz (1GHz~18GHz)

Test mode:11A ANT1


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.30	7.53	55.83	68.20	-12.37	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.53	6.90	49.43	68.20	-18.77	peak	
2		5150.000	49.92	8.54	58.46	68.20	-9.74	peak	
3	*	5150.000	43.16	8.54	51.70	54.00	-2.30	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:56

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT1


Test Channel:64

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	47.45	8.29	55.74	74.00	-18.26	peak		
2	*	10640.000	36.03	8.29	44.32	54.00	-9.68	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	53.27	7.75	61.02	68.20	-7.18	peak		
2	*	5350.000	42.87	7.75	50.62	54.00	-3.38	AVG		
3		5460.000	42.59	7.53	50.12	68.20	-18.08	peak		

Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT1


Test Channel:100

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	47.71	7.98	55.69	74.00	-18.31	peak		
2	*	11000.000	36.53	7.98	44.51	54.00	-9.49	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	43.55	7.75	51.30	68.20	-16.90	peak		
2		5480.000	47.05	7.53	54.58	68.20	-13.62	peak		
3	*	5480.000	40.59	7.53	48.12	54.00	-5.88	AVG		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:144

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	48.72	8.26	56.98	74.00	-17.02	peak		
2	*	11490.000	37.60	8.26	45.86	54.00	-8.14	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	56.44	8.22	64.66	68.20	-3.54	peak		
2		5700.000	71.42	8.50	79.92	105.20	-25.28	peak		
3		5720.000	79.88	8.32	88.20	110.80	-22.60	peak		
4		5725.000	82.09	8.28	90.37	122.20	-31.83	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	47.15	8.26	55.41	74.00	-18.59	peak	
2	*	11490.000	35.94	8.26	44.20	54.00	-9.80	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.56	8.22	61.78	68.20	-6.42	peak	
2		5700.000	62.73	8.50	71.23	105.20	-33.97	peak	
3		5720.000	74.54	8.32	82.86	110.80	-27.94	peak	
4		5725.000	76.89	8.28	85.17	122.20	-37.03	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT1

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	47.55	7.92	55.47	74.00	-18.53	peak	
2 *		11650.000	36.93	7.92	44.85	54.00	-9.15	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	69.65	9.29	78.94	122.20	-43.26	peak	
2		5855.000	65.48	9.22	74.70	110.80	-36.10	peak	
3		5875.000	56.37	8.96	65.33	105.20	-39.87	peak	
4 *		5925.000	53.11	8.96	62.07	68.20	-6.13	peak	



1.

Above 1GHz (1GHz~18GHz)

Test mode:11A ANT2

Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:56

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT2


Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10640.000	47.03	8.29	55.32	74.00	-18.68	peak		
2	*	10640.000	36.18	8.29	44.47	54.00	-9.53	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	53.50	7.75	61.25	68.20	-6.95	peak		
2	*	5350.000	42.81	7.75	50.56	54.00	-3.44	AVG		
3		5460.000	42.59	7.53	50.12	68.20	-18.08	peak		

Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT2


Test Channel:100

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	47.50	7.98	55.48	74.00	-18.52	peak		
2	*	11000.000	36.34	7.98	44.32	54.00	-9.68	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	42.84	7.75	50.59	68.20	-17.61	peak		
2		5480.000	51.43	7.53	58.96	68.20	-9.24	peak		
3	*	5480.000	42.95	7.53	50.48	54.00	-3.52	AVG		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:144

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	38.61	8.26	46.87	74.00	-27.13	peak		
2	*	11490.000	37.31	8.26	45.57	54.00	-8.43	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	55.55	8.22	63.77	68.20	-4.43	peak		
2		5700.000	71.92	8.50	80.42	105.20	-24.78	peak		
3		5720.000	80.38	8.32	88.70	110.80	-22.10	peak		
4		5725.000	82.59	8.28	90.87	122.20	-31.33	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	47.04	8.26	55.30	74.00	-18.70	peak		
2	*	11490.000	36.05	8.26	44.31	54.00	-9.69	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.56	8.22	62.78	68.20	-5.42	peak		
2		5700.000	62.73	8.50	71.23	105.20	-33.97	peak		
3		5720.000	76.04	8.32	84.36	110.80	-26.44	peak		
4		5725.000	78.89	8.28	87.17	122.20	-35.03	peak		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT2

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	47.82	7.92	55.74	74.00	-18.26	peak	
2	*	11650.000	36.71	7.92	44.63	54.00	-9.37	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	67.15	9.29	76.44	122.20	-45.76	peak	
2		5855.000	65.48	9.22	74.70	110.80	-36.10	peak	
3		5875.000	60.37	8.96	69.33	105.20	-35.87	peak	
4	*	5925.000	53.11	8.96	62.07	68.20	-6.13	peak	

Above 1GHz (1GHz~18GHz)

Test mode:11A ANT3


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.95	7.53	55.48	68.20	-12.72	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.63	6.90	49.53	68.20	-18.67	peak	
2		5150.000	41.67	8.54	50.21	68.20	-17.99	peak	
3	*	5150.000	50.98	8.54	59.52	68.20	-8.68	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:56

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT3


Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



Radiated Emission





Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT3


Test Channel:100

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	47.23	7.98	55.21	74.00	-18.79	peak	
2	*	11000.000	36.19	7.98	44.17	54.00	-9.83	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	42.72	7.75	50.47	68.20	-17.73	peak	
2		5480.000	50.36	7.53	57.89	68.20	-10.31	peak	
3	*	5480.000	42.33	7.53	49.86	54.00	-4.14	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:144



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	46.88	8.26	55.14	74.00	-18.86	peak		
2	*	11490.000	36.44	8.26	44.70	54.00	-9.30	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	53.91	8.22	62.13	68.20	-6.07	peak		
2		5700.000	63.73	8.50	72.23	105.20	-32.97	peak		
3		5720.000	73.04	8.32	81.36	110.80	-29.44	peak		
4		5725.000	77.39	8.28	85.67	122.20	-36.53	peak		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT3

Test Channel:157

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	49.23	7.92	57.15	74.00	-16.85	peak		
2	*	11650.000	38.05	7.92	45.97	54.00	-8.03	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	77.25	9.29	86.54	122.20	-35.66	peak		
2		5855.000	72.88	9.22	82.10	110.80	-28.70	peak		
3		5875.000	64.86	8.96	73.82	105.20	-31.38	peak		
4	*	5925.000	54.56	8.96	63.52	68.20	-4.68	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11850.000	47.20	7.92	55.12	74.00	-18.88	peak		
2	*	11850.000	36.41	7.92	44.33	54.00	-9.67	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	70.15	9.29	79.44	122.20	-42.76	peak		
2		5855.000	64.98	9.22	74.20	110.80	-36.60	peak		
3		5875.000	56.37	8.96	65.33	105.20	-39.87	peak		
4	*	5925.000	53.35	8.96	62.31	68.20	-5.89	peak		



2.

Above 1GHz (1GHz~18GHz)

Test mode:11A ANT4


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.79	7.53	55.32	68.20	-12.88	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.53	6.90	49.43	68.20	-18.77	peak	
2		5150.000	49.92	8.54	58.46	68.20	-9.74	peak	
3	*	5150.000	41.19	8.54	49.73	54.00	-4.27	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:56

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT4


Test Channel:64

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	47.27	8.29	55.56	74.00	-18.44	peak	
2	*	10640.000	36.21	8.29	44.50	54.00	-9.50	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	53.03	7.75	60.78	68.20	-7.42	peak	
2	*	5350.000	43.14	7.75	50.89	54.00	-3.11	AVG	
3		5460.000	42.59	7.53	50.12	68.20	-18.08	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11A ANT4


Test Channel:100

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	47.76	7.98	55.74	74.00	-18.26	peak		
2	*	11000.000	36.91	7.98	44.89	54.00	-9.11	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	42.82	7.75	50.57	68.20	-17.63	peak		
2		5460.000	51.46	7.53	58.99	68.20	-9.21	peak		
3	*	5460.000	42.26	7.53	49.79	54.00	-4.21	AVG		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:144



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	47.06	8.26	55.32	74.00	-18.68	peak		
2	*	11490.000	36.49	8.26	44.75	54.00	-9.25	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.19	8.22	62.41	68.20	-5.79	peak		
2		5700.000	62.60	8.50	71.10	105.20	-34.10	peak		
3		5720.000	73.14	8.32	81.46	110.80	-29.34	peak		
4		5725.000	79.34	8.28	87.62	122.20	-34.58	peak		

Above 1GHz (1GHz~18GHz)


Test mode: 11A ANT4

Test Channel:157

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	49.22	7.92	57.14	74.00	-16.86	peak		
2	*	11650.000	38.18	7.92	46.10	54.00	-7.90	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	76.12	9.29	85.41	122.20	-36.79	peak		
2		5855.000	71.99	9.22	81.21	110.80	-29.59	peak		
3		5875.000	64.06	8.96	73.02	105.20	-32.18	peak		
4	*	5925.000	54.75	8.96	63.71	68.20	-4.49	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	47.70	7.92	55.62	74.00	-18.38	peak	
2	*	11650.000	36.78	7.92	44.70	54.00	-9.30	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	69.65	9.29	78.94	122.20	-43.26	peak	
2		5855.000	65.48	9.22	74.70	110.80	-36.10	peak	
3		5875.000	56.37	8.96	65.33	105.20	-39.87	peak	
4	*	5925.000	53.11	8.96	62.07	68.20	-6.13	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11N20 MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.67	7.53	56.20	68.20	-12.00	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.28	6.90	49.18	68.20	-19.02	peak	
2		5150.000	50.04	8.54	58.58	68.20	-9.62	peak	
3	*	5150.000	41.77	8.54	50.31	54.00	-3.69	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	47.58	8.29	55.87	74.00	-18.13	peak	
2 *		10640.000	37.83	8.29	46.12	54.00	-7.88	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	59.08	7.75	66.83	68.20	-1.37	peak	
2 *		5350.000	45.81	7.75	53.56	54.00	-0.44	AVG	
3		5460.000	42.86	7.53	50.39	68.20	-17.81	peak	


HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	46.83	8.29	55.12	74.00	-18.88	peak	
2 *		10640.000	36.45	8.29	44.74	54.00	-9.26	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.73	7.75	63.48	68.20	-4.72	peak	
2 *		5350.000	42.49	7.75	50.24	54.00	-3.76	AVG	
3		5460.000	42.93	7.53	50.46	68.20	-17.74	peak	

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	48.22	7.98	56.20	74.00	-17.80	peak	
2	*	11000.000	37.23	7.98	45.21	54.00	-8.79	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	42.79	7.75	50.54	68.20	-17.66	peak	
2		5460.000	48.32	7.53	55.85	68.20	-12.35	peak	
3	*	5460.000	40.77	7.53	48.30	54.00	-5.70	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:144

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11N20 MIMO


Test Channel:149

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	46.29	8.26	54.55	74.00	-19.45	peak	
2 *		11490.000	36.06	8.26	44.32	54.00	-9.68	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	52.43	8.22	60.65	68.20	-7.55	peak	
2		5700.000	63.89	8.50	72.39	105.20	-32.81	peak	
3		5720.000	76.95	8.32	85.27	110.80	-25.53	peak	
4		5725.000	79.85	8.28	88.13	122.20	-34.07	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	46.61	7.92	54.53	74.00	-19.47	peak	
2 *		11650.000	36.18	7.92	44.10	54.00	-9.90	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	71.46	9.29	80.75	122.20	-41.45	peak	
2		5855.000	65.77	9.22	74.99	110.80	-35.81	peak	
3		5875.000	57.45	8.96	66.41	105.20	-38.79	peak	
4 *		5925.000	52.50	8.96	61.46	68.20	-6.74	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO

Test Channel:38

VERTICAL




HORIZONTALA

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO

Test Channel:46

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10460.000	49.97	7.88	57.85	68.20	-10.35	peak	

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10460.000	48.22	7.88	56.10	68.20	-12.10	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:62

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10620.000	46.52	8.30	54.82	74.00	-19.18	peak		
2	*	10620.000	35.83	8.30	44.13	54.00	-9.87	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	53.72	7.75	61.47	68.20	-6.73	peak		
2	*	5350.000	43.12	7.75	50.87	54.00	-3.13	AVG		
3		5460.000	42.34	7.53	49.87	68.20	-18.33	peak		

Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:102

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	47.96	8.02	55.98	74.00	-18.02	peak		
2	*	11020.000	36.49	8.02	44.51	54.00	-9.49	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	43.79	7.75	51.54	68.20	-16.66	peak		
2		5460.000	52.07	7.53	59.60	68.20	-8.60	peak		
3	*	5460.000	42.78	7.53	50.31	54.00	-3.69	AVG		

Above 1GHz (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:142

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:151

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	dBuV	Factor	ment			Height	Degree
1		11510.000	46.78	8.26	55.04	74.00	-18.96	peak	
2	*	11510.000	35.86	8.26	44.12	54.00	-9.88	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	dBuV	Factor	ment			Height	Degree
1	*	5650.000	53.73	8.22	61.95	68.20	-6.25	peak	
2		5700.000	66.90	8.50	75.40	105.20	-29.80	peak	
3		5720.000	75.60	8.32	83.92	110.80	-26.88	peak	
4		5725.000	77.23	8.28	85.51	122.20	-36.69	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:159

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	47.76	8.04	55.80	74.00	-18.20	peak	
2	*	11590.000	35.71	8.04	43.75	54.00	-10.25	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	65.15	9.29	74.44	122.20	-47.76	peak	
2		5855.000	61.51	9.22	70.73	110.80	-40.07	peak	
3		5875.000	57.84	8.96	66.80	105.20	-38.40	peak	
4	*	5925.000	54.16	8.96	63.12	68.20	-5.08	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AC20 MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.87	7.53	55.40	68.20	-12.80	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.83	7.90	49.73	68.20	-18.47	peak	
2		5150.000	48.46	9.54	58.00	68.20	-10.20	peak	
3	*	5150.000	40.16	9.54	49.70	54.00	-4.30	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)

Test mode: 11AC20 MIMO

Test Channel:56

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	48.88	8.19	57.07	68.20	-11.13	peak	



HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10560.000	47.27	8.19	55.46	68.20	-12.74	peak	

VERTICAL




HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	49.25	8.29	57.54	74.00	-16.46	peak	
2 *		10640.000	35.83	8.29	44.12	54.00	-9.88	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.67	8.75	60.42	68.20	-7.78	peak	
2 *		5350.000	41.50	8.75	50.25	54.00	-3.75	AVG	
3		5460.000	41.24	8.53	49.77	68.20	-18.43	peak	

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	47.98	7.98	55.96	74.00	-18.04	peak	
2 *		11000.000	35.88	7.98	43.86	54.00	-10.14	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.66	8.75	50.41	68.20	-17.79	peak	
2		5460.000	51.52	8.53	60.05	68.20	-8.15	peak	
3 *		5460.000	41.34	8.53	49.87	54.00	-4.13	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:144

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AC20 MIMO


Test Channel:149

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	47.61	8.26	55.87	74.00	-18.13	peak	
2	*	11490.000	35.36	8.26	43.62	54.00	-10.38	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	52.97	9.22	62.19	68.20	-6.01	peak	
2		5700.000	65.32	9.50	74.82	105.20	-30.38	peak	
3		5720.000	76.12	9.32	85.44	110.80	-25.36	peak	
4		5725.000	79.94	9.28	89.22	122.20	-32.98	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	47.36	7.92	55.28	74.00	-18.72	peak		
2	*	11650.000	36.05	7.92	43.97	54.00	-10.03	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.62	9.22	63.84	68.20	-4.36	peak		
2		5700.000	73.92	9.50	83.42	105.20	-21.78	peak		
3		5720.000	83.63	9.32	92.95	110.80	-17.85	peak		
4		5725.000	85.82	9.28	95.10	122.20	-27.10	peak		

Above 1GHz (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:38

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	48.09	7.61	55.70	68.20	-12.50	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.07	7.90	48.97	68.20	-19.23	peak	
2		5150.000	53.27	9.54	62.81	68.20	-5.39	peak	
3	*	5150.000	42.08	9.54	51.62	54.00	-2.38	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)

Test mode: 11AC40 MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	48.13	8.30	56.43	74.00	-17.57	peak		
2 *		10620.000	37.44	8.30	45.74	54.00	-8.26	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	56.66	8.75	65.41	68.20	-2.79	peak		
2 *		5350.000	44.87	8.75	53.62	54.00	-0.38	AVG		
3		5460.000	41.83	8.53	50.36	68.20	-17.84	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10820.000	47.56	8.30	55.86	74.00	-18.14	peak	
2	*	10820.000	36.46	8.30	44.76	54.00	-9.24	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.41	8.75	60.16	68.20	-8.04	peak	
2	*	5350.000	41.71	8.75	50.46	54.00	-3.54	AVG	
3		5460.000	41.05	8.53	49.58	68.20	-18.62	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:102

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:142

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:151

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	47.11	8.26	55.37	74.00	-18.63	peak	
2 *		11510.000	36.48	8.26	44.74	54.00	-9.26	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	53.66	9.22	62.88	68.20	-5.32	peak	
2		5700.000	66.69	9.50	76.19	105.20	-29.01	peak	
3		5720.000	79.13	9.32	88.45	110.80	-22.35	peak	
4		5725.000	79.61	9.28	88.89	122.20	-33.31	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:159

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11500.000	48.06	8.04	56.10	74.00	-17.90	peak	
2 *		11500.000	36.79	8.04	44.83	54.00	-9.17	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	62.52	10.29	72.81	122.20	-49.39	peak	
2		5855.000	61.20	10.22	71.42	110.80	-39.38	peak	
3		5875.000	56.02	9.96	65.98	105.20	-39.22	peak	
4 *		5925.000	53.60	9.96	63.56	68.20	-4.64	peak	


Above 1GHz (1GHz~18GHz)

Test mode: 11AC80 MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	49.99	7.76	57.75	68.20	-10.45	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	40.86	7.90	48.76	68.20	-19.44	peak	
2		5150.000	55.71	9.54	65.25	68.20	-2.95	peak	
3	*	5150.000	44.05	9.54	53.59	54.00	-0.41	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	48.96	7.76	56.72	68.20	-11.48	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.32	7.90	50.22	68.20	-17.98	peak	
2		5150.000	50.96	9.54	60.50	68.20	-7.70	peak	
3	*	5150.000	42.35	9.54	51.89	54.00	-2.11	AVG	

Above 1GHz (1GHz~18GHz)

Test mode: 11AC80 MIMO


Test Channel:58

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	47.42	8.26	55.68	68.20	-12.52	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.45	8.75	60.20	68.20	-8.00	peak	
2	*	5350.000	41.79	8.75	50.54	54.00	-3.46	AVG	
3		5460.000	41.99	8.53	50.52	68.20	-17.68	peak	


Above 1GHz (1GHz~18GHz)

Test mode: 11AC80 MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11080.000	48.79	8.10	56.89	74.00	-17.11	peak	
2	*	11080.000	37.64	8.10	45.74	54.00	-8.26	AVG	


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.12	8.75	49.87	68.20	-18.33	peak	
2		5480.000	55.23	8.53	63.76	68.20	-4.44	peak	
3	*	5480.000	45.07	8.53	53.60	54.00	-0.40	AVG	

HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)


Test mode: 11AC80 MIMO

Test Channel:122

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AC80 MIMO

Test Channel:138

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AC80 MIMO


Test Channel:155

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11550.000	47.71	8.15	55.86	74.00	-18.14	peak	
2	*	11550.000	36.05	8.15	44.20	54.00	-9.80	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	!	5650.000	53.13	9.22	62.35	68.20	-5.85	peak	
2		5700.000	67.08	9.50	76.58	105.20	-28.62	peak	
3		5720.000	72.45	9.32	81.77	110.80	-29.03	peak	
4		5725.000	73.04	9.28	82.32	122.20	-39.88	peak	
5		5850.000	67.39	10.29	77.68	122.20	-44.52	peak	
6		5855.000	67.18	10.22	77.40	110.80	-33.40	peak	
7		5875.000	60.46	9.96	70.42	105.20	-34.78	peak	
8	*	5925.000	52.68	9.96	62.64	68.20	-5.56	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AC160MIMO


Test Channel:50

VERTICAL




HORIZONTALA

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	48.58	8.01	56.59	68.20	-11.61	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.06	7.90	48.96	68.20	-19.24	peak	
2		5150.000	49.68	9.54	59.22	68.20	-8.98	peak	
3	*	5150.000	41.48	9.54	51.02	54.00	-2.98	AVG	

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11140.000	47.66	8.13	55.79	74.00	-18.21	peak	
2	*	11140.000	36.15	8.13	44.28	54.00	-9.72	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.27	8.75	50.02	68.20	-18.18	peak	
2		5460.000	49.29	8.53	57.82	68.20	-10.38	peak	
3	*	5460.000	42.18	8.53	50.71	54.00	-3.29	AVG	

Above 1GHz (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.45	7.53	54.98	68.20	-13.22	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	42.44	7.90	50.34	68.20	-17.86	peak	
2		5150.000	51.82	9.54	61.36	68.20	-6.84	peak	
3	*	5150.000	40.93	9.54	50.47	54.00	-3.53	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	48.92	8.29	57.21	74.00	-16.79	peak	
2	*	10640.000	37.85	8.29	46.14	54.00	-7.86	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.14	8.75	65.89	68.20	-2.31	peak	
2	*	5350.000	45.01	8.75	53.76	54.00	-0.24	AVG	
3		5480.000	40.99	8.53	49.52	68.20	-18.68	peak	


HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	47.57	8.29	55.86	74.00	-18.14	peak		
2	*	10640.000	36.40	8.29	44.69	54.00	-9.31	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	53.34	8.75	62.09	68.20	-6.11	peak		
2	*	5350.000	42.68	8.75	51.43	54.00	-2.57	AVG		
3		5460.000	40.90	8.53	49.43	68.20	-18.77	peak		

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11000.000	47.56	7.98	55.54	74.00	-18.46	peak		
2	*	11000.000	36.62	7.98	44.60	54.00	-9.40	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	40.44	8.75	49.19	68.20	-19.01	peak		
2		5480.000	51.54	8.53	60.07	68.20	-8.13	peak		
3	*	5480.000	41.48	8.53	50.01	54.00	-3.99	AVG		

Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:144



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	47.63	8.26	55.89	74.00	-18.11	peak	
2	*	11490.000	36.31	8.26	44.57	54.00	-9.43	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	53.71	9.22	62.93	68.20	-5.27	peak	
2		5700.000	68.98	9.50	78.48	105.20	-26.72	peak	
3		5720.000	78.55	9.32	87.87	110.80	-22.93	peak	
4		5725.000	82.90	9.28	92.18	122.20	-30.02	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	47.82	7.92	55.74	74.00	-18.26	peak	
2 *		11650.000	37.06	7.92	44.98	54.00	-9.02	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	73.66	10.29	83.95	122.20	-38.25	peak	
2		5855.000	67.69	10.22	77.91	110.80	-32.89	peak	
3		5875.000	59.44	9.96	69.40	105.20	-35.80	peak	
4 *		5925.000	50.64	9.96	60.60	68.20	-7.60	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	49.64	7.61	57.25	68.20	-10.95	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.50	7.90	49.40	68.20	-18.80	peak	
2		5150.000	56.20	9.54	65.74	68.20	-2.46	peak	
3	*	5150.000	44.00	9.54	53.54	54.00	-0.46	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	48.49	7.61	56.10	68.20	-12.10	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.44	7.90	49.34	68.20	-18.86	peak	
2		5150.000	51.59	9.54	61.13	68.20	-7.07	peak	
3	*	5150.000	41.40	9.54	50.94	54.00	-3.06	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46


VERTICAL




HORIZONTAL



VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	48.74	8.30	57.04	74.00	-16.96	peak		
2	*	10620.000	37.56	8.30	45.86	54.00	-8.14	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	57.22	8.75	65.97	68.20	-2.23	peak		
2	*	5350.000	45.01	8.75	53.76	54.00	-0.24	AVG		
3		5460.000	41.95	8.53	50.48	68.20	-17.72	peak		


HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10620.000	47.07	8.30	55.37	74.00	-18.63	peak	
2	*	10620.000	36.59	8.30	44.89	54.00	-9.11	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	49.73	8.75	58.48	68.20	-9.72	peak	
2	*	5350.000	41.82	8.75	50.57	54.00	-3.43	AVG	
3		5460.000	42.44	8.53	50.97	68.20	-17.23	peak	

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	47.76	8.02	55.78	74.00	-18.22	peak	
2	*	11020.000	36.19	8.02	44.21	54.00	-9.79	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.27	8.75	50.02	68.20	-18.18	peak	
2		5460.000	52.14	8.53	60.67	68.20	-7.53	peak	
3	*	5460.000	42.22	8.53	50.75	54.00	-3.25	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:142



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	47.14	8.26	55.40	74.00	-18.60	peak	
2 *		11510.000	36.36	8.26	44.62	54.00	-9.38	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.27	8.75	50.02	68.20	-18.18	peak	
2		5460.000	52.14	8.53	60.67	68.20	-7.53	peak	
3 *		5460.000	42.22	8.53	50.75	54.00	-3.25	AVG	

Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:159

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11500.000	47.74	8.04	55.78	74.00	-18.22	peak	
2 *		11500.000	36.65	8.04	44.69	54.00	-9.31	AVG	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	52.95	9.22	62.17	68.20	-6.03	peak	
2		5700.000	70.20	9.50	79.70	105.20	-25.50	peak	
3		5720.000	78.36	9.32	87.68	110.80	-23.12	peak	
4		5725.000	79.73	9.28	89.01	122.20	-33.19	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:42

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	48.17	7.76	55.93	68.20	-12.27	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	71.12	10.29	81.41	122.20	-40.79	peak	
2		5855.000	68.21	10.22	78.43	110.80	-32.37	peak	
3		5875.000	61.68	9.96	71.64	105.20	-33.56	peak	
4	*	5925.000	53.37	9.96	63.33	68.20	-4.87	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	47.72	8.26	55.98	68.20	-12.22	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	56.33	8.75	65.08	68.20	-3.12	peak	
2	*	5350.000	44.89	8.75	53.64	54.00	-0.36	AVG	
3		5460.000	41.29	8.53	49.82	68.20	-18.38	peak	


HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	46.63	8.26	54.89	68.20	-13.31	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.72	8.75	60.47	68.20	-7.73	peak	
2	*	5350.000	42.05	8.75	50.80	54.00	-3.20	AVG	
3		5460.000	42.05	8.53	50.58	68.20	-17.62	peak	

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:138

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	48.83	8.15	56.98	74.00	-17.02	peak		
2	*	11550.000	37.97	8.15	46.12	54.00	-7.88	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	54.78	9.22	64.00	68.20	-4.20	peak		
2		5700.000	73.70	9.50	83.20	105.20	-22.00	peak		
3		5720.000	77.29	9.32	86.61	110.80	-24.19	peak		
4		5725.000	77.99	9.28	87.27	122.20	-34.93	peak		
5		5850.000	72.87	10.29	83.16	122.20	-39.04	peak		
6		5855.000	70.40	10.22	80.62	110.80	-30.18	peak		
7		5875.000	66.07	9.96	76.03	105.20	-29.17	peak		
8	!	5925.000	53.54	9.96	63.50	68.20	-4.70	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11550.000	47.97	8.15	56.12	74.00	-17.88	peak		
2	*	11550.000	37.38	8.15	45.53	54.00	-8.47	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	!	5650.000	53.56	9.22	62.78	68.20	-5.42	peak		
2		5700.000	69.57	9.50	79.07	105.20	-26.13	peak		
3		5720.000	73.16	9.32	82.48	110.80	-28.32	peak		
4		5725.000	73.00	9.28	82.28	122.20	-39.92	peak		
5		5850.000	66.93	10.29	77.22	122.20	-44.98	peak		
6		5855.000	66.81	10.22	77.03	110.80	-33.77	peak		
7		5875.000	60.77	9.96	70.73	105.20	-34.47	peak		
8	*	5925.000	53.37	9.96	63.33	68.20	-4.87	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	48.01	8.01	56.02	68.20	-12.18	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.78	7.90	49.68	68.20	-18.52	peak	
2		5150.000	48.70	9.54	58.24	68.20	-9.96	peak	
3	*	5150.000	40.15	9.54	49.69	54.00	-4.31	AVG	

HORIZONTAL



Radiated Emission



Radiated Emission




VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11140.000	47.74	8.13	55.87	74.00	-18.13	peak		
2	*	11140.000	36.26	8.13	44.39	54.00	-9.61	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	41.40	8.75	50.15	68.20	-18.05	peak		
2		5460.000	52.06	8.53	60.59	68.20	-7.61	peak		
3	*	5460.000	41.70	8.53	50.23	54.00	-3.77	AVG		

Above 1GHz (1GHz~18GHz)

Test mode: 11BE20MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.34	7.53	55.87	68.20	-12.33	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.43	7.90	49.33	68.20	-18.87	peak	
2		5150.000	49.35	9.54	58.89	68.20	-9.31	peak	
3	*	5150.000	40.71	9.54	50.25	54.00	-3.75	AVG	

Above 1GHz (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10640.000	48.96	8.29	57.25	74.00	-16.75	peak	
2	*	10640.000	38.02	8.29	46.31	54.00	-7.69	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.44	8.75	66.19	68.20	-2.01	peak	
2	*	5350.000	44.87	8.75	53.62	54.00	-0.38	AVG	
3		5460.000	41.32	8.53	49.85	68.20	-18.35	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	47.45	8.29	55.74	74.00	-18.26	peak		
2	*	10640.000	36.34	8.29	44.63	54.00	-9.37	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	50.69	8.75	59.44	68.20	-8.76	peak		
2	*	5350.000	41.95	8.75	50.70	54.00	-3.30	AVG		
3		5460.000	41.89	8.53	50.42	68.20	-17.78	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	49.43	7.98	57.41	74.00	-16.59	peak		
2	*	11000.000	37.38	7.98	45.36	54.00	-8.64	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	40.36	8.75	49.11	68.20	-19.09	peak		
2		5480.000	57.55	8.53	66.08	68.20	-2.12	peak		
3	*	5480.000	45.06	8.53	53.59	54.00	-0.41	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11000.000	47.88	7.98	55.86	74.00	-18.14	peak	
2	*	11000.000	36.34	7.98	44.32	54.00	-9.68	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	40.74	8.75	49.49	68.20	-18.71	peak	
2		5460.000	51.38	8.53	59.91	68.20	-8.29	peak	
3	*	5460.000	42.06	8.53	50.59	54.00	-3.41	AVG	

Above 1GHz (1GHz~18GHz)

Test mode: 11BE20MIMO

Test Channel:116

VERTICAL



HORIZONTAL

