



11AX40MIMO-Ant4-5670



11AX40MIMO-Ant1-5670




11AX40MIMO-Ant2-5710



11AX40MIMO-Ant1-5710



11AX40MIMO-Ant4-5710



11AX40MIMO-Ant3-5710



11AX40MIMO-Ant1-5755



11AX40MIMO-Ant2-5755



11AX40MIMO-Ant3-5755



11AX40MIMO-Ant4-5755



11AX40MIMO-Ant1-5795




11AX40MIMO-Ant2-5795



11AX40MIMO-Ant3-5795




11AX40MIMO-Ant4-5795



11AX80MIMO-Ant1-5210




11AX80MIMO-Ant2-5210



11AX80MIMO-Ant3-5210



11AX80MIMO-Ant4-5210



11AX80MIMO-Ant2-5290



11AX80MIMO-Ant3-5290




11AX80MIMO-Ant1-5290



11AX80MIMO-Ant4-5290




11AX80MIMO-Ant3-5530




11AX80MIMO-Ant2-5530




11AX80MIMO-Ant4-5530



11AX80MIMO-Ant1-5530



11AX80MIMO-Ant1-5610



11AX80MIMO-Ant2-5610



11AX80MIMO-Ant3-5610



11AX80MIMO-Ant4-5610




11AX80MIMO-Ant1-5690



11AX80MIMO-Ant2-5690



11AX80MIMO-Ant3-5690



11AX80MIMO-Ant4-5690




11AX80MIMO-Ant2-5775



11AX80MIMO-Ant3-5775




11AX80MIMO-Ant4-5775




11AX80MIMO-Ant1-5775




11AX160MIMO-Ant1-5250




11AX160MIMO-Ant2-5250




11AX160MIMO-Ant3-5250




11AX160MIMO-Ant4-5250



11AX160MIMO-Ant1-5570



11AX160MIMO-Ant2-5570



11AX160MIMO-Ant3-5570



11AX160MIMO-Ant4-5570



11BE20MIMO-Ant3-5180



11BE20MIMO-Ant4-5180



11BE20MIMO-Ant1-5180



11BE20MIMO-Ant2-5180



11BE20MIMO-Ant1-5200



11BE20MIMO-Ant2-5200



11BE20MIMO-Ant3-5200



11BE20MIMO-Ant4-5200




11BE20MIMO-Ant1-5240



11BE20MIMO-Ant2-5240




11BE20MIMO-Ant3-5240



11BE20MIMO-Ant4-5240



11BE20MIMO-Ant3-5260




11BE20MIMO-Ant1-5260



11BE20MIMO-Ant2-5260



11BE20MIMO-Ant4-5260



11BE20MIMO-Ant1-5280



11BE20MIMO-Ant3-5280




11BE20MIMO-Ant4-5280



11BE20MIMO-Ant2-5280



11BE20MIMO-Ant3-5320



11BE20MIMO-Ant1-5320



11BE20MIMO-Ant2-5320



11BE20MIMO-Ant4-5320



11BE20MIMO-Ant3-5500



11BE20MIMO-Ant1-5500



11BE20MIMO-Ant2-5500




11BE20MIMO-Ant4-5500



11BE20MIMO-Ant1-5580



11BE20MIMO-Ant2-5580




11BE20MIMO-Ant3-5580



11BE20MIMO-Ant4-5580



11BE20MIMO-Ant1-5700



11BE20MIMO-Ant2-5700



11BE20MIMO-Ant3-5700



11BE20MIMO-Ant4-5700



11BE20MIMO-Ant1-5720



11BE20MIMO-Ant2-5720



11BE20MIMO-Ant3-5720



11BE20MIMO-Ant4-5720



11BE20MIMO-Ant1-5745



11BE20MIMO-Ant2-5745



11BE20MIMO-Ant4-5745



11BE20MIMO-Ant3-5745



11BE20MIMO-Ant1-5785



11BE20MIMO-Ant2-5785



11BE20MIMO-Ant3-5785



11BE20MIMO-Ant4-5785



11BE20MIMO-Ant1-5825



11BE20MIMO-Ant2-5825



11BE20MIMO-Ant3-5825



11BE20MIMO-Ant4-5825



11BE40MIMO-Ant1-5190



11BE40MIMO-Ant2-5190



11BE40MIMO-Ant3-5190



11BE40MIMO-Ant4-5190



11BE40MIMO-Ant1-5230



11BE40MIMO-Ant2-5230



The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a spectrum plot with a yellow signal trace. A green horizontal line indicates the reference level at 20.00 dBm. A marker labeled '2' is placed on the signal trace at 5.22120 GHz with a level of 8.265 dBm. Another marker labeled '3Δ1' is placed on the signal trace at 5.20928 GHz with a level of -17.86 dBm. The center frequency is 5.23000 GHz, and the span is 80.00 MHz. The resolution bandwidth (RBW) is 430 kHz, and the video bandwidth (VBW) is 1.3 MHz. The sweep rate is 1.00 ms (1001 pts). The interface includes various control panels for input, attenuation, and measurement settings, as well as a settings panel on the right for center frequency, span, and sweep parameters.

Keysight Spectrum Analyzer 1
Swept SA

KEYSIGHT Input RF Coupling 10C Align Auto Input Z 50 Ω Corr C Corr R Cal Freq Ref Int (S) #Atten 30 dB PNO Fast Gate Off IF Gain Low Sig Track Off #Avg Type Power (RMS) Avg/Hold 100/100 Trig Free Run M www www p p p p p

1 Spectrum
Scale/Div 10 dB
Log
Ref Lvl Offset 23.39 dB
Ref Level 20.00 dBm
ΔMkr3 40.80 MHz
0.02 dB
3Δ1
0.11 -17.74 dBm

Center 5.23000 GHz
#Res BW 430 kHz
#Video BW 1.3 MHz
Span 80.00 MHz
Sweep 1.00 ms (1001 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.209 28 GHz	-17.86 dBm			
2	N	1	f	5.221 20 GHz	8.265 dBm			
3	Δ1	1	f (Δ)	40.80 MHz (Δ)	0.02277 dB			
4								
5								
6								

Center Frequency 5.230000000 GHz
Span 80.00000000 MHz
Swept Span
Zero Span
Full Span
Start Freq 5.190000000 GHz
Stop Freq 5.270000000 GHz
AUTO TUNE
CF Step 8.0000000 MHz
Auto Man
Freq Offset 0 Hz
X Axis Scale Log Lin
Signal Trace (Sweep, Trace)

Report No.: RF250901013-01-002



11BE40MIMO-Ant1-5270



11BE40MIMO-Ant2-5270



11BE40MIMO-Ant3-5270



11BE40MIMO-Ant4-5270



11BE40MIMO-Ant1-5310



11BE40MIMO-Ant2-5310



11BE40MIMO-Ant4-5310



11BE40MIMO-Ant3-5310



11BE40MIMO-Ant1-5510



11BE40MIMO-Ant2-5510



11BE40MIMO-Ant4-5510



11BE40MIMO-Ant3-5510



11BE40MIMO-Ant1-5550



11BE40MIMO-Ant2-5550



11BE40MIMO-Ant3-5550



11BE40MIMO-Ant4-5550



11BE40MIMO-Ant1-5670



11BE40MIMO-Ant2-5670