


Report No.: WSCT-ANAB-R&E251100088A-BT Issued Date: 26 November 2025

Middle channel: 2441MHz

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Level [dB(uV)]	Factor [dB]	Reading [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1260.0000	38.75	24.61	14.14	74	-35.25	-0.1	Horizontal	PK	Pass
1	1260.0000	29.35	24.61	4.74	54	-24.65	-0.1	Horizontal	AV	Pass
2	2435.6250	49.31	27.38	21.93	74	-24.69	352	Horizontal	PK	Pass
2	2435.6250	37.39	27.38	10.01	54	-16.61	352	Horizontal	AV	Pass
3	5179.3750	64.11	31.74	32.37	74	-9.89	359.4	Horizontal	PK	Pass
3	5179.3750	46.08	31.74	14.34	54	-7.92	359.4	Horizontal	AV	Pass
4	6921.0000	42.71	6.1	36.61	74	-31.29	15.1	Horizontal	PK	Pass
4	6921.0000	34.5	6.1	28.4	54	-19.5	15.1	Horizontal	AV	Pass
5	11026.5000	47.44	15.71	31.73	74	-26.56	360	Horizontal	PK	Pass
5	11026.5000	39.76	15.71	24.05	54	-14.24	360	Horizontal	AV	Pass
6	17901.0000	53.98	23.27	30.71	74	-20.02	360	Horizontal	PK	Pass
6	17901.0000	46.55	23.27	23.28	54	-7.45	360	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E251100088A-BT Issued Date: 26 November 2025


Vertical:



Suspected Data List

NO.	Freq. [MHz]	Level [dB(uV)]	Factor [dB]	Reading [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1134.3750	38.49	24.37	14.12	74	-35.51	359.5	Vertical	PK	Pass
1	1134.3750	28.51	24.37	4.14	54	-25.49	359.5	Vertical	AV	Pass
2	2435.6250	49.19	27.38	21.81	74	-24.81	112	Vertical	PK	Pass
2	2435.6250	38.08	27.38	10.7	54	-15.92	112	Vertical	AV	Pass
3	5179.3750	67.46	31.74	35.72	74	-6.54	328.4	Vertical	PK	Pass
3	5179.3750	46.27	31.74	14.53	54	-7.73	328.4	Vertical	AV	Pass
4	6805.5000	41.19	5.63	35.56	74	-32.81	285	Vertical	PK	Pass
4	6805.5000	34.52	5.63	28.89	54	-19.48	285	Vertical	AV	Pass
5	10923.0000	47.03	15.19	31.84	74	-26.97	285	Vertical	PK	Pass
5	10923.0000	39.59	15.19	24.4	54	-14.41	285	Vertical	AV	Pass
6	17998.5000	54.6	23.92	30.68	74	-19.4	6.6	Vertical	PK	Pass
6	17998.5000	47.1	23.92	23.18	54	-6.9	6.6	Vertical	AV	Pass

Report No.: WSCT-ANAB-R&E251100088A-BT Issued Date: 26 November 2025


High channel: 2480MHz
Horizontal:

Suspected Data List

NO.	Freq. [MHz]	Level [dB(uV)]	Factor [dB]	Reading [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1352.5000	39.32	24.93	14.39	74	-34.68	357.9	Horizontal	PK	Pass
1	1352.5000	30.37	24.93	5.44	54	-23.63	357.9	Horizontal	AV	Pass
2	2557.5000	51.42	27.67	23.75	74	-22.58	267.4	Horizontal	PK	Pass
2	2557.5000	35.56	27.67	7.89	54	-18.44	267.4	Horizontal	AV	Pass
3	5180.0000	68.92	31.74	37.18	74	-5.08	-0.1	Horizontal	PK	Pass
3	5180.0000	45.45	31.74	13.71	54	-8.55	-0.1	Horizontal	AV	Pass
4	7188.0000	42.67	7.02	35.65	74	-31.33	20.1	Horizontal	PK	Pass
4	7188.0000	35.07	7.02	28.05	54	-18.93	20.1	Horizontal	AV	Pass
5	10714.5000	46.28	14.63	31.65	74	-27.72	148.8	Horizontal	PK	Pass
5	10714.5000	39.58	14.63	24.95	54	-14.42	148.8	Horizontal	AV	Pass
6	17866.5000	53.95	23.05	30.9	74	-20.05	273	Horizontal	PK	Pass
6	17866.5000	45.9	23.05	22.85	54	-8.1	273	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E251100088A-BT Issued Date: 26 November 2025

Vertical:



Suspected Data List

NO.	Freq. [MHz]	Level [dB(uV)]	Factor [dB]	Reading [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1760.0000	42.04	24.98	17.06	74	-31.96	317.7	Vertical	PK	Pass
1	1760.0000	31.3	24.98	6.32	54	-22.7	317.7	Vertical	AV	Pass
2	2438.1250	47.27	27.39	19.88	74	-26.73	261.4	Vertical	PK	Pass
2	2438.1250	38.44	27.39	11.05	54	-15.56	261.4	Vertical	AV	Pass
3	5252.5000	57.93	31.8	26.13	74	-16.07	192.2	Vertical	PK	Pass
3	5252.5000	46.28	31.8	14.48	54	-7.72	192.2	Vertical	AV	Pass
4	6139.5000	41.07	3.79	37.28	74	-32.93	0.5	Vertical	PK	Pass
4	6139.5000	32.63	3.79	28.84	54	-21.37	0.5	Vertical	AV	Pass
5	11115.0000	47.23	15.86	31.37	74	-26.77	6.2	Vertical	PK	Pass
5	11115.0000	40.34	15.86	24.48	54	-13.66	6.2	Vertical	AV	Pass
6	17961.0000	54.19	23.65	30.54	74	-19.81	350.2	Vertical	PK	Pass
6	17961.0000	46.64	23.65	22.99	54	-7.36	350.2	Vertical	AV	Pass

Note:

- The emission levels of other frequencies are very lower than the limit and not show in test report.
- Measurements were conducted from 1 GHz to the 10th harmonic of highest fundamental frequency.
- Data of measurement shown "----" in the above table mean that the reading of emissions is attenuated more than 20 dB below the limits or the field strength is too small to be measured.
- Measurements were conducted in all three modulation (GFSK, Pi/4 DQPSK, 8DPSK), and the worst case Mode (GFSK) was submitted only.
- EUT has been tested in unfolded states, and the report only reflects data in the unfolded state (worst-case scenario)

Note: Freq. = Emission frequency in MHz

Reading level (dBμV) = Receiver reading

Corr. Factor (dB) = Attenuation factor + Cable loss

Level (dBμV) = Reading level (dBμV) + Corr. Factor (dB)

Limit (dBμV) = Limit stated in standard

Margin (dB) = Level (dBμV) – Limits (dBμV)

6.11.3. Restricted Bands Requirements

Bluetooth (GFSK, Pi/4-DQPSK, 8DPSK) mode have been tested, and the worst result GFSK model was report as below

Frequency	Reading	Correct Factor	Emission Level	Limit	Margin	Polar	Detector
(MHz)	(dBuV/m)	dB/m	(dBuV/m)	(dBuV/m)	(dB)	H/V	
Low Channel							
2387	63.24	-8.76	54.48	74	19.52	H	PK
2387	55.72	-8.76	46.96	54	7.04	H	AV
2387	61.33	-8.73	52.60	74	21.40	V	PK
2387	55.72	-8.73	46.99	54	7.01	V	AV
2390	60.10	-8.76	51.34	74	22.66	H	PK
2390	53.70	-8.76	44.94	54	9.06	H	AV
2390	60.48	-8.73	51.75	74	22.25	V	PK
2390	56.14	-8.73	47.41	54	6.59	V	AV
High Channel							
2483.5	61.18	-8.17	53.01	74	20.99	H	PK
2483.5	53.59	-8.17	45.42	54	8.58	H	AV
2483.5	62.81	-8.17	54.64	74	19.36	V	PK
2483.5	53.03	-8.17	44.86	54	9.14	V	AV

Note: Freq. = Emission frequency in MHz

Reading level (dBuV) = Receiver reading

Corr. Factor (dB) = Attenuation factor + Cable loss

Level (dBuV) = Reading level (dBuV) + Corr. Factor (dB)

Limit (dBuV) = Limit stated in standard

Margin (dB) = Level (dBuV) – Limits (dBuV)

Report No.: WSCT-ANAB-R&E251100088A-BT Issued Date: 26 November 2025

7. Test Setup Photographs

Please refer to Annex "Set Up Photos-15C" for test setup photos

*******END OF REPORT*******