



**BUREAU
VERITAS**

Reference No.: PSU-QSU2411180418RF11

					99	19		
		106Tone	RU54	18.279	5231.47 10	5249.75 00	---	---
Ant6	5260	26Tone	RU0	18.899	5249.70 28	5268.60 18	---	---
		52Tone	RU37	18.601	5249.95 14	5268.55 24	---	---
		106Tone	RU53	18.364	5250.19 72	5268.56 12	---	---
Ant8	5260	26Tone	RU0	18.770	5249.76 74	5268.53 74	---	---
		52Tone	RU37	18.572	5249.99 92	5268.57 12	---	---
		106Tone	RU53	18.296	5250.15 46	5268.45 06	---	---
Ant6	5300	26Tone	RU4	16.891	5291.32 07	5308.21 17	---	---
		52Tone	RU38	17.180	5291.40 28	5308.58 28	---	---
		106Tone	RU53	18.407	5290.20 60	5308.61 30	---	---
Ant8	5300	26Tone	RU4	17.158	5291.42 52	5308.58 32	---	---
		52Tone	RU38	16.933	5291.62 51	5308.55 81	---	---
		106Tone	RU53	18.348	5290.15 16	5308.49 96	---	---
Ant6	5320	26Tone	RU8	18.658	5311.35 66	5330.01 46	---	---
		52Tone	RU40	18.530	5311.35 36	5329.88 36	---	---
		106Tone	RU54	18.577	5311.34 86	5329.92 56	---	---
Ant8	5320	26Tone	RU8	18.539	5311.53 86	5330.07 76	---	---
		52Tone	RU40	18.497	5311.43 58	5329.93 28	---	---
		106Tone	RU54	18.453	5311.38 94	5329.84 24	---	---
Ant6	5500	26Tone	RU0	18.740	5489.77 34	5508.51 34	---	---
		52Tone	RU37	18.629	5489.91 41	5508.54 31	---	---
		106Tone	RU53	18.763	5489.84 93	5508.61 23	---	---
Ant8	5500	26Tone	RU0	19.296	5489.45 00	5508.74 60	---	---
		52Tone	RU37	19.349	5489.36 28	5508.71 18	---	---
		106Tone	RU53	18.720	5489.87 25	5508.59 25	---	---
Ant6	5580	26Tone	RU4	17.280	5571.37 08	5588.65 08	---	---
		52Tone	RU38	17.189	5571.36	5588.55	---	---



**BUREAU
VERITAS**

Reference No.: PSU-QSU2411180418RF11

						81	71		
			106Tone	RU53	19.328	5569.39 57	5588.72 37	---	---
	Ant8	5580	26Tone	RU4	17.129	5571.44 60	5588.57 50	---	---
			52Tone	RU38	17.193	5571.40 64	5588.59 94	---	---
			106Tone	RU53	20.599	5568.14 50	5588.74 40	---	---
	Ant6	5700	26Tone	RU8	18.159	5691.97 07	5710.12 97	---	---
			52Tone	RU40	18.601	5691.36 91	5709.97 01	---	---
			106Tone	RU54	18.539	5691.32 33	5709.86 23	---	---
	Ant8	5700	26Tone	RU8	18.591	5691.57 38	5710.16 48	---	---
			52Tone	RU40	18.501	5691.45 91	5709.96 01	---	---
			106Tone	RU54	18.776	5691.30 28	5710.07 88	---	---
	Ant6	5720	26Tone	RU8	18.757	5711.37 61	5730.13 31	---	---
			52Tone	RU40	18.428	5711.50 58	5729.93 38	---	---
			106Tone	RU54	18.667	5711.19 53	5729.86 23	---	---
	Ant8	5720	26Tone	RU8	18.906	5711.56 91	5730.47 51	---	---
			52Tone	RU40	19.006	5711.42 55	5730.43 15	---	---
			106Tone	RU54	18.232	5711.74 22	5729.97 42	---	---
	Ant6	5720_ UNII-2 C	26Tone	RU8	13.635	5711.36 5	5725	---	---
			52Tone	RU40	13.716	5711.28 4	5725	---	---
			106Tone	RU54	13.786	5711.21 4	5725	---	---
	Ant8	5720_ UNII-2 C	26Tone	RU8	13.653	5711.34 7	5725	---	---
			52Tone	RU40	13.72	5711.28	5725	---	---
			106Tone	RU54	13.758	5711.24 2	5725	---	---
	Ant6	5720_ UNII-3	26Tone	RU8	4.795	5725	5729.79 5	---	---
			52Tone	RU40	4.685	5725	5729.68 5	---	---
			106Tone	RU54	4.562	5725	5729.56 2	---	---
	Ant8	5720_ UNII-3	26Tone	RU8	4.814	5725	5729.81 4	---	---
			52Tone	RU40	4.684	5725	5729.68 4	---	---



**BUREAU
VERITAS**

Reference No.: PSU-QSU2411180418RF11

			106Tone	RU54	4.579	5725	5729.57 9	---	---
	Ant6	5745	26Tone	RU0	18.894	5734.51 25	5753.40 65	---	---
			52Tone	RU37	18.792	5734.74 58	5753.53 78	---	---
			106Tone	RU53	18.463	5735.03 52	5753.49 82	---	---
	Ant8	5745	26Tone	RU0	18.999	5734.59 92	5753.59 82	---	---
			52Tone	RU37	18.830	5734.71 82	5753.54 82	---	---
			106Tone	RU53	19.399	5734.46 98	5753.86 88	---	---
	Ant6	5785	26Tone	RU4	17.294	5776.33 13	5793.62 53	---	---
			52Tone	RU38	17.277	5776.29 45	5793.57 15	---	---
			106Tone	RU53	18.873	5774.76 62	5793.63 92	---	---
	Ant8	5785	26Tone	RU4	17.208	5776.46 15	5793.66 95	---	---
			52Tone	RU38	17.345	5776.36 16	5793.70 66	---	---
			106Tone	RU53	18.855	5774.93 55	5793.79 05	---	---
	Ant6	5825	26Tone	RU8	18.724	5816.35 46	5835.07 86	---	---
			52Tone	RU40	18.649	5816.32 53	5834.97 43	---	---
			106Tone	RU54	18.599	5816.23 02	5834.82 92	---	---
	Ant8	5825	26Tone	RU8	18.825	5816.45 46	5835.27 96	---	---
			52Tone	RU40	18.711	5816.42 50	5835.13 60	---	---
			106Tone	RU54	18.434	5816.52 15	5834.95 55	---	---



Reference No.: PSU-QSU2411180418RF11

TEST GRAPHS



Reference No.: PSU-QSU2411180418RF11



11AX20MIMO_Ant8_5180_26Tone_RU0




11AX20MIMO_Ant8_5180_52Tone_RU37



Reference No.: PSU-QSU2411180418RF11



11AX20MIMO_Ant8_5180_106Tone_RU53



11AX20MIMO_Ant6_5200_26Tone_RU4



11AX20MIMO Ant6 5200 52Tone RU38




11AX20MIMO Ant6 5200 106Tone RU53


Reference No.: PSU-QSU2411180418RF11




11AX20MIMO_Ant8_5200_26Tone_RU4



11AX20MIMO_Ant8_5200_52Tone_RU38



11AX20MIMO_Ant8_5200_106Tone_RU53



11AX20MIMO_Ant6_5240_26Tone_RU8



11AX20MIMO Ant6 5240 52Tone RU40




11AX20MIMO Ant6 5240 106Tone RU54



11AX20MIMO_Ant8_5240_26Tone_RU8



11AX20MIMO_Ant8_5240_52Tone_RU40



11AX20MIMO_Ant8_5240_106Tone_RU54




11AX20MIMO_Ant6_5260_26Tone_RU0




Reference No.: PSU-QSU2411180418RF11




11AX20MIMO Ant6 5260 52Tone RU37



11AX20MIMO Ant6 5260 106Tone RU53




11AX20MIMO_Ant8_5260_26Tone_RU0




11AX20MIMO_Ant8_5260_52Tone_RU37



11AX20MIMO_Ant8_5260_106Tone_RU53



11AX20MIMO_Ant6_5300_26Tone_RU4




11AX20MIMO Ant6 5300 52Tone RU38




11AX20MIMO Ant6 5300 106Tone RU53




Reference No.: PSU-QSU2411180418RF11





11AX20MIMO_Ant8_5300_106Tone_RU53



11AX20MIMO_Ant6_5320_26Tone_RU8



Reference No.: PSU-QSU2411180418RF11




11AX20MIMO Ant6 5320 52Tone RU40




11AX20MIMO Ant6 5320 106Tone RU54



11AX20MIMO_Ant8_5320_26Tone_RU8



11AX20MIMO_Ant8_5320_52Tone_RU40




11AX20MIMO_Ant8_5320_106Tone_RU54



11AX20MIMO_Ant6_5500_26Tone_RU0



11AX20MIMO Ant6 5500 52Tone RU37



11AX20MIMO Ant6 5500 106Tone RU53

Reference No.: PSU-QSU2411180418RF11




11AX20MIMO_Ant8_5500_26Tone_RU0



11AX20MIMO_Ant8_5500_52Tone_RU37




11AX20MIMO_Ant8_5500_106Tone_RU53




11AX20MIMO_Ant6_5580_26Tone_RU4


Reference No.: PSU-QSU2411180418RF11



11AX20MIMO Ant6 5580 52Tone RU38



11AX20MIMO Ant6 5580 106Tone RU53



11AX20MIMO_Ant8_5580_26Tone_RU4



11AX20MIMO_Ant8_5580_52Tone_RU38




11AX20MIMO_Ant8_5580_106Tone_RU53




11AX20MIMO_Ant6_5700_26Tone_RU8



Reference No.: PSU-QSU2411180418RF11




11AX20MIMO Ant6 5700 52Tone RU40



11AX20MIMO Ant6 5700 106Tone RU54




11AX20MIMO_Ant8_5700_26Tone_RU8



11AX20MIMO_Ant8_5700_52Tone_RU40



11AX20MIMO_Ant8_5700_106Tone_RU54



11AX20MIMO_Ant6_5720_26Tone_RU8



11AX20MIMO Ant6 5720 52Tone RU40



11AX20MIMO Ant6 5720 106Tone RU54



11AX20MIMO Ant8 5720 26Tone RU8



11AX20MIMO Ant8 5720 52Tone RU40






BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF11

11AX20MIMO Ant6 5720 UNII-2C 26Tone RU8




11AX20MIMO Ant6 5720 UNII-2C 52Tone RU40



11AX20MIMO Ant6 5720 UNII-2C 52Tone RU40




11AX20MIMO Ant6 5720 UNII-2C 106Tone RU54




11AX20MIMO Ant6 5720 UNII-2C 106Tone RU54




11AX20MIMO Ant8 5720 UNII-2C 26Tone RU8



11AX20MIMO Ant8 5720 UNII-2C 26Tone RU8




11AX20MIMO Ant8 5720 UNII-2C 52Tone RU40



11AX20MIMO Ant8 5720 UNII-2C 52Tone RU40



11AX20MIMO Ant8 5720 UNII-2C 106Tone RU54



11AX20MIMO Ant8 5720 UNII-2C 106Tone RU54



11AX20MIMO Ant6 5720 UNII-3 26Tone RU8




11AX20MIMO Ant6 5720 UNII-3 52Tone RU40




BUREAU
VERITAS


Reference No.: PSU-QSU2411180418RF11




11AX20MIMO Ant6 5720 UNII-3 106Tone RU54



11AX20MIMO Ant8 5720 UNII-3 26Tone RU8



11AX20MIMO Ant8 5720 UNII-3 52Tone RU40




11AX20MIMO Ant8 5720 UNII-3 106Tone RU54




11AX20MIMO Ant6 5745 26Tone RU0



11AX20MIMO Ant6 5745 52Tone RU37



11AX20MIMO_Ant6 5745 106Tone_RU53




11AX20MIMO_Ant8 5745 26Tone_RU0




11AX20MIMO Ant8 5745 52Tone RU37




11AX20MIMO Ant8 5745 106Tone RU53



11AX20MIMO_Ant6_5785_26Tone_RU4



11AX20MIMO_Ant6_5785_52Tone_RU38



11AX20MIMO_Ant6_5785_106Tone_RU53




11AX20MIMO_Ant8_5785_26Tone_RU4



Reference No.: PSU-QSU2411180418RF11



11AX20MIMO Ant8 5785 52Tone RU38




11AX20MIMO Ant8 5785 106Tone RU53

Reference No.: PSU-QSU2411180418RF11



11AX20MIMO_Ant6_5825_26Tone_RU8



11AX20MIMO_Ant6_5825_52Tone_RU40



Reference No.: PSU-QSU2411180418RF11




11AX20MIMO_Ant6_5825_106Tone_RU54




11AX20MIMO_Ant8_5825_26Tone_RU8



Reference No.: PSU-QSU2411180418RF11




11AX20MIMO Ant8 5825 52Tone RU40



11AX20MIMO Ant8 5825 106Tone RU54



Reference No.: PSU-QSU2411180418RF11



MIN EMISSION BANDWIDTH TEST RESULT


Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	6db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20 MIMO	Ant6	5745	26Tone	RU0	2.080	5735.440	5737.520	0.5	PASS
			52Tone	RU37	17.000	5735.480	5752.480	0.5	PASS
			106Tone	RU53	17.120	5735.400	5752.520	0.5	PASS
	Ant8	5745	26Tone	RU0	2.080	5735.440	5737.520	0.5	PASS
			52Tone	RU37	17.040	5735.440	5752.480	0.5	PASS
			106Tone	RU53	17.720	5735.400	5753.120	0.5	PASS
	Ant6	5785	26Tone	RU4	8.840	5777.480	5786.320	0.5	PASS
			52Tone	RU38	15.120	5777.400	5792.520	0.5	PASS
			106Tone	RU53	17.080	5775.440	5792.520	0.5	PASS
	Ant8	5785	26Tone	RU4	10.000	5779.960	5789.960	0.5	PASS
			52Tone	RU38	15.000	5777.480	5792.480	0.5	PASS
			106Tone	RU53	18.080	5775.400	5793.480	0.5	PASS
	Ant6	5825	26Tone	RU8	17.000	5817.480	5834.480	0.5	PASS
			52Tone	RU40	17.040	5817.440	5834.480	0.5	PASS
			106Tone	RU54	17.080	5817.440	5834.520	0.5	PASS
	Ant8	5825	26Tone	RU8	4.520	5829.960	5834.480	0.5	PASS
			52Tone	RU40	17.080	5817.440	5834.520	0.5	PASS
			106Tone	RU54	17.200	5817.400	5834.600	0.5	PASS



Reference No.: PSU-QSU2411180418RF11

TEST GRAPHS







Reference No.: PSU-QSU2411180418RF11



11AX20MIMO Ant8 5745 106Tone RU53



11AX20MIMO Ant6 5785 26Tone RU4




Reference No.: PSU-QSU2411180418RF11





Reference No.: PSU-QSU2411180418RF11






11AX20MIMO Ant8 5785 106Tone RU53




11AX20MIMO Ant6 5825 26Tone RU8



11AX20MIMO Ant6 5825 52Tone RU40



11AX20MIMO Ant6 5825 106Tone RU54



11AX20MIMO_Ant8_5825_26Tone_RU8



11AX20MIMO_Ant8_5825_52Tone_RU40



11AX20MIMO Ant8 5825 106Tone RU54



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Power Table For U-NII-1											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict
11AX20	MIMO	26/0	5180	Ant6	4.69	≤24.00	----	5.32	≤36.00	≤22.61	Pass
				Ant8	4.09	≤24.00	----	4.72	≤36.00	≤22.61	Pass
				Total	7.41	≤24.00	----	8.04	≤36.00	≤22.61	Pass
		26/4	5200	Ant6	6.25	≤24.00	----	6.88	≤36.00	≤22.31	Pass
				Ant8	6.08	≤24.00	----	6.71	≤36.00	≤22.31	Pass
				Total	9.17	≤24.00	----	9.80	≤36.00	≤22.31	Pass
		26/8	5240	Ant6	5.65	≤24.00	----	6.28	≤36.00	≤22.72	Pass
				Ant8	5.28	≤24.00	----	5.91	≤36.00	≤22.72	Pass
				Total	8.47	≤24.00	----	9.10	≤36.00	≤22.72	Pass
	MIMO	52/37	5180	Ant6	8.18	≤24.00	----	8.81	≤36.00	≤22.64	Pass
				Ant8	7.17	≤24.00	----	7.80	≤36.00	≤22.64	Pass
				Total	10.70	≤24.00	----	11.33	≤36.00	≤22.64	Pass
		52/38	5200	Ant6	7.99	≤24.00	----	8.62	≤36.00	≤22.31	Pass
				Ant8	7.35	≤24.00	----	7.98	≤36.00	≤22.31	Pass
				Total	10.68	≤24.00	----	11.31	≤36.00	≤22.31	Pass
		52/40	5240	Ant6	7.14	≤24.00	----	7.77	≤36.00	≤22.64	Pass
				Ant8	6.90	≤24.00	----	7.53	≤36.00	≤22.64	Pass
				Total	10.02	≤24.00	----	10.65	≤36.00	≤22.64	Pass
	MIMO	106/53	5180	Ant6	11.04	≤24.00	----	11.67	≤36.00	≤22.70	Pass
				Ant8	10.22	≤24.00	----	10.85	≤36.00	≤22.70	Pass
				Total	13.64	≤24.00	----	14.27	≤36.00	≤22.70	Pass
		106/53	5200	Ant6	10.84	≤24.00	----	11.47	≤36.00	≤22.66	Pass
				Ant8	10.25	≤24.00	----	10.88	≤36.00	≤22.66	Pass
				Total	13.55	≤24.00	----	14.18	≤36.00	≤22.66	Pass
		106/54	5240	Ant6	10.39	≤24.00	----	11.02	≤36.00	≤22.62	Pass
				Ant8	10.03	≤24.00	----	10.66	≤36.00	≤22.62	Pass
				Total	13.21	≤24.00	----	13.84	≤36.00	≤22.62	Pass
	MIMO	FULL	5180	Ant6	14.24	≤24.00	----	14.87	≤36.00	≤22.76	Pass
				Ant8	14.29	≤24.00	----	14.92	≤36.00	≤22.76	Pass
				Total	17.26	≤24.00	----	17.89	≤36.00	≤22.76	Pass

		FULL	5200	Ant6	13.88	≤24.00	----	14.51	≤36.00	≤22.76	Pass
				Ant8	14.13	≤24.00	----	14.76	≤36.00	≤22.76	Pass
				Total	17.00	≤24.00	----	17.63	≤36.00	≤22.76	Pass
		FULL	5240	Ant6	14.00	≤24.00	----	14.63	≤36.00	≤22.76	Pass
				Ant8	14.40	≤24.00	----	15.03	≤36.00	≤22.76	Pass
				Total	17.20	≤24.00	----	17.83	≤36.00	≤22.76	Pass
11AX40	MIMO	FULL	5190	Ant6	13.87	≤24.00	----	14.50	≤36.00	≤23.01	Pass
				Ant8	13.97	≤24.00	----	14.60	≤36.00	≤23.01	Pass
				Total	16.91	≤24.00	----	17.54	≤36.00	≤23.01	Pass
		FULL	5230	Ant6	13.56	≤24.00	----	14.19	≤36.00	≤23.01	Pass
				Ant8	13.60	≤24.00	----	14.23	≤36.00	≤23.01	Pass
				Total	16.57	≤24.00	----	17.20	≤36.00	≤23.01	Pass
11AX80	MIMO	FULL	5210	Ant6	13.84	≤24.00	----	14.47	≤36.00	≤23.01	Pass
				Ant8	14.51	≤24.00	----	15.14	≤36.00	≤23.01	Pass
				Total	17.18	≤24.00	----	17.81	≤36.00	≤23.01	Pass

Note: The Maximum Conducted Power with duty cycle factor.

Power Table For U-NII-2A											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	FCC EIRP Limit	Verdict
11AX20	MIMO	26/0	5260	Ant6	8.97	≤24.00	≤23.73	9.60	≤29.73	≤30.00	Pass
				Ant8	8.89	≤24.00	≤23.73	9.52	≤29.73	≤30.00	Pass
				Total	11.93	≤24.00	≤23.73	12.56	≤29.73	≤30.00	Pass
		26/4	5300	Ant6	9.54	≤24.00	≤23.28	10.17	≤29.28	≤30.00	Pass
				Ant8	10.29	≤24.00	≤23.28	10.92	≤29.28	≤30.00	Pass
				Total	12.93	≤24.00	≤23.28	13.56	≤29.28	≤30.00	Pass
		26/8	5320	Ant6	8.77	≤24.00	≤23.68	9.40	≤29.68	≤30.00	Pass
				Ant8	9.66	≤24.00	≤23.68	10.29	≤29.68	≤30.00	Pass
				Total	12.23	≤24.00	≤23.68	12.86	≤29.68	≤30.00	Pass
	MIMO	52/37	5260	Ant6	11.85	≤24.00	≤23.69	12.48	≤29.69	≤30.00	Pass
				Ant8	11.50	≤24.00	≤23.69	12.13	≤29.69	≤30.00	Pass
				Total	14.67	≤24.00	≤23.69	15.30	≤29.69	≤30.00	Pass
		52/38	5300	Ant6	10.82	≤24.00	≤23.29	11.45	≤29.29	≤30.00	Pass
				Ant4	16.69	≤24.00	≤23.29	17.32	≤29.29	≤30.00	Pass
				Total	13.88	≤24.00	≤23.29	14.51	≤29.29	≤30.00	Pass
		52/40	5320	Ant6	11.73	≤24.00	≤23.67	12.36	≤29.67	≤30.00	Pass
				Ant8	12.18	≤24.00	≤23.67	12.81	≤29.67	≤30.00	Pass



Reference No.: PSU-QSU2411180418RF11

				Total	14.95	≤24.00	≤23.67	15.58	≤29.67	≤30.00	Pass
	MIMO	106/53	5260	Ant6	14.16	≤24.00	≤23.62	14.79	≤29.62	≤30.00	Pass
				Ant8	14.52	≤24.00	≤23.62	15.15	≤29.62	≤30.00	Pass
				Total	17.34	≤24.00	≤23.62	17.97	≤29.62	≤30.00	Pass
		106/53	5300	Ant6	13.86	≤24.00	≤23.64	14.49	≤29.64	≤30.00	Pass
				Ant8	14.70	≤24.00	≤23.64	15.33	≤29.64	≤30.00	Pass
				Total	17.29	≤24.00	≤23.64	17.92	≤29.64	≤30.00	Pass
		106/54	5320	Ant6	13.82	≤24.00	≤23.66	14.45	≤29.66	≤30.00	Pass
				Ant8	14.62	≤24.00	≤23.66	15.25	≤29.66	≤30.00	Pass
				Total	17.23	≤24.00	≤23.66	17.86	≤29.66	≤30.00	Pass
	MIMO	FULL	5260	Ant6	13.47	≤24.00	≤23.76	14.10	≤29.76	≤30.00	Pass
				Ant8	14.20	≤24.00	≤23.76	14.83	≤29.76	≤30.00	Pass
				Total	16.84	≤24.00	≤23.76	17.47	≤29.76	≤30.00	Pass
		FULL	5300	Ant6	13.71	≤24.00	≤23.75	14.34	≤29.75	≤30.00	Pass
				Ant8	14.49	≤24.00	≤23.75	15.12	≤29.75	≤30.00	Pass
				Total	17.11	≤24.00	≤23.75	17.74	≤29.75	≤30.00	Pass
		FULL	5320	Ant6	13.80	≤24.00	≤23.75	14.43	≤29.75	≤30.00	Pass
				Ant8	14.56	≤24.00	≤23.75	15.19	≤29.75	≤30.00	Pass
Total				17.19	≤24.00	≤23.75	17.82	≤29.75	≤30.00	Pass	
11AX40	MIMO	FULL	5270	Ant6	13.47	≤24.00	≤24.00	14.10	≤30.00	≤30.00	Pass
				Ant8	13.71	≤24.00	≤24.00	14.34	≤30.00	≤30.00	Pass
				Total	16.58	≤24.00	≤24.00	17.21	≤30.00	≤30.00	Pass
		FULL	5310	Ant6	13.26	≤24.00	≤24.00	13.89	≤30.00	≤30.00	Pass
				Ant8	13.80	≤24.00	≤24.00	14.43	≤30.00	≤30.00	Pass
				Total	16.53	≤24.00	≤24.00	17.16	≤30.00	≤30.00	Pass
11AX80	MIMO	FULL	5290	Ant6	13.19	≤24.00	≤24.00	13.82	≤30.00	≤30.00	Pass
				Ant8	14.35	≤24.00	≤24.00	14.98	≤30.00	≤30.00	Pass
				Total	16.80	≤24.00	≤24.00	17.43	≤30.00	≤30.00	Pass

Power Table For U-NII-2C											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict
11AX20	MIMO	26/0	5500	Ant6	10.87	≤24.00	≤23.73	11.50	≤30.00	≤29.73	Pass
				Ant8	11.08	≤24.00	≤23.73	11.71	≤30.00	≤29.73	Pass
				Total	13.97	≤24.00	≤23.73	14.60	≤30.00	≤29.73	Pass
		26/4	5580	Ant6	10.00	≤24.00	≤23.34	10.63	≤30.00	≤29.34	Pass



Reference No.: PSU-QSU2411180418RF11

				Ant8	9.98	≤24.00	≤23.34	10.61	≤30.00	≤29.34	Pass
				Total	12.98	≤24.00	≤23.34	13.61	≤30.00	≤29.34	Pass
				Ant6	8.57	≤24.00	≤23.59	9.20	≤30.00	≤29.59	Pass
				Ant8	9.42	≤24.00	≤23.59	10.05	≤30.00	≤29.59	Pass
				Total	12.01	≤24.00	≤23.59	12.64	≤30.00	≤29.59	Pass
				Ant6	13.73	≤24.00	≤23.75	14.36	≤30.00	≤29.75	Pass
				Ant8	13.87	≤24.00	≤23.75	14.50	≤30.00	≤29.75	Pass
				Total	16.79	≤24.00	≤23.75	17.42	≤30.00	≤29.75	Pass
				Ant6	11.91	≤24.00	≤23.70	12.54	≤30.00	≤29.70	Pass
				Ant8	11.77	≤24.00	≤23.70	12.40	≤30.00	≤29.70	Pass
				Total	14.83	≤24.00	≤23.70	15.46	≤30.00	≤29.70	Pass
				Ant6	12.06	≤24.00	≤23.35	12.69	≤30.00	≤29.35	Pass
				Ant8	11.27	≤24.00	≤23.35	11.90	≤30.00	≤29.35	Pass
				Total	14.68	≤24.00	≤23.35	15.31	≤30.00	≤29.35	Pass
				Ant6	10.57	≤24.00	≤23.67	11.20	≤30.00	≤29.67	Pass
				Ant8	11.18	≤24.00	≤23.67	11.81	≤30.00	≤29.67	Pass
				Total	13.88	≤24.00	≤23.67	14.51	≤30.00	≤29.67	Pass
				Ant6	13.86	≤24.00	≤23.65	14.49	≤30.00	≤29.65	Pass
				Ant8	13.42	≤24.00	≤23.65	14.05	≤30.00	≤29.65	Pass
				Total	16.64	≤24.00	≤23.65	17.27	≤30.00	≤29.65	Pass
				Ant6	13.86	≤24.00	≤23.72	14.49	≤30.00	≤29.72	Pass
				Ant8	14.70	≤24.00	≤23.72	15.33	≤30.00	≤29.72	Pass
				Total	17.29	≤24.00	≤23.72	17.92	≤30.00	≤29.72	Pass
				Ant6	14.87	≤24.00	≤23.86	15.50	≤30.00	≤29.86	Pass
				Ant8	14.32	≤24.00	≤23.86	14.95	≤30.00	≤29.86	Pass
				Total	17.60	≤24.00	≤23.86	18.23	≤30.00	≤29.86	Pass
				Ant6	14.39	≤24.00	≤23.68	15.02	≤30.00	≤29.68	Pass
				Ant8	13.93	≤24.00	≤23.68	14.56	≤30.00	≤29.68	Pass
				Total	17.16	≤24.00	≤23.68	17.79	≤30.00	≤29.68	Pass
				Ant6	14.17	≤24.00	≤23.61	14.80	≤30.00	≤29.68	Pass
				Ant8	13.84	≤24.00	≤23.61	14.47	≤30.00	≤29.68	Pass
				Total	17.00	≤24.00	≤23.61	17.63	≤30.00	≤29.68	Pass
				Ant6	13.91	≤24.00	≤23.76	14.54	≤30.00	≤29.76	Pass
				Ant8	14.30	≤24.00	≤23.76	14.93	≤30.00	≤29.76	Pass
				Total	17.10	≤24.00	≤23.76	17.73	≤30.00	≤29.76	Pass
				Ant6	13.98	≤24.00	≤23.75	14.61	≤30.00	≤29.75	Pass
				Ant8	13.34	≤24.00	≤23.75	13.97	≤30.00	≤29.75	Pass
				Total	16.66	≤24.00	≤23.75	17.29	≤30.00	≤29.75	Pass
				Ant6	14.06	≤24.00	≤23.76	14.69	≤30.00	≤29.76	Pass
				Ant8	13.50	≤24.00	≤23.76	14.13	≤30.00	≤29.76	Pass
				Total	16.78	≤24.00	≤23.76	17.41	≤30.00	≤29.76	Pass



Reference No.: PSU-QSU2411180418RF11

		FULL	5720	Ant6	14.25	≤24.00	≤23.76	14.88	≤30.00	≤29.76	Pass
				Ant8	14.18	≤24.00	≤23.76	14.81	≤30.00	≤29.76	Pass
				Total	17.21	≤24.00	≤23.76	17.84	≤30.00	≤29.76	Pass
11AX40	MIMO	FULL	5510	Ant6	13.61	≤24.00	≤24.00	14.24	≤30.00	≤30.00	Pass
				Ant8	13.86	≤24.00	≤24.00	14.49	≤30.00	≤30.00	Pass
				Total	16.73	≤24.00	≤24.00	17.36	≤30.00	≤30.00	Pass
		FULL	5550	Ant6	13.88	≤24.00	≤24.00	14.51	≤30.00	≤30.00	Pass
				Ant8	13.38	≤24.00	≤24.00	14.01	≤30.00	≤30.00	Pass
				Total	16.63	≤24.00	≤24.00	17.26	≤30.00	≤30.00	Pass
		FULL	5670	Ant6	13.93	≤24.00	≤24.00	14.56	≤30.00	≤30.00	Pass
				Ant8	13.49	≤24.00	≤24.00	14.12	≤30.00	≤30.00	Pass
				Total	16.71	≤24.00	≤24.00	17.34	≤30.00	≤30.00	Pass
		FULL	5710	Ant6	13.76	≤24.00	≤24.00	14.39	≤30.00	≤30.00	Pass
				Ant8	13.23	≤24.00	≤24.00	13.86	≤30.00	≤30.00	Pass
				Total	16.50	≤24.00	≤24.00	17.13	≤30.00	≤30.00	Pass
11AX80	MIMO	FULL	5530	Ant6	13.73	≤24.00	≤24.00	14.36	≤30.00	≤30.00	Pass
				Ant8	13.94	≤24.00	≤24.00	14.57	≤30.00	≤30.00	Pass
				Total	16.83	≤24.00	≤24.00	17.46	≤30.00	≤30.00	Pass
	MIMO	FULL	5690	Ant6	14.30	≤24.00	≤24.00	14.93	≤30.00	≤30.00	Pass
				Ant8	13.77	≤24.00	≤24.00	14.40	≤30.00	≤30.00	Pass
				Total	17.04	≤24.00	≤24.00	17.67	≤30.00	≤30.00	Pass

Note: The Maximum Conducted Power with duty cycle factor.

Power Table For U-NII-3									
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict
11AX20	MIMO	26/0	5745	Ant6	15.67	≤30.00	16.30	≤36.00	Pass
				Ant8	15.09	≤30.00	15.72	≤36.00	Pass
				Total	18.38	≤30.00	19.01	≤36.00	Pass
		26/4	5785	Ant6	14.95	≤30.00	15.58	≤36.00	Pass
				Ant8	14.92	≤30.00	15.55	≤36.00	Pass
				Total	17.93	≤30.00	18.56	≤36.00	Pass
		26/8	5825	Ant6	14.42	≤30.00	15.05	≤36.00	Pass
				Ant8	15.16	≤30.00	15.79	≤36.00	Pass
				Total	17.80	≤30.00	18.43	≤36.00	Pass
	MIMO	52/37	5745	Ant6	15.59	≤30.00	16.22	≤36.00	Pass
				Ant8	14.60	≤30.00	15.23	≤36.00	Pass
				Total	18.11	≤30.00	18.74	≤36.00	Pass
		52/38	5785	Ant6	15.00	≤30.00	15.63	≤36.00	Pass
				Ant8	14.40	≤30.00	15.03	≤36.00	Pass
				Total	17.70	≤30.00	18.33	≤36.00	Pass
		52/40	5825	Ant6	14.44	≤30.00	15.07	≤36.00	Pass
				Ant8	14.72	≤30.00	15.35	≤36.00	Pass
				Total	17.57	≤30.00	18.20	≤36.00	Pass
	MIMO	106/53	5745	Ant6	15.10	≤30.00	15.73	≤36.00	Pass
				Ant8	14.61	≤30.00	15.24	≤36.00	Pass
				Total	17.85	≤30.00	18.48	≤36.00	Pass
		106/53	5785	Ant6	15.47	≤30.00	16.10	≤36.00	Pass
				Ant8	14.80	≤30.00	15.43	≤36.00	Pass
				Total	18.14	≤30.00	18.77	≤36.00	Pass
		106/54	5825	Ant6	14.98	≤30.00	15.61	≤36.00	Pass
				Ant8	14.91	≤30.00	15.54	≤36.00	Pass
				Total	17.94	≤30.00	18.57	≤36.00	Pass
	MIMO	FULL	5745	Ant6	14.96	≤30.00	15.59	≤36.00	Pass
				Ant8	14.28	≤30.00	14.91	≤36.00	Pass
				Total	17.62	≤30.00	18.25	≤36.00	Pass
		FULL	5785	Ant6	15.15	≤30.00	15.78	≤36.00	Pass
				Ant8	14.29	≤30.00	14.92	≤36.00	Pass
				Total	17.73	≤30.00	18.36	≤36.00	Pass



Reference No.: PSU-QSU2411180418RF11

		FULL	5825	Ant6	14.66	≤30.00	15.29	≤36.00	Pass
				Ant8	14.14	≤30.00	14.77	≤36.00	Pass
				Total	17.40	≤30.00	18.03	≤36.00	Pass
11AX40	MIMO	FULL	5755	Ant6	13.74	≤30.00	14.37	≤36.00	Pass
				Ant8	13.01	≤30.00	13.64	≤36.00	Pass
				Total	16.38	≤30.00	17.01	≤36.00	Pass
		FULL	5795	Ant6	14.14	≤30.00	14.77	≤36.00	Pass
				Ant8	13.08	≤30.00	13.71	≤36.00	Pass
				Total	16.63	≤30.00	17.26	≤36.00	Pass
11AX80	MIMO	FULL	5775	Ant6	13.91	≤30.00	14.54	≤36.00	Pass
				Ant8	13.40	≤30.00	14.03	≤36.00	Pass
				Total	16.65	≤30.00	17.28	≤36.00	Pass

Note: The Maximum Conducted Power with duty cycle factor.