



99 % Bandwidth




11AX160MIMO_Ant8_6505

99 % Bandwidth




11AX160MIMO_Ant6_6665

99 % Bandwidth




11AX160MIMO_Ant8_6665

99 % Bandwidth




11AX160MIMO_Ant6_6825

99 % Bandwidth




11AX160MIMO_Ant8_6825

99 % Bandwidth




11AX160MIMO_Ant6_6985

99 % Bandwidth



11AX160MIMO_Ant8_6985

99 % Bandwidth




20M
RBW 300.000 kHz
VBW 1.000 MHz
40M
RBW 500.000 kHz
VBW 2.000 MHz
80M
RBW 1.000 MHz
VBW 3.000 MHz
160M
RBW 2.000 MHz
VBW 10.000 MHz

DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11AX20MIMO	Ant6+8	6535	100	100	100
11AX40MIMO	Ant6+8	6565	100	100	100
11AX80MIMO	Ant6+8	6625	100	100	100
11AX160MIMO	Ant6+8	6505	100	100	100

TEST GRAPHS






BUREAU
VERITAS


Reference No.: PSU-QSU2411180418RF14

11AX80MIMO_6625



02:54:26 AM 06/01/2025

11AX160MIMO_6505



02:55:01 AM 06/01/2025

MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Power Table_U-NII-5									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	5935	Ant6	1.60	----	3.30	≤24.00	Pass	3
			Ant8	2.99	----	4.69	≤24.00	Pass	3
			Total	5.36	----	7.06	≤24.00	Pass	3
		5955	Ant6	1.31	----	3.01	≤24.00	Pass	3
			Ant8	2.52	----	4.22	≤24.00	Pass	3
			Total	4.97	----	6.67	≤24.00	Pass	3
		6175	Ant6	2.36	----	4.06	≤24.00	Pass	3
			Ant8	4.25	----	5.95	≤24.00	Pass	3
			Total	6.42	----	8.12	≤24.00	Pass	3
		6415	Ant6	0.88	----	2.58	≤24.00	Pass	3
			Ant8	3.78	----	5.48	≤24.00	Pass	3
			Total	5.58	----	7.28	≤24.00	Pass	3
11AX40	MIMO	5965	Ant6	2.52	----	4.22	≤24.00	Pass	5
			Ant8	4.45	----	6.15	≤24.00	Pass	5
			Total	6.60	----	8.30	≤24.00	Pass	5
		6165	Ant6	3.76	----	5.46	≤24.00	Pass	5
			Ant8	5.43	----	7.13	≤24.00	Pass	5
			Total	7.68	----	9.38	≤24.00	Pass	5
		6405	Ant6	4.26	----	5.96	≤24.00	Pass	5
			Ant8	7.25	----	8.95	≤24.00	Pass	5
			Total	9.02	----	10.72	≤24.00	Pass	5
11AX80	MIMO	5985	Ant6	5.93	----	7.63	≤24.00	Pass	7
			Ant8	7.78	----	9.48	≤24.00	Pass	7
			Total	9.96	----	11.66	≤24.00	Pass	7
		6145	Ant6	6.09	----	7.79	≤24.00	Pass	7
			Ant8	8.45	----	10.15	≤24.00	Pass	7
			Total	10.44	----	12.14	≤24.00	Pass	7
		6385	Ant6	7.00	----	8.70	≤24.00	Pass	7
			Ant8	9.83	----	11.53	≤24.00	Pass	7
			Total	11.65	----	13.35	≤24.00	Pass	7
11AX160	MIMO	6025	Ant6	8.34	----	10.04	≤24.00	Pass	9



Reference No.: PSU-QSU2411180418RF14

			Ant8	9.71	----	11.41	≤24.00	Pass	9
			Total	12.09	----	13.79	≤24.00	Pass	9
		6185	Ant6	8.75	----	10.45	≤24.00	Pass	9
			Ant8	11.17	----	12.87	≤24.00	Pass	9
			Total	13.14	----	14.84	≤24.00	Pass	9
		6345	Ant6	9.00	----	10.70	≤24.00	Pass	9
			Ant8	12.58	----	14.28	≤24.00	Pass	9
			Total	14.16	----	15.86	≤24.00	Pass	9

Note:1. The MAXimum Conducted Power with duty cycle factor.

2. The EIRP = MAXimum Conducted Power + Ant Gain.

Power Table U-NII-6									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	6435	Ant6	1.97	----	3.25	≤24.00	Pass	3
			Ant8	4.51	----	5.79	≤24.00	Pass	3
			Total	6.43	----	7.71	≤24.00	Pass	3
		6475	Ant6	1.77	----	3.05	≤24.00	Pass	3
			Ant8	4.09	----	5.37	≤24.00	Pass	3
			Total	6.09	----	7.37	≤24.00	Pass	3
		6515	Ant6	1.45	----	2.73	≤24.00	Pass	3
			Ant8	3.21	----	4.49	≤24.00	Pass	3
			Total	5.43	----	6.71	≤24.00	Pass	3
11AX40	MIMO	6445	Ant6	4.98	----	6.26	≤24.00	Pass	6
			Ant8	6.82	----	8.10	≤24.00	Pass	6
			Total	9.01	----	10.29	≤24.00	Pass	6
		6485	Ant6	5.48	----	6.76	≤24.00	Pass	6
			Ant8	6.97	----	8.25	≤24.00	Pass	6
			Total	9.30	----	10.58	≤24.00	Pass	6
		6525	Ant6	5.85	----	7.13	≤24.00	Pass	6
			Ant8	6.75	----	8.03	≤24.00	Pass	6
			Total	9.33	----	10.61	≤24.00	Pass	6
11AX80	MIMO	6465	Ant6	7.02	----	8.30	≤24.00	Pass	8
			Ant8	8.84	----	10.12	≤24.00	Pass	8
			Total	11.03	----	12.31	≤24.00	Pass	8
		6545	Ant6	7.27	----	8.55	≤24.00	Pass	8
			Ant8	8.07	----	9.35	≤24.00	Pass	8
			Total	10.70	----	11.98	≤24.00	Pass	8
11AX160	MIMO	6505	Ant6	9.51	----	10.79	≤24.00	Pass	10
			Ant8	11.29	----	12.57	≤24.00	Pass	10
			Total	13.50	----	14.78	≤24.00	Pass	10
Note:1. The MAXimum Conducted Power with duty cycle factor. 2. The EIRP = MAXimum Conducted Power + Ant Gain.									

Power Table_U-NII-7									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	6535	Ant6	1.87	≤24.00	2.71	≤24.00	Pass	3
			Ant8	4.51	≤24.00	5.35	≤24.00	Pass	3
			Total	6.40	≤24.00	7.24	≤24.00	Pass	3
		6695	Ant6	3.99	≤24.00	4.83	≤24.00	Pass	3
			Ant8	3.78	≤24.00	4.62	≤24.00	Pass	3
			Total	6.90	≤24.00	7.74	≤24.00	Pass	3
		6855	Ant6	1.96	≤24.00	2.80	≤24.00	Pass	3
			Ant8	2.62	≤24.00	3.46	≤24.00	Pass	3
			Total	5.31	≤24.00	6.15	≤24.00	Pass	3
11AX40	MIMO	6565	Ant6	6.56	≤24.00	7.40	≤24.00	Pass	7
			Ant8	7.09	≤24.00	7.93	≤24.00	Pass	7
			Total	9.84	≤24.00	10.68	≤24.00	Pass	7
		6685	Ant6	7.33	≤24.00	8.17	≤24.00	Pass	7
			Ant8	6.55	≤24.00	7.39	≤24.00	Pass	7
			Total	9.97	≤24.00	10.81	≤24.00	Pass	7
		6845	Ant6	6.14	≤24.00	6.98	≤24.00	Pass	7
			Ant8	5.96	≤24.00	6.80	≤24.00	Pass	7
			Total	9.06	≤24.00	9.90	≤24.00	Pass	7
11AX80	MIMO	6625	Ant6	8.76	≤24.00	9.60	≤24.00	Pass	8
			Ant8	8.67	≤24.00	9.51	≤24.00	Pass	8
			Total	11.72	≤24.00	12.56	≤24.00	Pass	8
		6705	Ant6	9.01	≤24.00	9.85	≤24.00	Pass	8
			Ant8	8.80	≤24.00	9.64	≤24.00	Pass	8
			Total	11.92	≤24.00	12.76	≤24.00	Pass	8
		6785	Ant6	9.61	≤24.00	10.45	≤24.00	Pass	8
			Ant8	9.44	≤24.00	10.28	≤24.00	Pass	8
			Total	12.54	≤24.00	13.38	≤24.00	Pass	8
11AX160	MIMO	6665	Ant6	7.88	≤24.00	8.72	≤24.00	Pass	8
			Ant8	7.52	≤24.00	8.36	≤24.00	Pass	8
			Total	10.72	≤24.00	11.56	≤24.00	Pass	8
		6665	Ant6	10.95	≤24.00	11.79	≤24.00	Pass	10
			Ant8	10.68	≤24.00	11.52	≤24.00	Pass	10
			Total	13.82	≤24.00	14.66	≤24.00	Pass	10
		6825	Ant6	9.79	≤24.00	10.63	≤24.00	Pass	10
			Ant8	9.60	≤24.00	10.44	≤24.00	Pass	10
			Total	12.71	≤24.00	13.55	≤24.00	Pass	10



**BUREAU
VERITAS**

Reference No.: PSU-QSU2411180418RF14

Note: 1. The MAXimum Conducted Power with duty cycle factor.
2. The EIRP = MAXimum Conducted Power + Ant Gain.

Power Table_U-NII-8									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	6875	Ant6	3.46	----	5.06	≤24.00	Pass	4
			Ant8	3.02	----	4.62	≤24.00	Pass	4
			Total	6.26	----	7.86	≤24.00	Pass	4
		6895	Ant6	4.44	----	6.04	≤24.00	Pass	5
			Ant8	3.17	----	4.77	≤24.00	Pass	5
			Total	6.86	----	8.46	≤24.00	Pass	5
		6995	Ant6	4.2	----	5.8	≤24.00	Pass	5
			Ant8	4.28	----	5.88	≤24.00	Pass	5
			Total	7.25	----	8.85	≤24.00	Pass	5
		7095	Ant6	4.47	----	6.07	≤24.00	Pass	5
			Ant8	5.29	----	6.89	≤24.00	Pass	5
			Total	7.91	----	9.51	≤24.00	Pass	5
11AX40	MIMO	6885	Ant6	4.9	----	6.5	≤24.00	Pass	5
			Ant8	5.26	----	6.86	≤24.00	Pass	5
			Total	8.1	----	9.7	≤24.00	Pass	5
		6885	Ant6	7.65	----	9.25	≤24.00	Pass	8
			Ant8	6.89	----	8.49	≤24.00	Pass	8
			Total	10.3	----	11.9	≤24.00	Pass	8
		6925	Ant6	6.75	----	8.35	≤24.00	Pass	8
			Ant8	6.4	----	8	≤24.00	Pass	8
			Total	9.59	----	11.19	≤24.00	Pass	8
		6965	Ant6	7.63	----	9.23	≤24.00	Pass	8
			Ant8	7.58	----	9.18	≤24.00	Pass	8
			Total	10.61	----	12.21	≤24.00	Pass	8
11AX80	MIMO	6945	Ant6	7.75	----	9.35	≤24.00	Pass	8
			Ant8	7.95	----	9.55	≤24.00	Pass	8
			Total	10.86	----	12.46	≤24.00	Pass	8
		7025	Ant6	8.67	----	10.27	≤24.00	Pass	9
			Ant8	8.72	----	10.32	≤24.00	Pass	9
11AX80	MIMO	6945	Total	11.71	----	13.31	≤24.00	Pass	9
		7025	Ant6	8.8	----	10.4	≤24.00	Pass	9
			Ant8	9.13	----	10.73	≤24.00	Pass	9



BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF14

			Total	11.98	----	13.58	≤24.00	Pass	9
11AX160	MIMO	6985	Ant6	11.34	----	12.94	≤24.00	Pass	12
			Ant8	11.38	----	12.98	≤24.00	Pass	12
			Total	14.37	----	15.97	≤24.00	Pass	12

Note:1. The MAXimum Conducted Power with duty cycle factor.

2. The EIRP = MAXimum Conducted Power + Ant Gain.

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Frequency [MHz]	Antenna	PSD [dBm/MHz]	Gain [dBi]	EIRP PSD [dBm/MHz]	Limited [dBm/MHz]	Verdict
11AX20MIMO	5935	6	-8.870	1.69	-7.180	-1	PASS
		8	-8.487	1.7	-6.787	-1	PASS
		total	-5.664	1.7	-3.964	-1	PASS
	5955	6	-9.444	1.69	-7.754	-1	PASS
		8	-7.888	1.7	-6.188	-1	PASS
		total	-5.586	1.7	-3.886	-1	PASS
	6175	6	-9.403	1.69	-7.713	-1	PASS
		8	-9.081	1.7	-7.381	-1	PASS
		total	-6.229	1.7	-4.529	-1	PASS
	6415	6	-9.832	1.69	-8.142	-1	PASS
		8	-7.591	1.7	-5.891	-1	PASS
		total	-5.558	1.7	-3.858	-1	PASS
	6435	6	-9.029	-1.02	-10.049	-1	PASS
		8	-6.731	1.28	-5.451	-1	PASS
		total	-4.719	1.28	-3.439	-1	PASS
	6475	6	-8.694	-1.02	-9.714	-1	PASS
		8	-7.368	1.28	-6.088	-1	PASS
		total	-4.970	1.28	-3.690	-1	PASS
	6515	6	-9.162	-1.02	-10.182	-1	PASS
		8	-7.804	1.28	-6.524	-1	PASS
		total	-5.420	1.28	-4.140	-1	PASS
	6535	6	-7.598	-1.27	-8.868	-1	PASS
		8	-7.342	0.84	-6.502	-1	PASS
		total	-4.458	0.84	-3.618	-1	PASS
	6695	6	-6.680	-1.27	-7.950	-1	PASS
		8	-7.193	0.84	-6.353	-1	PASS
		total	-3.919	0.84	-3.079	-1	PASS
	6855	6	-6.912	-1.27	-8.182	-1	PASS
		8	-8.301	0.84	-7.461	-1	PASS
		total	-4.541	0.84	-3.701	-1	PASS
	6875	6	-7.198	-1.27	-8.468	-1	PASS
		8	-8.123	0.84	-7.283	-1	PASS
		total	-4.626	0.84	-3.786	-1	PASS
	6895	6	-4.788	1.6	-3.188	-1	PASS

		8	-7.539	-2.72	-10.259	-1	PASS
		total	-2.939	1.6	-1.339	-1	PASS
	6995	6	-5.551	1.6	-3.951	-1	PASS
		8	-6.659	-2.72	-9.379	-1	PASS
		total	-3.059	1.6	-1.459	-1	PASS
	7095	6	-5.958	1.6	-4.358	-1	PASS
		8	-6.615	-2.72	-9.335	-1	PASS
		total	-3.264	1.6	-1.664	-1	PASS
	7115	6	-5.856	1.6	-4.256	-1	PASS
		8	-6.554	-2.72	-9.274	-1	PASS
		total	-3.181	1.6	-1.581	-1	PASS
11AX40	5965	6	-8.577	1.69	-6.887	-1	PASS
		8	-9.842	1.7	-8.142	-1	PASS
		total	-6.153	1.7	-4.453	-1	PASS
	6165	6	-8.766	1.69	-7.076	-1	PASS
		8	-8.348	1.7	-6.648	-1	PASS
		total	-5.542	1.7	-3.842	-1	PASS
	6405	6	-10.855	1.69	-9.165	-1	PASS
		8	-7.132	1.7	-5.432	-1	PASS
		total	-5.596	1.7	-3.896	-1	PASS
	6445	6	-8.890	-1.02	-9.910	-1	PASS
		8	-6.702	1.28	-5.422	-1	PASS
		total	-4.649	1.28	-3.369	-1	PASS
	6485	6	-8.645	-1.02	-9.665	-1	PASS
		8	-7.139	1.28	-5.859	-1	PASS
		total	-4.817	1.28	-3.537	-1	PASS
	6525	6	-8.580	-1.02	-9.600	-1	PASS
		8	-7.728	1.28	-6.448	-1	PASS
		total	-5.123	1.28	-3.843	-1	PASS
	6565	6	-7.780	-1.27	-9.050	-1	PASS
		8	-6.782	0.84	-5.942	-1	PASS
		total	-4.242	0.84	-3.402	-1	PASS
	6685	6	-6.723	-1.27	-7.993	-1	PASS
		8	-7.490	0.84	-6.650	-1	PASS
		total	-4.079	0.84	-3.239	-1	PASS
	6845	6	-6.642	-1.27	-7.912	-1	PASS
		8	-8.532	0.84	-7.692	-1	PASS
		total	-4.475	0.84	-3.635	-1	PASS
	6885	6	-5.604	1.6	-4.004	-1	PASS
		8	-6.987	-2.72	-9.707	-1	PASS



Reference No.: PSU-QSU2411180418RF14

11AX80		total	-3.230	1.6	-1.630	-1	PASS
		6	-5.500	1.6	-3.900	-1	PASS
		8	-6.840	-2.72	-9.560	-1	PASS
		total	-3.108	1.6	-1.508	-1	PASS
		6	-5.411	1.6	-3.811	-1	PASS
		8	-6.637	-2.72	-9.357	-1	PASS
		total	-2.971	1.6	-1.371	-1	PASS
		6	-5.538	1.6	-3.938	-1	PASS
		8	-6.515	-2.72	-9.235	-1	PASS
		total	-2.989	1.6	-1.389	-1	PASS
		6	-8.710	1.69	-7.020	-1	PASS
		8	-7.841	1.7	-6.141	-1	PASS
		total	-5.244	1.7	-3.544	-1	PASS
11AX80	5985	6	-10.663	1.69	-8.973	-1	PASS
		8	-7.363	1.7	-5.663	-1	PASS
		total	-5.697	1.7	-3.997	-1	PASS
	6145	6	-10.253	1.69	-8.563	-1	PASS
		8	-6.825	1.7	-5.125	-1	PASS
		total	-5.199	1.7	-3.499	-1	PASS
	6385	6	-8.882	-1.02	-9.902	-1	PASS
		8	-7.214	1.28	-5.934	-1	PASS
		total	-4.958	1.28	-3.678	-1	PASS
	6465	6	-8.260	-1.27	-9.530	-1	PASS
		8	-7.888	0.84	-7.048	-1	PASS
		total	-5.060	0.84	-4.220	-1	PASS
	6545	6	-8.253	-1.27	-9.523	-1	PASS
		8	-7.652	0.84	-6.812	-1	PASS
		total	-4.932	0.84	-4.092	-1	PASS
	6625	6	-7.543	-1.27	-8.813	-1	PASS
		8	-8.983	0.84	-8.143	-1	PASS
		total	-5.193	0.84	-4.353	-1	PASS
	6705	6	-6.619	-1.27	-7.889	-1	PASS
		8	-8.872	0.84	-8.032	-1	PASS
		total	-4.591	0.84	-3.751	-1	PASS
	6785	6	-7.040	-1.27	-8.310	-1	PASS
		8	-9.102	0.84	-8.262	-1	PASS
		total	-4.939	0.84	-4.099	-1	PASS
	6865	6	-5.377	1.6	-3.777	-1	PASS
		8	-6.907	-2.72	-9.627	-1	PASS
		total	-3.065	1.6	-1.465	-1	PASS
	6945	6	-5.157	1.6	-3.557	-1	PASS
		8	-5.157	1.6	-3.557	-1	PASS
		total	-5.157	1.6	-3.557	-1	PASS
	7025	6	-5.157	1.6	-3.557	-1	PASS
		8	-5.157	1.6	-3.557	-1	PASS
		total	-5.157	1.6	-3.557	-1	PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14

		8	-6.514	-2.72	-9.234	-1	PASS
		total	-2.772	1.6	-1.172	-1	PASS
11AX160	6025	6	-9.463	1.69	-7.773	-1	PASS
		8	-8.850	1.7	-7.150	-1	PASS
		total	-6.135	1.7	-4.435	-1	PASS
	6185	6	-8.344	1.69	-6.654	-1	PASS
		8	-7.525	1.7	-5.825	-1	PASS
		total	-4.905	1.7	-3.205	-1	PASS
	6345	6	-9.120	1.69	-7.430	-1	PASS
		8	-8.230	1.7	-6.530	-1	PASS
		total	-5.642	1.7	-3.942	-1	PASS
	6505	6	-8.990	-1.02	-10.010	-1	PASS
		8	-7.427	1.28	-6.147	-1	PASS
		total	-5.128	1.28	-3.848	-1	PASS
	6665	6	-8.562	-1.27	-9.832	-1	PASS
		8	-8.404	0.84	-7.564	-1	PASS
		total	-5.472	0.84	-4.632	-1	PASS
	6825	6	-5.711	-1.27	-6.981	-1	PASS
		8	-8.037	0.84	-7.197	-1	PASS
		total	-3.710	0.84	-2.870	-1	PASS
	6985	6	-5.992	1.6	-4.392	-1	PASS
		8	-7.596	-2.72	-10.316	-1	PASS
		total	-3.710	1.6	-2.110	-1	PASS



Note : 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS







Reference No.: PSU-QSU2411180418RF14







Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6435



11AX20MIMO_Ant8_6435


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_6475




11AX20MIMO_Ant8_6475



Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6515



11AX20MIMO_Ant8_6515


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6535




11AX20MIMO_Ant8_6535




BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6695



11AX20MIMO_Ant8_6695



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14





Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008





Reference No.: PSU-QSU2411180418RF14







Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_7095




11AX20MIMO_Ant8_7095


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008





11AX20MIMO_Ant6_7115



11AX20MIMO_Ant8_7115





Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX40MIMO_Ant6_6405




11AX40MIMO_Ant8_6405


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008





11AX40MIMO_Ant6_6445



11AX40MIMO_Ant8_6445



Reference No.: PSU-QSU2411180418RF14




Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14





11AX40MIMO_Ant6_6525



11AX40MIMO_Ant8_6525




Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX40MIMO_Ant6_6685



11AX40MIMO_Ant8_6685


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX40MIMO_Ant6_6845



11AX40MIMO_Ant8_6845


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX40MIMO_Ant6_6885



11AX40MIMO_Ant8_6885



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX40MIMO_Ant6_6965



11AX40MIMO_Ant8_6965



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_5985




11AX80MIMO_Ant8_5985



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO Ant6 6145



11AX80MIMO Ant8 6145


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14




11AX80MIMO_Ant6_6385



11AX80MIMO_Ant8_6385



11AX80MIMO_Ant6 6465




11AX80MIMO_Ant8 6465



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6545



11AX80MIMO_Ant8_6545


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6625



11AX80MIMO_Ant8_6625


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6705



11AX80MIMO_Ant8_6705


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6785



11AX80MIMO_Ant8_6785


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6865



11AX80MIMO_Ant8_6865


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_6945



11AX80MIMO_Ant8_6945


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14



11AX80MIMO_Ant6_7025



11AX80MIMO_Ant8_7025



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14






Reference No.: PSU-QSU2411180418RF14



11AX160MIMO Ant6 6345



11AX160MIMO Ant8 6345

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14




11AX160MIMO_Ant6_6505




11AX160MIMO_Ant8_6505



Reference No.: PSU-QSU2411180418RF14



11AX160MIMO_Ant6_6665



11AX160MIMO_Ant8_6665

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008