



In Band




11AX40MIMO_Ant8_6965

In Band




11AX40MIMO_Ant6_7085

In Band




11AX40MIMO_Ant8_7085


In Band



11AX80MIMO_Ant6_5985




In Band




11AX80MIMO_Ant8_6145

In Band




11AX80MIMO_Ant6_6385

In Band




11AX80MIMO_Ant8_6385

In Band




11AX80MIMO_Ant6_6465

In Band





11AX80MIMO_Ant8_6465


In Band




11AX80MIMO_Ant6_6545








In Band





11AX80MIMO_Ant8_6785


In Band




11AX80MIMO_Ant6_6865








In Band




11AX160MIMO_Ant8_6025

In Band




11AX160MIMO_Ant6_6185

In Band




11AX160MIMO_Ant8_6185

In Band




11AX160MIMO_Ant6_6345

In Band





11AX160MIMO_Ant8_6345

In Band




11AX160MIMO_Ant6_6505






In Band




11AX160MIMO_Ant8_6825

In Band



11AX160MIMO_Ant6_6985



RU MODE

MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Power Table_U-NII-5										
Test	TX	RU	Freq.		MAXimum	Conducted	EIRP	EIRP		Power
Mode	Mod.	Config.	(MHz)	Ant.	Conducted Power (dBm)	Power Limit (dBm)	(dBm)	(dBm)	Verdict	Setting
11AX20	MIMO	26/0	5935	Ant6	-6.33	----	-4.63	≤24.00	Pass	-6
				Ant8	-4.02	----	-2.32	≤24.00	Pass	-6
				Total	-2.01	----	-0.31	≤24.00	Pass	-6
		26/0	5955	Ant6	-5.82	----	-4.12	≤24.00	Pass	-6
				Ant8	-4.80	----	-3.10	≤24.00	Pass	-6
				Total	-2.27	----	-0.57	≤24.00	Pass	-6
		26/4	6175	Ant6	-6.64	----	-4.94	≤24.00	Pass	-6
				Ant8	-3.94	----	-2.24	≤24.00	Pass	-6
				Total	-2.07	----	-0.37	≤24.00	Pass	-6
		26/8	6415	Ant6	-6.98	----	-5.28	≤24.00	Pass	-6
				Ant8	-4.91	----	-3.21	≤24.00	Pass	-6
				Total	-2.81	----	-1.11	≤24.00	Pass	-6
		52/37	5935	Ant6	-3.05	----	-1.35	≤24.00	Pass	-4
				Ant8	-2.89	----	-1.19	≤24.00	Pass	-4
				Total	0.04	----	1.74	≤24.00	Pass	-4
		52/37	5955	Ant6	-3.81	----	-2.11	≤24.00	Pass	-4
				Ant8	-3.32	----	-1.62	≤24.00	Pass	-4
				Total	-0.55	----	1.15	≤24.00	Pass	-4
		52/38	6175	Ant6	-5.84	----	-4.14	≤24.00	Pass	-4
				Ant8	-1.51	----	0.19	≤24.00	Pass	-4
				Total	-0.15	----	1.55	≤24.00	Pass	-4
		52/40	6415	Ant6	-4.42	----	-2.72	≤24.00	Pass	-4
				Ant8	-2.67	----	-0.97	≤24.00	Pass	-4
				Total	-0.45	----	1.25	≤24.00	Pass	-4
		106/53	5935	Ant6	-1.77	----	-0.07	≤24.00	Pass	-2
				Ant8	-0.79	----	0.91	≤24.00	Pass	-2
				Total	1.76	----	3.46	≤24.00	Pass	-2
		106/53	5955	Ant6	-1.63	----	0.07	≤24.00	Pass	-1



BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF14

				Ant8	-0.37	----	1.33	≤24.00	Pass	-1
				Total	2.05	----	3.75	≤24.00	Pass	-1
		106/53	6175	Ant6	-2.33	----	-0.63	≤24.00	Pass	-2
				Ant8	0.22	----	1.92	≤24.00	Pass	-2
				Total	2.14	----	3.84	≤24.00	Pass	-2
		106/54	6415	Ant6	-2.46	----	-0.76	≤24.00	Pass	-2
				Ant8	-1.10	----	0.60	≤24.00	Pass	-2
				Total	1.28	----	2.98	≤24.00	Pass	-2
		FULL	5935	Ant6	1.69	----	3.39	≤24.00	Pass	3
				Ant8	3.03	----	4.73	≤24.00	Pass	3
				Total	5.42	----	7.12	≤24.00	Pass	3
		FULL	5955	Ant6	1.44	----	3.14	≤24.00	Pass	3
				Ant8	2.55	----	4.25	≤24.00	Pass	3
				Total	5.04	----	6.74	≤24.00	Pass	3
		FULL	6175	Ant6	2.33	----	4.03	≤24.00	Pass	3
				Ant8	4.17	----	5.87	≤24.00	Pass	3
				Total	6.36	----	8.06	≤24.00	Pass	3
		FULL	6415	Ant6	0.96	----	2.66	≤24.00	Pass	3
				Ant8	3.90	----	5.60	≤24.00	Pass	3
				Total	5.69	----	7.39	≤24.00	Pass	3
11AX40	MIMO	FULL	5965	Ant6	2.38	----	4.08	≤24.00	Pass	5
				Ant8	4.32	----	6.02	≤24.00	Pass	5
				Total	6.47	----	8.17	≤24.00	Pass	5
		FULL	6165	Ant6	3.61	----	5.31	≤24.00	Pass	5
				Ant8	5.33	----	7.03	≤24.00	Pass	5
				Total	7.56	----	9.26	≤24.00	Pass	5
11AX80	MIMO	FULL	6405	Ant6	4.35	----	6.05	≤24.00	Pass	5
				Ant8	7.31	----	9.01	≤24.00	Pass	5
				Total	9.09	----	10.79	≤24.00	Pass	5
		FULL	5985	Ant6	5.86	----	7.56	≤24.00	Pass	7
				Ant8	7.67	----	9.37	≤24.00	Pass	7
				Total	9.87	----	11.57	≤24.00	Pass	7
		FULL	6145	Ant6	6.24	----	7.94	≤24.00	Pass	7
				Ant8	8.55	----	10.25	≤24.00	Pass	7
				Total	10.56	----	12.26	≤24.00	Pass	7
11AX160	MIMO	FULL	6385	Ant6	7.08	----	8.78	≤24.00	Pass	7
				Ant8	9.79	----	11.49	≤24.00	Pass	7
				Total	11.65	----	13.35	≤24.00	Pass	7
		FULL	6025	Ant6	8.36	----	10.06	≤24.00	Pass	9
				Ant8	9.81	----	11.51	≤24.00	Pass	9
				Total	12.15	----	13.85	≤24.00	Pass	9
		FULL	6185	Ant6	8.84	----	10.54	≤24.00	Pass	9



Reference No.: PSU-QSU2411180418RF14

				Ant8	11.16	----	12.86	≤24.00	Pass	9
				Total	13.16	----	14.86	≤24.00	Pass	9
		FULL	6345	Ant6	8.87	----	10.57	≤24.00	Pass	9
				Ant8	12.56	----	14.26	≤24.00	Pass	9
				Total	14.10	----	15.80	≤24.00	Pass	9
				Note:1. The MAXimum Conducted Power with duty cycle factor. 2. The EIRP = MAXimum Conducted Power + Ant Gain.						

Power Table U-NII-6										
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	6435	Ant6	-6.45	----	-5.17	≤24.00	Pass	-6
				Ant8	-5.07	----	-3.79	≤24.00	Pass	-6
				Total	-2.70	----	-1.42	≤24.00	Pass	-6
		26/4	6475	Ant6	-7.01	----	-5.73	≤24.00	Pass	-6
				Ant8	-4.86	----	-3.58	≤24.00	Pass	-6
				Total	-2.79	----	-1.51	≤24.00	Pass	-6
		26/8	6515	Ant6	-6.86	----	-5.58	≤24.00	Pass	-4
				Ant8	-5.74	----	-4.46	≤24.00	Pass	-4
				Total	-3.25	----	-1.97	≤24.00	Pass	-4
		52/37	6435	Ant6	-3.00	----	-1.72	≤24.00	Pass	-4
				Ant8	-3.74	----	-2.46	≤24.00	Pass	-4
				Total	-0.34	----	0.94	≤24.00	Pass	-4
		52/38	6475	Ant6	-4.31	----	-3.03	≤24.00	Pass	-4
				Ant8	-2.86	----	-1.58	≤24.00	Pass	-4
				Total	-0.52	----	0.76	≤24.00	Pass	-4
		52/40	6515	Ant6	-3.65	----	-2.37	≤24.00	Pass	-3
				Ant8	-2.18	----	-0.90	≤24.00	Pass	-3
				Total	0.16	----	1.44	≤24.00	Pass	-3
		106/53	6435	Ant6	-0.16	----	1.12	≤24.00	Pass	-1
				Ant8	0.60	----	1.88	≤24.00	Pass	-1
				Total	3.24	----	4.52	≤24.00	Pass	-1
		106/53	6475	Ant6	-0.24	----	1.04	≤24.00	Pass	-1
				Ant8	0.61	----	1.89	≤24.00	Pass	-1
				Total	3.22	----	4.50	≤24.00	Pass	-1
		106/54	6515	Ant6	-0.99	----	0.29	≤24.00	Pass	-1
				Ant8	-0.41	----	0.87	≤24.00	Pass	-1
				Total	2.32	----	3.60	≤24.00	Pass	-1
		FULL	6435	Ant6	2.01	----	3.29	≤24.00	Pass	3
				Ant8	4.52	----	5.80	≤24.00	Pass	3
				Total	6.45	----	7.73	≤24.00	Pass	3
		FULL	6475	Ant6	1.71	----	2.99	≤24.00	Pass	3
				Ant8	4.17	----	5.45	≤24.00	Pass	3
				Total	6.12	----	7.40	≤24.00	Pass	3
		FULL	6515	Ant6	1.39	----	2.67	≤24.00	Pass	3
				Ant8	3.17	----	4.45	≤24.00	Pass	3



Reference No.: PSU-QSU2411180418RF14

				Total	5.38	----	6.66	≤24.00	Pass	3
11AX40	MIMO	FULL	6445	Ant6	5.04	----	6.32	≤24.00	Pass	6
				Ant8	6.69	----	7.97	≤24.00	Pass	6
				Total	8.95	----	10.23	≤24.00	Pass	6
		FULL	6485	Ant6	5.44	----	6.72	≤24.00	Pass	6
				Ant8	7.05	----	8.33	≤24.00	Pass	6
				Total	9.33	----	10.61	≤24.00	Pass	6
		FULL	6525	Ant6	5.96	----	7.24	≤24.00	Pass	6
				Ant8	6.69	----	7.97	≤24.00	Pass	6
				Total	9.35	----	10.63	≤24.00	Pass	6
11AX80	MIMO	FULL	6465	Ant6	6.88	----	8.16	≤24.00	Pass	8
				Ant8	8.80	----	10.08	≤24.00	Pass	8
				Total	10.96	----	12.24	≤24.00	Pass	8
		FULL	6545	Ant6	7.30	----	8.58	≤24.00	Pass	8
				Ant8	8.01	----	9.29	≤24.00	Pass	8
				Total	10.68	----	11.96	≤24.00	Pass	8
11AX160	MIMO	FULL	6505	Ant6	9.39	----	10.67	≤24.00	Pass	10
				Ant8	11.30	----	12.58	≤24.00	Pass	10
				Total	13.46	----	14.74	≤24.00	Pass	10
Note:1.The MAXimum Conducted Power with duty cycle factor. 2. The EIRP = MAXimum Conducted Power + Ant Gain .										

Power Table U-NII-7										
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	6535	Ant6	-5.80	≤24.00	-4.96	≤24.00	Pass	-6
				Ant8	-5.48	≤24.00	-4.64	≤24.00	Pass	-6
				Total	-2.63	≤24.00	-1.79	≤24.00	Pass	-6
		26/4	6695	Ant6	-6.47	≤24.00	-5.63	≤24.00	Pass	-6
				Ant8	-4.00	≤24.00	-3.16	≤24.00	Pass	-6
				Total	-2.05	≤24.00	-1.21	≤24.00	Pass	-6
		26/8	6855	Ant6	-5.93	≤24.00	-5.09	≤24.00	Pass	-6
				Ant8	-3.35	≤24.00	-2.51	≤24.00	Pass	-6
				Total	-1.44	≤24.00	-0.60	≤24.00	Pass	-6
		52/37	6535	Ant6	-2.72	≤24.00	-1.88	≤24.00	Pass	-3
				Ant8	-2.18	≤24.00	-1.34	≤24.00	Pass	-3
				Total	0.57	≤24.00	1.41	≤24.00	Pass	-3
		52/38	6695	Ant6	-2.24	≤24.00	-1.40	≤24.00	Pass	-3
				Ant8	-0.69	≤24.00	0.15	≤24.00	Pass	-3
				Total	1.62	≤24.00	2.46	≤24.00	Pass	-3
		52/40	6855	Ant6	-3.78	≤24.00	-2.94	≤24.00	Pass	-3
				Ant8	-0.80	≤24.00	0.04	≤24.00	Pass	-3
				Total	0.97	≤24.00	1.81	≤24.00	Pass	-3
		106/53	6535	Ant6	-0.93	≤24.00	-0.09	≤24.00	Pass	-1
				Ant8	0.25	≤24.00	1.09	≤24.00	Pass	-1
				Total	2.71	≤24.00	3.55	≤24.00	Pass	-1
		106/53	6695	Ant6	-0.32	≤24.00	0.53	≤24.00	Pass	-1
				Ant8	1.70	≤24.00	2.54	≤24.00	Pass	-1
				Total	3.82	≤24.00	4.66	≤24.00	Pass	-1
		106/54	6855	Ant6	-0.88	≤24.00	-0.04	≤24.00	Pass	-1
				Ant8	1.45	≤24.00	2.29	≤24.00	Pass	-1
				Total	3.45	≤24.00	4.29	≤24.00	Pass	-1
		FULL	6535	Ant6	1.82	≤24.00	2.66	≤24.00	Pass	3
				Ant8	4.62	≤24.00	5.46	≤24.00	Pass	3
				Total	6.45	≤24.00	7.29	≤24.00	Pass	3
		FULL	6695	Ant6	3.95	≤24.00	4.79	≤24.00	Pass	3
				Ant8	3.78	≤24.00	4.62	≤24.00	Pass	3
				Total	6.88	≤24.00	7.72	≤24.00	Pass	3
		FULL	6855	Ant6	1.85	≤24.00	2.69	≤24.00	Pass	3
				Ant8	2.50	≤24.00	3.34	≤24.00	Pass	3



**BUREAU
VERITAS**

Reference No.: PSU-QSU2411180418RF14

				Total	5.20	≤24.00	6.04	≤24.00	Pass	3
11AX40	MIMO	FULL	6565	Ant6	6.52	≤24.00	7.36	≤24.00	Pass	7
				Ant8	7.06	≤24.00	7.90	≤24.00	Pass	7
				Total	9.81	≤24.00	10.65	≤24.00	Pass	7
		FULL	6685	Ant6	7.29	≤24.00	8.13	≤24.00	Pass	7
				Ant8	6.63	≤24.00	7.47	≤24.00	Pass	7
				Total	9.98	≤24.00	10.82	≤24.00	Pass	7
		FULL	6845	Ant6	6.14	≤24.00	6.98	≤24.00	Pass	7
Ant8	5.88			≤24.00	6.72	≤24.00	Pass	7		
Total	9.02			≤24.00	9.86	≤24.00	Pass	7		
11AX80	MIMO	FULL	6625	Ant6	8.63	≤24.00	9.47	≤24.00	Pass	8
				Ant8	8.60	≤24.00	9.44	≤24.00	Pass	8
				Total	11.62	≤24.00	12.46	≤24.00	Pass	8
		FULL	6705	Ant6	8.87	≤24.00	9.71	≤24.00	Pass	8
				Ant8	8.81	≤24.00	9.65	≤24.00	Pass	8
				Total	11.85	≤24.00	12.69	≤24.00	Pass	8
		FULL	6785	Ant6	9.61	≤24.00	10.45	≤24.00	Pass	8
				Ant8	9.29	≤24.00	10.13	≤24.00	Pass	8
				Total	12.46	≤24.00	13.30	≤24.00	Pass	8
		FULL	6865	Ant6	7.91	≤24.00	8.75	≤24.00	Pass	8
				Ant8	7.46	≤24.00	8.30	≤24.00	Pass	8
				Total	10.70	≤24.00	11.54	≤24.00	Pass	8
11AX160	MIMO	FULL	6665	Ant6	10.83	≤24.00	11.67	≤24.00	Pass	10
				Ant8	10.64	≤24.00	11.48	≤24.00	Pass	10
				Total	13.74	≤24.00	14.58	≤24.00	Pass	10
		FULL	6825	Ant6	9.83	≤24.00	10.67	≤24.00	Pass	10
				Ant8	9.73	≤24.00	10.57	≤24.00	Pass	10
				Total	12.79	≤24.00	13.63	≤24.00	Pass	10
Note:1.The MAXimum Conducted Power with duty cycle factor. 2. The EIRP = MAXimum Conducted Power + Ant Gain .										

Power Table U-NII-8										
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	MAXimum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	EIRP Limited (dBm)	Verdict	Power Setting
11AX20	MIMO	26/0	6875	Ant6	-4.88	----	-3.28	≤24.00	Pass	-5
				Ant8	-2.61	----	-1.01	≤24.00	Pass	-5
				Total	-0.59	----	1.01	≤24.00	Pass	-5
		26/0	6895	Ant6	-3.78	----	-2.18	≤24.00	Pass	-5
				Ant8	-2.89	----	-1.29	≤24.00	Pass	-5
				Total	-0.30	----	1.30	≤24.00	Pass	-5
		26/0	6995	Ant6	-4.15	----	-2.55	≤24.00	Pass	-5
				Ant8	-4.60	----	-3.00	≤24.00	Pass	-5
				Total	-1.36	----	0.24	≤24.00	Pass	-5
		26/8	7095	Ant6	-3.58	----	-1.98	≤24.00	Pass	-6
				Ant8	-3.56	----	-1.96	≤24.00	Pass	-6
				Total	-0.56	----	1.04	≤24.00	Pass	-6
		26/8	7115	Ant6	-3.65	----	-2.05	≤24.00	Pass	-6
				Ant8	-4.18	----	-2.58	≤24.00	Pass	-6
				Total	-0.90	----	0.70	≤24.00	Pass	-6
	MIMO	52/37	6875	Ant6	-1.31	----	0.29	≤24.00	Pass	-2
				Ant8	-1.04	----	0.56	≤24.00	Pass	-2
				Total	1.84	----	3.44	≤24.00	Pass	-2
		52/37	6895	Ant6	0.20	----	1.80	≤24.00	Pass	-1
				Ant8	-0.62	----	0.98	≤24.00	Pass	-1
				Total	2.82	----	4.42	≤24.00	Pass	-1
		52/38	6995	Ant6	-0.64	----	0.96	≤24.00	Pass	-2
				Ant8	-0.25	----	1.35	≤24.00	Pass	-2
				Total	2.57	----	4.17	≤24.00	Pass	-2
		52/40	7095	Ant6	-0.56	----	1.04	≤24.00	Pass	-2
				Ant8	-1.53	----	0.07	≤24.00	Pass	-2
				Total	1.99	----	3.59	≤24.00	Pass	-2
		52/40	7115	Ant6	-0.43	----	1.17	≤24.00	Pass	-2
				Ant8	-0.93	----	0.67	≤24.00	Pass	-2
				Total	2.34	----	3.94	≤24.00	Pass	-2
	MIMO	106/53	6875	Ant6	1.76	----	3.36	≤24.00	Pass	1
				Ant8	2.22	----	3.82	≤24.00	Pass	1
				Total	5.01	----	6.61	≤24.00	Pass	1
		106/53	6895	Ant6	2.23	----	3.83	≤24.00	Pass	1



BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF14

				Ant8	1.64	----	3.24	≤24.00	Pass	1
				Total	4.96	----	6.56	≤24.00	Pass	1
				Ant6	0.71	----	2.31	≤24.00	Pass	-1
				Ant8	1.03	----	2.63	≤24.00	Pass	-1
				Total	3.88	----	5.48	≤24.00	Pass	-1
				Ant6	2.08	----	3.68	≤24.00	Pass	0
				Ant8	1.79	----	3.39	≤24.00	Pass	0
				Total	4.95	----	6.55	≤24.00	Pass	0
				Ant6	2.26	----	3.86	≤24.00	Pass	0
				Ant8	1.19	----	2.79	≤24.00	Pass	0
				Total	4.77	----	6.37	≤24.00	Pass	0
	MIMO	FULL	6875	Ant6	3.41	----	5.01	≤24.00	Pass	4
				Ant8	2.96	----	4.56	≤24.00	Pass	4
				Total	6.20	----	7.80	≤24.00	Pass	4
		FULL	6895	Ant6	4.53	----	6.13	≤24.00	Pass	5
				Ant8	3.25	----	4.85	≤24.00	Pass	5
				Total	6.95	----	8.55	≤24.00	Pass	5
		FULL	6995	Ant6	4.14	----	5.74	≤24.00	Pass	5
				Ant8	4.25	----	5.85	≤24.00	Pass	5
				Total	7.21	----	8.81	≤24.00	Pass	5
		FULL	7095	Ant6	4.43	----	6.03	≤24.00	Pass	5
				Ant8	5.34	----	6.94	≤24.00	Pass	5
				Total	7.92	----	9.52	≤24.00	Pass	5
		FULL	7115	Ant6	5.01	----	6.61	≤24.00	Pass	5
				Ant8	5.39	----	6.99	≤24.00	Pass	5
				Total	8.22	----	9.82	≤24.00	Pass	5
11AX40	MIMO	FULL	6885	Ant6	7.62	----	9.22	≤24.00	Pass	8
				Ant8	6.89	----	8.49	≤24.00	Pass	8
				Total	10.28	----	11.88	≤24.00	Pass	8
		FULL	6925	Ant6	6.77	----	8.37	≤24.00	Pass	8
				Ant8	6.42	----	8.02	≤24.00	Pass	8
				Total	9.61	----	11.21	≤24.00	Pass	8
		FULL	6965	Ant6	7.54	----	9.14	≤24.00	Pass	8
				Ant8	7.59	----	9.19	≤24.00	Pass	8
				Total	10.57	----	12.17	≤24.00	Pass	8
		FULL	7085	Ant6	7.81	----	9.41	≤24.00	Pass	8
				Ant8	8.09	----	9.69	≤24.00	Pass	8
				Total	10.97	----	12.57	≤24.00	Pass	8
11AX80	MIMO	FULL	6945	Ant6	8.75	----	10.35	≤24.00	Pass	9
				Ant8	8.66	----	10.26	≤24.00	Pass	9
				Total	11.72	----	13.32	≤24.00	Pass	9
		FULL	7025	Ant6	8.77	----	10.37	≤24.00	Pass	9

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



Reference No.: PSU-QSU2411180418RF14

				Ant8	9.18	----	10.78	≤24.00	Pass	9
				Total	11.99	----	13.59	≤24.00	Pass	9
11AX160	MIMO	FULL	6985	Ant6	11.27	----	12.87	≤24.00	Pass	12
				Ant8	11.44	----	13.04	≤24.00	Pass	12
				Total	14.36	----	15.96	≤24.00	Pass	12
Note:1.The MAXimum Conducted Power with duty cycle factor. 2. The EIRP = MAXimum Conducted Power + Ant Gain .										

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

RU26-Tone								
TestMode	Frequency [MHz]	RU_Index	Antenna	PSD [dBm/MHz]	Gain [dBi]	EIRP PSD [dBm/MHz]	Limited [dBm/MHz]	Verdict
11AX20MIMO	5935	0	6	-8.687	1.60	-7.087	-1	PASS
			8	-7.947	1.70	-6.247	-1	PASS
			total	-5.291	1.70	-3.591	-1	PASS
	5955	0	6	-9.201	1.60	-7.601	-1	PASS
			8	-9.078	1.70	-7.378	-1	PASS
			total	-6.129	1.70	-4.429	-1	PASS
	6175	4	6	-9.639	1.60	-8.039	-1	PASS
			8	-8.940	1.70	-7.240	-1	PASS
			total	-6.265	1.70	-4.565	-1	PASS
	6415	8	6	-10.621	1.60	-9.021	-1	PASS
			8	-6.926	1.70	-5.226	-1	PASS
			total	-5.382	1.70	-3.682	-1	PASS
	6435	0	6	-8.776	-1.02	-9.796	-1	PASS
			8	-7.695	1.28	-6.415	-1	PASS
			total	-5.192	1.28	-3.912	-1	PASS
	6475	4	6	-9.609	-1.02	-10.629	-1	PASS
			8	-8.305	1.28	-7.025	-1	PASS
			total	-5.898	1.28	-4.618	-1	PASS
	6515	8	6	-10.607	-1.02	-11.627	-1	PASS
			8	-7.035	1.28	-5.755	-1	PASS
			total	-5.453	1.28	-4.173	-1	PASS
	6535	0	6	-7.005	-1.27	-8.275	-1	PASS
			8	-6.933	0.84	-6.093	-1	PASS
			total	-3.959	0.84	-3.119	-1	PASS
	6695	4	6	-6.726	-1.27	-7.996	-1	PASS
			8	-7.862	0.84	-7.022	-1	PASS
			total	-4.247	0.84	-3.407	-1	PASS
	6855	8	6	-7.390	-1.27	-8.660	-1	PASS
			8	-8.057	0.84	-7.217	-1	PASS
			total	-4.700	0.84	-3.860	-1	PASS
	6875	0	6	-7.262	1.60	-5.662	-1	PASS
			8	-8.264	-2.72	-10.984	-1	PASS
			total	-4.724	1.60	-3.124	-1	PASS

	6895	0	6	-5.592	1.60	-3.992	-1	PASS
			8	-6.735	-2.72	-9.455	-1	PASS
			total	-3.116	1.60	-1.516	-1	PASS
	6995	4	6	-6.307	1.60	-4.707	-1	PASS
			8	-5.865	-2.72	-8.585	-1	PASS
			total	-3.070	1.60	-1.470	-1	PASS
	7095	8	6	-6.440	1.60	-4.840	-1	PASS
			8	-6.001	-2.72	-8.721	-1	PASS
			total	-3.205	1.60	-1.605	-1	PASS
	7115	8	6	-6.580	1.60	-4.980	-1	PASS
			8	-5.750	-2.72	-8.470	-1	PASS
			total	-3.135	1.60	-1.535	-1	PASS

RU52-Tone								
TestMode	Frequency [MHz]	RU_Index	Antenna	PSD [dBm/MHz]	Gain [dBi]	EIRP PSD [dBm/MHz]	Limited [dBm/MHz]	Verdict
11AX20MIMO	5935	37	6	-8.730	1.60	-7.130	-1	PASS
			8	-7.898	1.70	-6.198	-1	PASS
			total	-5.284	1.70	-3.584	-1	PASS
	5955	37	6	-8.771	1.60	-7.171	-1	PASS
			8	-8.440	1.70	-6.740	-1	PASS
			total	-5.592	1.70	-3.892	-1	PASS
	6175	38	6	-10.171	1.60	-8.571	-1	PASS
			8	-7.279	1.70	-5.579	-1	PASS
			total	-5.478	1.70	-3.778	-1	PASS
	6415	40	6	-10.500	1.60	-8.900	-1	PASS
			8	-7.131	1.70	-5.431	-1	PASS
			total	-5.486	1.70	-3.786	-1	PASS
	6435	37	6	-9.921	-1.02	-10.941	-1	PASS
			8	-7.527	1.28	-6.247	-1	PASS
			total	-5.551	1.28	-4.271	-1	PASS
	6475	38	6	-11.204	-1.02	-12.224	-1	PASS
			8	-6.785	1.28	-5.505	-1	PASS
			total	-5.445	1.28	-4.165	-1	PASS
	6515	40	6	-11.091	-1.02	-12.111	-1	PASS
			8	-7.002	1.28	-5.722	-1	PASS
			total	-5.572	1.28	-4.292	-1	PASS
	6535	37	6	-8.513	-1.27	-9.783	-1	PASS
			8	-7.839	0.84	-6.999	-1	PASS
			total	-5.153	0.84	-4.313	-1	PASS
	6695	38	6	-9.280	-1.27	-10.550	-1	PASS
			8	-7.990	0.84	-7.150	-1	PASS
			total	-5.577	0.84	-4.737	-1	PASS
	6855	40	6	-7.941	-1.27	-9.211	-1	PASS
			8	-9.431	0.84	-8.591	-1	PASS
			total	-5.612	0.84	-4.772	-1	PASS
	6875	37	6	-5.963	1.60	-4.363	-1	PASS
			8	-7.706	-2.72	-10.426	-1	PASS
			total	-3.737	1.60	-2.137	-1	PASS
	6895	37	6	-5.102	1.60	-3.502	-1	PASS
			8	-6.450	-2.72	-9.170	-1	PASS
			total	-2.714	1.60	-1.114	-1	PASS
	6995	38	6	-5.477	1.60	-3.877	-1	PASS



BUREAU
VERITAS

Reference No.: PSU-QSU2411180418RF14

			8	-6.202	-2.72	-8.922	-1	PASS
			total	-2.814	1.60	-1.214	-1	PASS
	7095	40	6	-6.210	1.60	-4.610	-1	PASS
			8	-6.138	-2.72	-8.858	-1	PASS
			total	-3.164	1.60	-1.564	-1	PASS
	7115	40	6	-6.082	1.60	-4.482	-1	PASS
			8	-6.188	-2.72	-8.908	-1	PASS
			total	-3.124	1.60	-1.524	-1	PASS

RU106-Tone								
TestMode	Frequency [MHz]	RU_Index	Antenna	PSD [dBm/MHz]	Gain [dBi]	EIRP PSD [dBm/MHz]	Limited [dBm/MHz]	Verdict
11AX20MIMO	5935	53	6	-9.969	1.60	-8.369	-1	PASS
			8	-8.198	1.70	-6.498	-1	PASS
			total	-5.984	1.70	-4.284	-1	PASS
	5955	53	6	-9.597	1.60	-7.997	-1	PASS
			8	-8.452	1.70	-6.752	-1	PASS
			total	-5.977	1.70	-4.277	-1	PASS
	6175	53	6	-9.195	1.60	-7.595	-1	PASS
			8	-8.215	1.70	-6.515	-1	PASS
			total	-5.667	1.70	-3.967	-1	PASS
	6415	54	6	-10.451	1.60	-8.851	-1	PASS
			8	-7.009	1.70	-5.309	-1	PASS
			total	-5.387	1.70	-3.687	-1	PASS
	6435	53	6	-10.55	-1.02	-11.570	-1	PASS
			8	-7.046	1.28	-5.766	-1	PASS
			total	-5.443	1.28	-4.163	-1	PASS
	6475	53	6	-9.953	-1.02	-10.973	-1	PASS
			8	-7.587	1.28	-6.307	-1	PASS
			total	-5.601	1.28	-4.321	-1	PASS
	6515	54	6	-10.403	-1.02	-11.423	-1	PASS
			8	-8.537	1.28	-7.257	-1	PASS
			total	-6.360	1.28	-5.080	-1	PASS
	6535	53	6	-8.205	-1.27	-9.475	-1	PASS
			8	-7.804	0.84	-6.964	-1	PASS
			total	-4.990	0.84	-4.150	-1	PASS
	6695	53	6	-6.856	-1.27	-8.126	-1	PASS
			8	-6.932	0.84	-6.092	-1	PASS
			total	-3.884	0.84	-3.044	-1	PASS
	6855	54	6	-7.872	-1.27	-9.142	-1	PASS
			8	-8.563	0.84	-7.723	-1	PASS
			total	-5.193	0.84	-4.353	-1	PASS
	6875	53	6	-5.853	1.60	-4.253	-1	PASS
			8	-7.016	-2.72	-9.736	-1	PASS
			total	-3.385	1.60	-1.785	-1	PASS
	6895	53	6	-6.401	1.60	-4.801	-1	PASS
			8	-7.195	-2.72	-9.915	-1	PASS
			total	-3.770	1.60	-2.170	-1	PASS
	6995	54	6	-6.688	1.60	-5.088	-1	PASS




Reference No.: PSU-QSU2411180418RF14

			8	-7.443	-2.72	-10.163	-1	PASS
			total	-4.039	1.60	-2.439	-1	PASS
	7095	54	6	-6.222	1.60	-4.622	-1	PASS
			8	-5.732	-2.72	-8.452	-1	PASS
			total	-2.96	1.60	-1.360	-1	PASS
	7115	54	6	-6.029	1.60	-4.429	-1	PASS
			8	-5.998	-2.72	-8.718	-1	PASS
			total	-3.003	1.60	-1.403	-1	PASS


Note : 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS







Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_5955_RU26/0



11AX20MIMO_Ant8_5955_RU26/0



11AX20MIMO_Ant6_6175_RU26/4




11AX20MIMO_Ant8_6175_RU26/4



Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_6415_RU26/8




11AX20MIMO_Ant8_6415_RU26/8



Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6435_RU26/0




11AX20MIMO_Ant8_6435_RU26/0

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008




11AX20MIMO_Ant6_6475_RU26/4



11AX20MIMO_Ant8_6475_RU26/4




11AX20MIMO_Ant6_6515_RU26/8




11AX20MIMO_Ant8_6515_RU26/8



Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_6535_RU26/0




11AX20MIMO_Ant8_6535_RU26/0



Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6695_RU26/4



11AX20MIMO_Ant8_6695_RU26/4


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008




Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_6855_RU26/8



11AX20MIMO_Ant8_6855_RU26/8




11AX20MIMO_Ant6_6875_RU26/0




11AX20MIMO_Ant8_6875_RU26/0



Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_6895_RU26/0




11AX20MIMO_Ant8_6895_RU26/0



Reference No.: PSU-QSU2411180418RF14



11AX20MIMO_Ant6_6995_RU26/4




11AX20MIMO_Ant8_6995_RU26/4




Reference No.: PSU-QSU2411180418RF14




11AX20MIMO_Ant6_7095_RU26/8



11AX20MIMO_Ant8_7095_RU26/8



11AX20MIMO_Ant6_7115_RU26/8



11AX20MIMO_Ant8_7115_RU26/8