




**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 80MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase  |
|---|-------------|--------|------------|------------|------------|--------|--------|------------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |            |
| 1 | 7001.000    | -49.61 | -62.32     | -13.00     | -36.61     | 12.71  | Peak   | Horizontal |
| 2 | PP10500.000 | -44.41 | -62.86     | -13.00     | -31.41     | 18.45  | Peak   | Horizontal |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase |
|---|-------------|--------|------------|------------|------------|--------|--------|-----------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |           |
| 1 | 7000.000    | -50.46 | -63.43     | -13.00     | -37.46     | 12.97  | Peak   | Vertical  |
| 2 | PP10503.000 | -43.80 | -62.42     | -13.00     | -30.80     | 18.62  | Peak   | Vertical  |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 90MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase  |
|---|-------------|--------|------------|------------|------------|--------|--------|------------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |            |
| 1 | 7000.000    | -51.22 | -63.93     | -13.00     | -38.22     | 12.71  | Peak   | Horizontal |
| 2 | PP10503.000 | -44.74 | -63.20     | -13.00     | -31.74     | 18.46  | Peak   | Horizontal |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase |
|---|-------------|--------|------------|------------|------------|--------|--------|-----------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |           |
| 1 | 7001.000    | -50.64 | -63.61     | -13.00     | -37.64     | 12.97  | Peak   | Vertical  |
| 2 | PP10500.000 | -44.64 | -63.26     | -13.00     | -31.64     | 18.62  | Peak   | Vertical  |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 100MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |


|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase  |
|---|-------------|--------|------------|------------|------------|--------|--------|------------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |            |
| 1 | 7000.000    | -51.39 | -64.10     | -13.00     | -38.39     | 12.71  | Peak   | Horizontal |
| 2 | PP10503.000 | -44.08 | -62.54     | -13.00     | -31.08     | 18.46  | Peak   | Horizontal |





|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

|   | Freq        | Level  | Read Level | Limit Line | Over Limit | Factor | Remark | Pol/Phase |
|---|-------------|--------|------------|------------|------------|--------|--------|-----------|
|   | MHz         | dBm/m  | dBm        | dBm/m      | dB         | dB/m   |        |           |
| 1 | 7001.000    | -51.22 | -64.19     | -13.00     | -38.22     | 12.97  | Peak   | Vertical  |
| 2 | PP10500.000 | -43.62 | -62.24     | -13.00     | -30.62     | 18.62  | Peak   | Vertical  |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**N78 (Part27Q) MIMO**

**CHANNEL BANDWIDTH: 20MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 647334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,902.040       | -40.24          | -13.00          | 27.24           | 32.83           | H            | 236.2         | 2.00               |
| 6  | 10,353.060      | -54.04          | -13.00          | 41.04           | 17.91           | H            | 147.8         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 647334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,902.040       | -40.56          | -13.00          | 27.56           | 32.79           | V            | 359           | 2.00               |
| 6  | 10,353.500      | -42.15          | -13.00          | 29.15           | 17.63           | V            | 58.6          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,982.020       | -40.52          | -13.00          | 27.52           | 32.80           | H            | 359           | 2.00               |
| 6  | 10,473.500      | -43.63          | -13.00          | 30.63           | 18.65           | H            | 358.9         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,982.020       | -40.88          | -13.00          | 27.88           | 32.84           | V            | 1             | 1.00               |
| 6  | 10,472.500      | -27.54          | -13.00          | 14.54           | 18.41           | V            | 172.6         | 1.00               |





|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 664666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,062.000       | -39.60          | -13.00          | 26.60           | 32.47           | H            | 1             | 1.00               |
| 6  | 10,593.000      | -37.66          | -13.00          | 24.66           | 18.59           | H            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 664666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 7,062.000       | -41.24          | -13.00          | 28.24           | 32.27           | V            | 224.2         | 1.00               |
| 6  | 10,593.000      | -38.20          | -13.00          | 25.20           | 18.26           | V            | 231.3         | 1.00               |






**CHANNEL BANDWIDTH: 30MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,973.020       | -41.85          | -13.00          | 28.85           | 32.79           | H            | 359.1         | 1.00               |
| 6  | 10,458.000      | -44.83          | -13.00          | 31.83           | 18.56           | H            | 236.2         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,973.020       | -41.38          | -13.00          | 28.38           | 32.84           | V            | 2             | 2.00               |
| 6  | 10,459.530      | -54.48          | -13.00          | 41.48           | 18.36           | V            | 50.9          | 2.00               |






**CHANNEL BANDWIDTH: 40MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,964.020       | -40.63          | -13.00          | 27.63           | 32.78           | H            | 222.7         | 2.00               |
| 6  | 10,443.500      | -48.39          | -13.00          | 35.39           | 18.47           | H            | 359           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,964.020       | -40.73          | -13.00          | 27.73           | 32.83           | V            | 221.4         | 2.00               |
| 6  | 10,444.000      | -38.18          | -13.00          | 25.18           | 18.29           | V            | 243.3         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 50MHz / QPSK**

**CH 656000**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,955.020       | -40.72          | -13.00          | 27.72           | 32.77           | H            | 359           | 1.00               |
| 6  | 10,429.000      | -41.37          | -13.00          | 28.37           | 18.39           | H            | 38.7          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,955.020       | -42.67          | -13.00          | 29.67           | 32.82           | V            | 359.1         | 1.00               |
| 6  | 10,428.000      | -46.74          | -13.00          | 33.74           | 18.23           | V            | 1             | 1.00               |






**CHANNEL BANDWIDTH: 60MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,946.020       | -41.90          | -13.00          | 28.90           | 32.76           | H            | 359.1         | 1.00               |
| 6  | 10,419.030      | -51.84          | -13.00          | 38.84           | 18.33           | H            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,946.020       | -41.13          | -13.00          | 28.13           | 32.81           | V            | 0.9           | 2.00               |
| 6  | 10,419.030      | -53.19          | -13.00          | 40.19           | 18.17           | V            | 359           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08  
**CHANNEL BANDWIDTH: 70MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,937.020       | -41.64          | -13.00          | 28.64           | 32.75           | H            | 236.9         | 1.00               |
| 6  | 10,405.530      | -55.27          | -13.00          | 42.27           | 18.24           | H            | 359           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,937.020       | -40.97          | -13.00          | 27.97           | 32.80           | V            | 317           | 1.00               |
| 6  | 10,405.530      | -54.59          | -13.00          | 41.59           | 18.06           | V            | 326.9         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 80MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,928.020       | -41.38          | -13.00          | 28.38           | 32.82           | H            | 224.9         | 1.00               |
| 6  | 10,392.030      | -52.37          | -13.00          | 39.37           | 18.16           | H            | 359.1         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,928.020       | -41.49          | -13.00          | 28.49           | 32.84           | V            | 1             | 1.00               |
| 6  | 10,383.500      | -38.23          | -13.00          | 25.23           | 17.88           | V            | 359           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 90MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,919.020       | -41.56          | -13.00          | 28.56           | 32.88           | H            | 1             | 2.00               |
| 6  | 10,378.530      | -54.60          | -13.00          | 41.60           | 18.07           | H            | 183.1         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,919.020       | -40.93          | -13.00          | 27.93           | 32.88           | V            | 88.2          | 2.00               |
| 6  | 10,378.530      | -54.02          | -13.00          | 41.02           | 17.84           | V            | 151.3         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: 100MHz / QPSK**

|                                                     |                   |                 |               |
|-----------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                                | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                            | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,910.020       | -40.97          | -13.00          | 27.97           | 32.88           | H            | 126.6         | 1.00               |
| 6  | 10,352.500      | -37.24          | -13.00          | 24.24           | 17.91           | H            | 278.7         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                   |                 |               |
|---------------------------------------------------|-------------------|-----------------|---------------|
| MODE                                              | TX channel 633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL CONDITIONS                          | 23deg. C, 70%RH   | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu         |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                   |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 6,910.020       | -40.65          | -13.00          | 27.65           | 32.85           | V            | 32.4          | 2.00               |
| 6  | 10,353.500      | -36.78          | -13.00          | 23.78           | 17.63           | V            | 208.6         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

DC\_2A\_N71A

CHANNEL BANDWIDTH: (20+20) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,328.000          | -47.19                | -13.00                | 34.19                 | 22.29              | H            | 359              | 2.00                     |
| 2  | 1,992.000          | -42.49                | -13.00                | 29.49                 | 27.50              | H            | 308              | 2.00                     |
| 4  | 3,702.000          | -49.85                | -13.00                | 36.85                 | 20.97              | H            | 359              | 1.00                     |
| 4  | 5,553.000          | -49.32                | -13.00                | 36.32                 | 23.75              | H            | 359              | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,328.000       | -44.57          | -13.00          | 31.57           | 23.35           | V            | 1             | 1.00               |
| 2  | 1,992.000       | -42.63          | -13.00          | 29.63           | 27.49           | V            | 305.4         | 1.00               |
| 4  | 3,702.000       | -50.53          | -13.00          | 37.53           | 21.56           | V            | 27.1          | 2.00               |
| 4  | 5,553.000       | -50.34          | -13.00          | 37.34           | 24.45           | V            | 331.7         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,343.000          | -46.81                | -13.00                | 33.81                 | 22.33              | H            | 1                | 2.00                     |
| 2  | 2,014.500          | -42.68                | -13.00                | 29.68                 | 27.20              | H            | 359              | 2.00                     |
| 4  | 3,742.000          | -48.66                | -13.00                | 35.66                 | 20.95              | H            | 359              | 2.00                     |
| 4  | 5,613.000          | -50.13                | -13.00                | 37.13                 | 23.99              | H            | 1                | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,343.000          | -46.09                | -13.00                | 33.09                 | 23.15              | V            | 1                | 2.00                     |
| 2  | 2,014.500          | -42.61                | -13.00                | 29.61                 | 27.56              | V            | 359              | 2.00                     |
| 4  | 3,742.000          | -50.23                | -13.00                | 37.23                 | 21.60              | V            | 359              | 1.00                     |
| 4  | 5,613.000          | -49.24                | -13.00                | 36.24                 | 24.43              | V            | 359              | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,358.000       | -47.05          | -13.00          | 34.05           | 22.34           | H            | 359           | 1.00               |
| 2  | 2,037.000       | -42.47          | -13.00          | 29.47           | 26.91           | H            | 1             | 1.00               |
| 4  | 3,782.000       | -49.80          | -13.00          | 36.80           | 21.58           | H            | 343.6         | 1.00               |
| 4  | 5,673.000       | -48.80          | -13.00          | 35.80           | 24.20           | H            | 202.9         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>18900/136100 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,358.000          | -46.69                | -13.00                | 33.69                 | 23.36              | V            | 359              | 1.00                     |
| 2  | 2,037.000          | -42.88                | -13.00                | 29.88                 | 27.46              | V            | 1                | 1.00                     |
| 4  | 3,782.000          | -50.64                | -13.00                | 37.64                 | 21.78              | V            | 173              | 2.00                     |
| 4  | 5,673.000          | -49.02                | -13.00                | 36.02                 | 24.60              | V            | 348.7            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

DC\_7A\_N5A

CHANNEL BANDWIDTH: (20+20) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,650.000          | -53.80                | -25.00                | 28.80                 | 14.87              | H            | 227.8            | 1.00                     |
| 3  | 2,475.000          | -40.45                | -25.00                | 15.45                 | 29.06              | H            | 77.8             | 2.00                     |
| 4  | 5,002.000          | -49.18                | -25.00                | 24.18                 | 23.66              | H            | 189.6            | 1.00                     |
| 5  | 7,503.000          | -45.60                | -25.00                | 20.60                 | 27.41              | H            | 127.3            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,650.000          | -56.14                | -25.00                | 31.14                 | 14.35              | V            | 169.8            | 1.00                     |
| 3  | 2,475.000          | -41.28                | -25.00                | 16.28                 | 29.30              | V            | 359.1            | 1.00                     |
| 4  | 5,002.000          | -48.62                | -25.00                | 23.62                 | 23.88              | V            | 359              | 2.00                     |
| 5  | 7,503.000          | -45.56                | -25.00                | 20.56                 | 27.39              | V            | 165.5            | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,655.000          | -54.31                | -25.00                | 29.31                 | 15.06              | H            | 33.1             | 2.00                     |
| 3  | 2,482.500          | -41.43                | -25.00                | 16.43                 | 29.19              | H            | 67.1             | 1.00                     |
| 4  | 5,052.000          | -48.88                | -25.00                | 23.88                 | 23.97              | H            | 189.5            | 1.00                     |
| 5  | 7,578.000          | -46.11                | -25.00                | 21.11                 | 27.48              | H            | 61.4             | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,655.000       | -55.16          | -25.00          | 30.16           | 14.23           | V            | 20.4          | 2.00               |
| 3  | 2,482.500       | -39.87          | -25.00          | 14.87           | 29.42           | V            | 11.8          | 2.00               |
| 4  | 5,052.000       | -47.71          | -25.00          | 22.71           | 24.38           | V            | 113.8         | 2.00               |
| 5  | 7,578.000       | -46.65          | -25.00          | 21.65           | 27.27           | V            | 105.3         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,660.000       | -55.24          | -25.00          | 30.24           | 15.24           | H            | 359.1         | 1.00               |
| 3  | 2,490.000       | -39.62          | -25.00          | 14.62           | 29.32           | H            | 344.6         | 1.00               |
| 4  | 5,102.000       | -50.32          | -25.00          | 25.32           | 23.43           | H            | 1             | 1.00               |
| 5  | 7,653.000       | -45.31          | -25.00          | 20.31           | 27.89           | H            | 1             | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,660.000       | -56.11          | -25.00          | 31.11           | 14.12           | V            | 358.7         | 1.00               |
| 3  | 2,490.000       | -40.86          | -25.00          | 15.86           | 29.54           | V            | 296.4         | 2.00               |
| 4  | 5,102.000       | -48.11          | -25.00          | 23.11           | 23.96           | V            | 185.4         | 1.00               |
| 5  | 7,653.000       | -45.30          | -25.00          | 20.30           | 27.73           | V            | 359.1         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

DC\_7A\_N78A

CHANNEL BANDWIDTH: (20+90) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg  | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|-----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4   | 5,002.000          | -40.53                | -25.00                | 15.53                 | 32.89              | H            | 258.9            | 2.00                     |
| 5   | 6,909.000          | -44.33                | -25.00                | 19.33                 | 30.29              | H            | 359              | 2.00                     |
| 5   | 7,503.000          | -41.79                | -25.00                | 16.79                 | 30.26              | H            | 359.1            | 1.00                     |
| 610 | 363.500 -54        |                       | -25.00                | 29.55                 | 15.87              | H            | 27.5             | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg  | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|-----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4   | 5,002.000       | -41.38          | -25.00          | 16.38           | 33.11           | V            | 258.8         | 2.00               |
| 5   | 6,909.000       | -44.07          | -25.00          | 19.07           | 30.26           | V            | 131.6         | 1.00               |
| 5   | 7,503.000       | -41.85          | -25.00          | 16.85           | 30.24           | V            | 324.7         | 1.00               |
| 610 | 363.500 -54     |                 | -25.00          | 29.89           | 15.61           | V            | 112.3         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg  | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|-----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4   | 5,052.000          | -41.29                | -25.00                | 16.29                 | 33.22              | H            | 0.9              | 2.00                     |
| 5   | 6,919.000          | -43.66                | -25.00                | 18.66                 | 30.28              | H            | 359.1            | 1.00                     |
| 5   | 7,578.000          | -43.44                | -25.00                | 18.44                 | 30.18              | H            | 359              | 2.00                     |
| 610 | 378.500 -54        |                       | -25.00                | 29.23                 | 15.95              | H            | 258.2            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| TESTING FAC                                       |                            |                 |               |
| MODE                                              | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg  | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|-----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4   | 5,052.000       | -40.22          | -25.00          | 15.22           | 33.63           | V            | 0.9           | 2.00               |
| 5   | 6,919.000       | -44.22          | -25.00          | 19.22           | 30.28           | V            | 129.4         | 1.00               |
| 5   | 7,578.000       | -42.76          | -25.00          | 17.76           | 29.97           | V            | 217.1         | 2.00               |
| 610 | 378.500 -54     |                 | -25.00          | 29.05           | 15.72           | V            | 9.8           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg  | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|-----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4   | 5,102.000          | -40.87                | -25.00                | 15.87                 | 32.68              | H            | 0.9              | 2.00                     |
| 5   | 6,929.000          | -44.67                | -25.00                | 19.67                 | 30.27              | H            | 246.9            | 1.00                     |
| 5   | 7,653.000          | -43.03                | -25.00                | 18.03                 | 30.28              | H            | 20.3             | 2.00                     |
| 610 | 393.500 -53        |                       | -25.00                | 28.74                 | 16.03              | H            | 342.5            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg  | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|-----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4   | 5,102.000       | -41.74          | -25.00          | 16.74           | 33.21           | V            | 39.4          | 2.00               |
| 5   | 6,929.000       | -44.69          | -25.00          | 19.69           | 30.29           | V            | 0.9           | 2.00               |
| 5   | 7,653.000       | -42.07          | -25.00          | 17.07           | 30.13           | V            | 132.2         | 1.00               |
| 610 | 393.500 -54     |                 | -25.00          | 29.54           | 15.82           | V            | 21            | 2.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

DC\_12A\_N2A

CHANNEL BANDWIDTH: (10+20) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>23095/376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,399.000          | -47.88                | -13.00                | 34.88                 | 21.95              | H            | 359.1            | 1.00                     |
| 2  | 2,098.500          | -42.67                | -13.00                | 29.67                 | 27.44              | H            | 1                | 1.00                     |
| 4  | 3,702.000          | -52.77                | -13.00                | 39.77                 | 20.97              | H            | 1                | 2.00                     |
| 4  | 5,553.000          | -49.15                | -13.00                | 36.15                 | 23.75              | H            | 208.9            | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>23095/376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 1,399.000       | -47.60          | -13.00          | 34.60           | 22.37           | V            | 291           | 1.00               |
| 2  | 2,098.500       | -42.36          | -13.00          | 29.36           | 28.45           | V            | 309.2         | 2.00               |
| 4  | 3,702.000       | -50.89          | -13.00          | 37.89           | 21.56           | V            | 1             | 1.00               |
| 4  | 5,553.000       | -49.88          | -13.00          | 36.88           | 24.45           | V            | 1             | 1.00               |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (10+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>23095/376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,406.000          | -47.18                | -13.00                | 34.18                 | 22.18              | H            | 309.3            | 2.00                     |
| 2  | 2,109.000          | -42.00                | -13.00                | 29.00                 | 27.79              | H            | 359.1            | 1.00                     |
| 4  | 3,742.000          | -51.87                | -13.00                | 38.87                 | 20.95              | H            | 0.9              | 2.00                     |
| 4  | 5,613.000          | -49.18                | -13.00                | 36.18                 | 23.99              | H            | 152.2            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>23095/376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,406.000          | -47.16                | -13.00                | 34.16                 | 22.31              | V            | 2.2              | 2.00                     |
| 2  | 2,109.000          | -41.47                | -13.00                | 28.47                 | 28.50              | V            | 291              | 1.00                     |
| 4  | 3,742.000          | -51.16                | -13.00                | 38.16                 | 21.60              | V            | 359.1            | 1.00                     |
| 4  | 5,613.000          | -48.05                | -13.00                | 35.05                 | 24.43              | V            | 45.1             | 2.00                     |





**BUREAU VERITAS** Test Report No.: PSU-QSU2411180418RF08

**CHANNEL BANDWIDTH: (10+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>23095/376000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,413.000          | -46.78                | -13.00                | 33.78                 | 22.46              | H            | 359              | 2.00                     |
| 2  | 2,119.500          | -43.87                | -13.00                | 30.87                 | 27.64              | H            | 359              | 2.00                     |
| 4  | 3,782.000          | -50.44                | -13.00                | 37.44                 | 21.58              | H            | 207.8            | 2.00                     |
| 4  | 5,673.000          | -50.44                | -13.00                | 37.44                 | 24.20              | H            | 33.2             | 2.00                     |

