




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,463.500	105.86			6.81	V	359.1	1.00
2	2,483.500	62.61	74.00	11.39	6.80	V	77	1.00
2	2,484.000	61.47	74.00	12.53	6.80	V	157	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,461.000	93.99			6.81	V	75.8	1.00
2	2,483.500	46.82	54.00	7.18	6.80	V	157	1.00
2	2,484.000	45.87	54.00	8.13	6.80	V	157	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2462MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 3	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,387.500	59.19	74.00	14.81	6.51	H	136	2.00
3	2,390.000	58.16	74.00	15.84	6.52	H	147.5	1.00
3	2,416.500	96.25			6.56	H	4.9	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,386.000	41.46	54.00	12.54	6.51	H	148.6	1.00
3	2,390.000	43.95	54.00	10.05	6.52	H	148.6	1.00
3	2,420.500	84.64			6.58	H	4.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.000	55.85	74.00	18.15	6.51	V	355	2.00
3	2,390.000	54.72	74.00	19.28	6.52	V	355	2.00
3	2,431.500	96.39			6.65	V	4.9	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,386.000	39.47	54.00	14.53	6.51	V	355.1	2.00
3	2,390.000	41.30	54.00	12.70	6.52	V	355.1	2.00
3	2,434.000	84.08			6.67	V	5.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.38	74.00	22.62	39.51	54.00	14.49	14.76	V	10.7	2.00
2	7,311.000	55.47	74.00	18.53	44.74	54.00	9.26	21.05	V	90.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,455.500	93.47			6.79	H	164.2	1.00
4	2,483.500	47.13	54.00	6.87	6.80	H	164.2	1.00
4	2,484.000	46.67	54.00	7.33	6.80	H	164.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,449.500	101.71			6.77	V	80.6	1.00
4	2,483.500	59.32	74.00	14.68	6.80	V	80.6	1.00
4	2,485.000	59.38	74.00	14.62	6.80	V	80.6	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,449.000	91.57			6.77	V	82.9	1.00
4	2,483.500	45.56	54.00	8.44	6.80	V	82.9	1.00
4	2,484.000	45.31	54.00	8.69	6.80	V	82.9	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	46.62	54.00	7.38	6.51	H	160.6	1.00
1	2,390.000	47.78	54.00	6.22	6.52	H	160.6	1.00
1	2,411.000	90.28			6.55	H	284.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	58.81	74.00	15.19	6.51	V	4.9	1.00
1	2,390.000	59.49	74.00	14.51	6.52	V	355.7	2.00
1	2,413.500	99.59			6.55	V	355.7	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	43.40	54.00	10.60	6.51	V	4.9	1.00
1	2,390.000	44.46	54.00	9.54	6.52	V	4.9	1.00
1	2,411.000	86.38			6.55	V	81.7	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.24	74.00	22.76	40.07	54.00	13.93	14.76	V	1	2.00
2	7,311.000	56.97	74.00	17.03	44.89	54.00	9.11	21.05	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,460.500	89.06			6.80	H	191	2.00
2	2,483.500	45.51	54.00	8.49	6.80	H	278.2	2.00
2	2,484.000	45.18	54.00	8.82	6.80	H	278.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,462.000	101.31			6.81	V	281.8	2.00
2	2,483.500	64.51	74.00	9.49	6.80	V	121.6	2.00
2	2,486.000	64.83	74.00	9.17	6.80	V	121.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,463.000	86.11			6.81	V	354.4	2.00
2	2,483.500	47.74	54.00	6.26	6.80	V	80.5	1.00
2	2,484.000	47.32	54.00	6.68	6.80	V	80.5	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2462MHz: Fundamental frequency.




802.11ax(40MHz)

CHANNEL	TX Channel 3	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,386.500	62.70	74.00	11.30	6.51	H	116.9	2.00
3	2,390.000	62.13	74.00	11.87	6.52	H	176.2	1.00
3	2,424.000	101.51			6.60	H	14.8	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	48.31	54.00	5.69	6.51	H	161.8	1.00
3	2,390.000	48.56	54.00	5.44	6.52	H	161.8	1.00
3	2,423.500	86.34			6.60	H	283	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	60.96	74.00	13.04	6.51	V	0.9	2.00
3	2,390.000	62.11	74.00	11.89	6.52	V	359	2.00
3	2,425.500	99.58			6.61	V	4.9	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	43.55	54.00	10.45	6.51	V	359	2.00
3	2,390.000	43.82	54.00	10.18	6.52	V	359	2.00
3	2,426.000	86.05			6.62	V	5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.00	74.00	23.00	40.08	54.00	13.92	14.76	V	13.4	2.00
2	7,311.000	55.77	74.00	18.23	44.91	54.00	9.09	21.05	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,455.500	94.23			6.79	H	166.6	1.00
4	2,483.500	49.90	54.00	4.10	6.80	H	166.6	1.00
4	2,484.000	49.58	54.00	4.42	6.80	H	166.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,450.000	105.52			6.78	V	81.8	1.00
4	2,483.500	62.13	74.00	11.87	6.80	V	81.8	1.00
4	2,488.500	64.89	74.00	9.11	6.80	V	81.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,453.500	89.49			6.79	V	182.2	1.00
4	2,483.500	48.18	54.00	5.82	6.80	V	317.6	2.00
4	2,484.000	48.03	54.00	5.97	6.80	V	317.6	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.



RU MODE

