




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	33.65	54.00	20.35	6.38	H	209.9	2.00
1	2,390.000	33.63	54.00	20.37	6.39	H	53.3	2.00
1	2,403.790	95.05			6.63	H	304.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	61.87	74.00	12.13	6.38	V	159.8	2.00
1	2,390.000	62.75	74.00	11.25	6.39	V	152.6	1.00
1	2,403.230	108.07			6.62	V	152.6	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.100	33.11	54.00	20.89	6.37	V	152.6	1.00
1	2,390.000	33.18	54.00	20.82	6.39	V	152.6	1.00
1	2,403.225	94.34			6.62	V	152.6	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+: QPK Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	4,874.000	44.30	74.00	29.70	34.35	54.00	19.65	13.85	V	1	1.00
3	7,311.000	49.69	74.00	24.31	39.49	54.00	14.51	19.48	V	117.8	2.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.480	97.12			7.38	H	1	1.00
2	2,483.500	34.53	54.00	19.47	7.18	H	207.5	2.00
2	2,483.840	34.52	54.00	19.48	7.17	H	207.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.800	103.05			7.37	V	1	1.00
2	2,483.500	57.70	74.00	16.30	7.18	V	359.1	1.00
2	2,486.160	58.40	74.00	15.60	7.14	V	157.4	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.480	94.01			7.38	V	99.9	2.00
2	2,483.500	33.26	54.00	20.74	7.18	V	99.9	2.00
2	2,483.600	33.38	54.00	20.62	7.18	V	99.9	2.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 2462MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	33.32	54.00	20.68	6.38	H	359	1.00
1	2,390.000	33.33	54.00	20.67	6.39	H	340.4	1.00
1	2,403.790	92.20			6.63	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.948	62.28	74.00	11.72	6.39	V	48.4	1.00
1	2,390.000	62.28	74.00	11.72	6.39	V	48.4	1.00
1	2,403.230	100.65			6.62	V	107.2	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	32.64	54.00	21.36	6.38	V	2	2.00
1	2,390.000	32.70	54.00	21.30	6.39	V	171.7	2.00
1	2,403.225	91.45			6.62	V	171.7	2.00



REMARKS:


7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+: QPK Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	4,874.000	42.96	74.00	31.04	34.00	54.00	20.00	13.85	V	359	1.00
3	7,311.000	49.12	74.00	24.88	39.53	54.00	14.47	19.48	V	105.9	2.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.640	94.28			7.38	H	4.5	1.00
2	2,483.500	40.03	54.00	13.97	7.18	H	4.5	1.00
2	2,483.680	39.84	54.00	14.16	7.17	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,469.520	101.28			7.39	V	117.8	2.00
2	2,483.500	58.67	74.00	15.33	7.18	V	355	2.00
2	2,483.760	58.80	74.00	15.20	7.17	V	355	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.880	86.26			7.37	V	347.9	1.00
2	2,483.500	37.34	54.00	16.66	7.18	V	354.9	2.00
2	2,483.680	37.23	54.00	16.77	7.17	V	354.9	2.00



REMARKS:

7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2462MHz: Fundamental frequency.




802.11ax (20MHz) _RU106

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	65.04	74.00	8.96	6.38	H	120.2	2.00
1	2,390.000	65.44	74.00	8.56	6.39	H	120.2	2.00
1	2,410.290	102.34			6.74	H	217.1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	32.80	54.00	21.20	6.38	H	206.3	2.00
1	2,390.000	32.91	54.00	21.09	6.39	H	206.3	2.00
1	2,409.723	90.69			6.73	H	206.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	63.17	74.00	10.83	6.38	V	67.7	2.00
1	2,390.000	63.56	74.00	10.44	6.39	V	67.7	2.00
1	2,410.010	101.12			6.73	V	47.3	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	32.59	54.00	21.41	6.38	V	145.4	1.00
1	2,390.000	32.66	54.00	21.34	6.39	V	145.4	1.00
1	2,409.723	89.19			6.73	V	46.2	1.00



REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+: QPK Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	4,874.000	44.76	74.00	29.24	33.64	54.00	20.36	13.85	V	0.9	2.00
3	7,311.000	48.37	74.00	25.63	39.29	54.00	14.71	19.48	V	359	2.00



REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.640	89.97			7.38	H	1	1.00
2	2,483.500	43.53	54.00	10.47	7.18	H	5.1	1.00
2	2,483.600	43.54	54.00	10.46	7.18	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,463.920	99.55			7.44	V	343.7	1.00
2	2,483.500	59.36	74.00	14.64	7.18	V	343.7	1.00
2	2,483.680	60.26	74.00	13.74	7.17	V	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,464.080	87.34			7.44	V	345.1	1.00
2	2,483.500	40.97	54.00	13.03	7.18	V	354.9	2.00
2	2,483.600	40.94	54.00	13.06	7.18	V	354.9	2.00



REMARKS:

10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2462MHz: Fundamental frequency.



802.11ax (20MHz) _RU242

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.253	65.57	74.00	8.43	6.36	H	5.8	1.00
1	2,390.000	65.06	74.00	8.94	6.39	H	263.7	2.00
1	2,417.070	102.01			6.85	H	5.8	1.00

