




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.325	41.38	54.00	12.62	18.41	H	1	1.00
8	5,460.000	41.35	54.00	12.65	18.42	H	1	1.00
8	5,580.875	99.42			18.51	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,447.425	55.70	74.00	18.30	18.13	V	1.6	2.00
8	5,460.000	55.07	74.00	18.93	18.42	V	62.9	2.00
8	5,580.450	107.02			18.52	V	247	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.275	40.83	54.00	13.17	18.15	V	96.4	1.00
8	5,460.000	40.82	54.00	13.18	18.42	V	249.4	1.00
8	5,580.450	95.10			18.52	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,699.300	108.31			18.64	V	1	1.00
10	5,724.900	63.00	68.20	5.20	18.82	V	343	1.00
10	5,727.250	63.62	68.20	4.58	18.83	V	297.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.000	107.27			18.79	V	359	1.00
9	5,850.000	54.28	68.20	13.92	18.20	V	328.2	1.00
9	5,889.500	56.42	68.20	11.78	18.40	V	105.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11n (20MHz)**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	57.33	74.00	16.67	18.41	H	358.6	1.00
7	5,460.000	57.05	74.00	16.95	18.42	H	108.3	2.00
7	5,499.300	112.21			19.35	H	108.3	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	43.49	54.00	10.51	18.40	H	110.7	2.00
7	5,460.000	43.53	54.00	10.47	18.41	H	110.7	2.00
7	5,500.650	100.48			19.38	H	347.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,445.750	55.86	74.00	18.14	18.09	V	103.6	2.00
7	5,460.000	54.99	74.00	19.01	18.40	V	47.3	1.00
7	5,501.550	105.84			19.40	V	359.1	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	41.75	54.00	12.25	18.41	V	47.4	1.00
7	5,460.000	41.77	54.00	12.23	18.42	V	47.4	1.00
7	5,500.650	94.56			19.38	V	255.4	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,458.475	41.37	54.00	12.63	18.39	H	104.7	2.00
8	5,460.000	41.34	54.00	12.66	18.40	H	48.5	1.00
8	5,581.300	99.12			18.50	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,446.575	55.60	74.00	18.40	18.11	V	158.6	2.00
8	5,460.000	54.96	74.00	19.04	18.41	V	8.3	2.00
8	5,581.730	108.01			18.50	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,447.425	40.85	54.00	13.15	18.13	V	154.9	1.00
8	5,460.000	40.78	54.00	13.22	18.40	V	314	2.00
8	5,581.300	95.42			18.50	V	312.7	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.500	107.58			18.79	V	359.1	1.00
9	5,850.000	54.98	68.20	13.22	18.20	V	5.2	1.00
9	5,885.000	55.86	68.20	12.34	18.38	V	5.2	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11n (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	67.34	74.00	6.66	18.41	H	1	1.00
5	5,460.000	66.84	74.00	7.16	18.42	H	1	1.00
5	5,511.500	109.90			19.61	H	91	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	50.22	54.00	3.78	18.41	H	52.8	1.00
5	5,460.000	50.82	54.00	3.18	18.42	H	52.8	1.00
5	5,508.500	99.92			19.57	H	52.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	67.34	74.00	6.66	18.41	H	1	1.00
5	5,460.000	66.84	74.00	7.16	18.42	H	1	1.00
5	5,511.500	109.90			19.61	H	91	2.00






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	50.22	54.00	3.78	18.41	H	52.8	1.00
5	5,460.000	50.82	54.00	3.18	18.42	H	52.8	1.00
5	5,508.500	99.92			19.57	H	52.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.725	43.50	54.00	10.50	18.42	H	359.1	1.00
6	5,460.000	43.50	54.00	10.50	18.42	H	359.1	1.00
6	5,551.438	99.33			18.94	H	344.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,436.163	56.61	74.00	17.39	17.86	V	331.6	2.00
6	5,460.000	55.64	74.00	18.36	18.42	V	135.8	1.00
6	5,551.800	107.08			18.94	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.725	42.83	54.00	11.17	18.42	V	293.5	1.00
6	5,460.000	42.83	54.00	11.17	18.42	V	293.5	1.00
6	5,551.438	95.59			18.94	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.725	43.50	54.00	10.50	18.42	H	359.1	1.00
6	5,460.000	43.50	54.00	10.50	18.42	H	359.1	1.00
6	5,551.438	99.33			18.94	H	344.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,711.530	105.88			18.73	V	83.9	2.00
9	5,850.000	55.51	68.20	12.69	18.20	V	345.4	1.00
9	5,894.133	56.66	68.20	11.54	18.42	V	1	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11ac (20MHz)**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.900	59.04	74.00	14.96	18.37	H	49.6	1.00
7	5,460.000	58.62	74.00	15.38	18.42	H	96.5	2.00
7	5,498.850	114.37			19.34	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	45.08	54.00	8.92	18.42	H	49.6	1.00
7	5,460.000	45.08	54.00	8.92	18.42	H	49.6	1.00
7	5,500.650	102.75			19.38	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.350	57.26	74.00	16.74	18.39	V	292.3	1.00
7	5,460.000	56.22	74.00	17.78	18.42	V	45	2.00
7	5,501.550	109.35			19.40	V	342.9	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	43.07	54.00	10.93	18.42	V	48.6	1.00
7	5,460.000	43.07	54.00	10.93	18.42	V	48.6	1.00
7	5,501.100	98.22			19.39	V	101.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.325	42.94	54.00	11.06	18.41	H	95.2	2.00
8	5,460.000	42.86	54.00	11.14	18.42	H	359.1	1.00
8	5,581.300	101.66			18.50	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	56.76	74.00	17.24	18.16	V	359.1	1.00
8	5,460.000	55.46	74.00	18.54	18.42	V	48.5	1.00
8	5,581.730	109.09			18.50	V	359.1	1.00

