





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.750	41.66	54.00	12.34	18.42	V	203.9	2.00
8	5,460.000	41.66	54.00	12.34	18.42	V	203.9	2.00
8	5,581.300	97.28			18.50	V	359.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,716.000	110.92			18.76	V	103.5	2.00
9	5,850.000	55.05	68.20	13.15	18.20	V	50.9	2.00
9	5,874.500	57.21	68.20	10.99	18.32	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11ac (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.500	66.86	74.00	7.14	18.39	H	1	1.00
5	5,460.000	67.31	74.00	6.69	18.42	H	359.1	1.00
5	5,511.500	109.31			19.61	H	346.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	50.35	54.00	3.65	18.41	H	359	1.00
5	5,460.000	50.55	54.00	3.45	18.42	H	1	1.00
5	5,508.000	98.08			19.55	H	291.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	64.89	74.00	9.11	18.40	V	291.8	1.00
5	5,460.000	63.49	74.00	10.51	18.42	V	291.8	1.00
5	5,503.000	106.22			19.44	V	318.1	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	48.47	54.00	5.53	18.41	V	291.1	1.00
5	5,460.000	48.82	54.00	5.18	18.42	V	291.1	1.00
5	5,503.500	94.33			19.45	V	317.4	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.363	43.63	54.00	10.37	18.41	H	1	1.00
6	5,460.000	43.48	54.00	10.52	18.39	H	1	1.00
6	5,551.800	99.60			18.94	H	344.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	64.89	74.00	9.11	18.40	V	291.8	1.00
5	5,460.000	63.49	74.00	10.51	18.42	V	291.8	1.00
5	5,503.000	106.22			19.44	V	318.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	48.47	54.00	5.53	18.41	V	291.1	1.00
5	5,460.000	48.82	54.00	5.18	18.42	V	291.1	1.00
5	5,503.500	94.33			19.45	V	317.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,664.500	107.58			18.34	V	334.1	1.00
8	5,725.000	61.66	68.20	6.54	18.82	V	197.8	2.00
8	5,728.500	63.14	68.20	5.06	18.84	V	1	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.730	107.85			18.74	V	181.8	2.00
9	5,850.000	55.17	68.20	13.03	18.20	V	51.6	1.00
9	5,875.433	56.49	68.20	11.71	18.33	V	303	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,611.300	102.29			18.07	V	342.2	1.00
3	5,725.000	55.93	68.20	12.27	18.82	V	267.3	1.00
3	5,742.400	57.52	68.20	10.68	18.78	V	103.6	2.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,692.430	105.02			18.58	V	151.4	1.00
4	5,850.000	55.67	68.20	12.53	18.20	V	255.4	1.00
4	5,857.967	56.88	68.20	11.32	18.24	V	151.4	1.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5690MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11AX (160MHz)

CHANNEL	TX Channel 114	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,419.563	62.53	74.00	11.47	17.46	H	92.8	2.00
9	5,460.000	60.15	74.00	13.85	18.42	H	359	2.00
9	5,566.560	100.60			18.72	H	92.8	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,419.125	48.98	54.00	5.02	17.45	H	1	1.00
9	5,460.000	47.79	54.00	6.21	18.42	H	1	1.00
9	5,560.438	87.84			18.81	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,420.438	63.62	74.00	10.38	17.49	V	319.9	1.00
9	5,460.000	60.22	74.00	13.78	18.42	V	359.1	1.00
9	5,560.880	100.16			18.80	V	356.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,429.625	47.95	54.00	6.05	17.70	V	268.4	1.00
9	5,460.000	47.14	54.00	6.86	18.42	V	268.4	1.00
9	5,560.438	87.91			18.81	V	359	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.

**802.11AX (20MHz)**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,446.200	59.18	74.00	14.82	18.10	H	44.9	1.00
7	5,460.000	58.57	74.00	15.43	18.42	H	359.1	1.00
7	5,500.200	117.63			19.37	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	44.47	54.00	9.53	18.42	H	46.1	1.00
7	5,460.000	44.47	54.00	9.53	18.42	H	46.1	1.00
7	5,500.650	101.56			19.38	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.600	57.53	74.00	16.47	18.23	V	11.4	2.00
7	5,460.000	57.38	74.00	16.62	18.42	V	5.1	1.00
7	5,501.100	111.13			19.39	V	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,447.550	42.23	54.00	11.77	18.13	V	0.9	2.00
7	5,460.000	42.18	54.00	11.82	18.42	V	359.1	1.00
7	5,500.650	95.25			19.38	V	286.4	1.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5500MHz: Fundamental frequency.
- 8 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.750	41.36	54.00	12.64	18.42	H	359.1	1.00
8	5,460.000	41.36	54.00	12.64	18.42	H	359.1	1.00
8	5,578.750	93.88			18.54	H	260.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,456.350	56.19	74.00	17.81	18.34	V	1	1.00
8	5,460.000	54.82	74.00	19.18	18.42	V	1	1.00
8	5,578.330	106.19			18.55	V	211	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	41.24	54.00	12.76	18.16	V	0.9	2.00
8	5,460.000	41.20	54.00	12.80	18.42	V	359	1.00
8	5,578.750	92.14			18.54	V	211	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5580MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,717.500	107.41			18.77	V	103.6	2.00
9	5,850.000	55.28	68.20	12.92	18.20	V	103.6	2.00
9	5,869.000	56.26	68.20	11.94	18.29	V	58	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5720MHz: Fundamental frequency.
- 4 #: Out of restricted band.