







ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	45.29	54.00	8.71	18.41	H	1	1.00
5	5,460.000	45.64	54.00	8.36	18.42	H	1	1.00
5	5,511.000	96.06			19.62	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	58.11	74.00	15.89	18.41	V	1	1.00
5	5,460.000	57.78	74.00	16.22	18.42	V	296.6	1.00
5	5,511.000	106.21			19.62	V	329.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	43.57	54.00	10.43	18.41	V	337.7	1.00
5	5,460.000	43.86	54.00	10.14	18.42	V	359	1.00
5	5,511.500	91.90			19.61	V	359	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5510MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.363	42.45	54.00	11.55	18.41	H	307.3	1.00
6	5,460.000	42.42	54.00	11.58	18.42	H	1	2.00
6	5,551.075	96.63			18.95	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	58.11	74.00	15.89	18.41	V	1	1.00
5	5,460.000	57.78	74.00	16.22	18.42	V	296.6	1.00
5	5,511.000	106.21			19.62	V	329.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	43.57	54.00	10.43	18.41	V	337.7	1.00
5	5,460.000	43.86	54.00	10.14	18.42	V	359	1.00
5	5,511.500	91.90			19.61	V	359	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,671.500	110.01			18.40	H	359.1	1.00
8	5,725.000	62.00	68.20	6.20	18.82	H	37.4	2.00
8	5,725.500	60.91	68.20	7.29	18.82	H	37.4	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,673.000	108.63			18.41	V	359.1	1.00
8	5,725.000	60.45	68.20	7.75	18.82	V	99.4	2.00
8	5,732.500	59.66	68.20	8.54	18.85	V	357.1	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5670MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.367	107.33			18.74	V	359.1	1.00
9	5,850.000	55.55	68.20	12.65	18.20	V	97	2.00
9	5,853.067	57.24	68.20	10.96	18.21	V	71.9	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5710MHz: Fundamental frequency.
- 4 #: Out of restricted band.




802.11AX (80MHz)

CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,458.867	65.85	74.00	8.15	18.40	H	1	1.00
2	5,460.000	65.24	74.00	8.76	18.42	H	4.2	2.00
2	5,530.933	107.91			19.28	H	353.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	50.88	54.00	3.12	18.42	H	1	1.00
2	5,460.000	50.88	54.00	3.12	18.42	H	1	1.00
2	5,531.317	94.32			19.28	H	73.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	65.06	74.00	8.94	18.42	V	266	1.00
2	5,460.000	65.06	74.00	8.94	18.42	V	266	1.00
2	5,531.320	104.31			19.28	V	133.4	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	50.26	54.00	3.74	18.42	V	267.3	1.00
2	5,460.000	50.26	54.00	3.74	18.42	V	267.3	1.00
2	5,534.767	91.27			19.22	V	267.3	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,608.930	104.13			18.10	V	359.2	1.00
3	5,725.000	56.04	68.20	12.16	18.82	V	0.9	2.00
3	5,732.900	57.34	68.20	10.86	18.85	V	1	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5610MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,690.270	105.44			18.56	V	359.1	1.00
4	5,850.000	56.45	68.20	11.75	18.20	V	3.5	2.00
4	5,859.700	57.02	68.20	11.18	18.25	V	214.6	1.00




REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5690MHz: Fundamental frequency.
- 4 #: Out of restricted band.




RU MODE





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	41.46	54.00	12.54	18.42	H	0.9	2.00
7	5,460.000	41.45	54.00	12.55	18.41	H	0.9	2.00
7	5,491.650	96.32			19.17	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,449.800	56.12	74.00	17.88	18.18	V	359	2.00
7	5,460.000	55.61	74.00	18.39	18.41	V	359.1	1.00
7	5,491.650	110.22			19.17	V	48.5	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	41.24	54.00	12.76	18.40	V	5.1	1.00
7	5,460.000	41.24	54.00	12.76	18.42	V	5.1	1.00
7	5,491.650	98.40			19.17	V	44.9	1.00



REMARKS:

- 9 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 10 Margin value = Limit value- Emission level.
- 11 5500MHz: Fundamental frequency.
- 12 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.275	41.03	54.00	12.97	18.15	H	61.7	2.00
8	5,460.000	40.75	54.00	13.25	18.36	H	1	2.00
8	5,579.175	97.24			18.54	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	55.67	74.00	18.33	18.16	V	0.9	2.00
8	5,460.000	55.48	74.00	18.52	18.42	V	359.1	1.00
8	5,580.880	108.71			18.51	V	223	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.275	41.01	54.00	12.99	18.15	V	164.6	2.00
8	5,460.000	40.84	54.00	13.16	18.40	V	5.2	1.00
8	5,580.875	94.00			18.51	V	214.6	2.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5580MHz: Fundamental frequency.
- 8 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,708.080	106.24			18.70	V	98.8	2.00
10	5,724.900	58.79	68.20	9.41	18.82	V	296	1.00
10	5,736.350	60.79	68.20	7.41	18.83	V	296	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5700MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,728.500	108.23			18.84	V	1	1.00
9	5,850.000	54.61	68.20	13.59	18.20	V	312.7	2.00
9	5,894.500	55.72	68.20	12.48	18.43	V	1	1.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5720MHz: Fundamental frequency.
- 8 #: Out of restricted band.

**802.11AX (20MHz) _RU52**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,454.750	55.96	74.00	18.04	18.30	H	359	1.00
7	5,460.000	55.67	74.00	18.33	18.42	H	0.9	2.00
7	5,492.550	107.20			19.19	H	354.9	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	41.46	54.00	12.54	18.42	H	0.9	2.00
7	5,460.000	41.46	54.00	12.54	18.42	H	0.9	2.00
7	5,493.900	94.14			19.22	H	0.9	2.00

