




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,437.650	63.40	74.00	10.60	17.89	V	1	1.00
7	5,460.000	55.85	74.00	18.15	18.41	V	4.4	1.00
7	5,491.200	106.34			19.16	V	4.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	41.42	54.00	12.58	18.40	V	312.8	2.00
7	5,460.000	41.42	54.00	12.58	18.42	V	312.8	2.00
7	5,491.650	95.63			19.17	V	249.4	1.00



REMARKS:


- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5500MHz: Fundamental frequency.
- 16 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,447.425	42.09	54.00	11.91	18.13	H	359	2.00
8	5,460.000	42.02	54.00	11.98	18.42	H	348.6	1.00
8	5,578.325	95.68			18.55	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,458.475	56.89	74.00	17.11	18.39	V	358.9	1.00
8	5,460.000	56.02	74.00	17.98	18.42	V	4.6	1.00
8	5,577.900	107.52			18.55	V	115.5	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.275	42.04	54.00	11.96	18.15	V	8.8	2.00
8	5,460.000	41.86	54.00	12.14	18.42	V	309.2	2.00
8	5,575.775	92.38			18.59	V	152.6	2.00



REMARKS:


- 9 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 10 Margin value = Limit value- Emission level.
- 11 5580MHz: Fundamental frequency.
- 12 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,708.730	106.70			18.71	V	97.6	1.00
10	5,725.000	62.39	68.20	5.81	18.82	V	5.1	1.00
10	5,734.725	63.16	68.20	5.04	18.84	V	158.6	2.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5700MHz: Fundamental frequency.
- 8 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,726.500	109.17			18.83	V	286.4	1.00
9	5,850.000	54.77	68.20	13.43	18.20	V	82	1.00
9	5,871.000	56.46	68.20	11.74	18.30	V	56.8	2.00



REMARKS:


- 9 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 10 Margin value = Limit value- Emission level.
- 11 5720MHz: Fundamental frequency.
- 12 #: Out of restricted band.

**802.11AX (20MHz) _RU106**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	61.35	74.00	12.65	18.41	H	359.1	1.00
7	5,460.000	61.22	74.00	12.78	18.42	H	359	2.00
7	5,497.950	108.22			19.32	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,448.450	41.20	54.00	12.80	18.15	H	359.1	1.00
7	5,460.000	41.19	54.00	12.81	18.42	H	1	1.00
7	5,497.950	95.25			19.32	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	59.21	74.00	14.79	18.42	V	152.6	1.00
7	5,460.000	59.21	74.00	14.79	18.42	V	152.6	1.00
7	5,497.950	105.65			19.32	V	5.2	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,448.450	41.47	54.00	12.53	18.15	V	256.6	1.00
7	5,460.000	41.46	54.00	12.54	18.42	V	256.6	1.00
7	5,491.650	96.18			19.17	V	256.6	1.00

**REMARKS:**

- 17 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 18 Margin value = Limit value- Emission level.
- 19 5500MHz: Fundamental frequency.
- 20 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	41.14	54.00	12.86	18.16	H	106	2.00
8	5,460.000	41.07	54.00	12.93	18.42	H	233.8	1.00
8	5,571.525	94.32			18.65	H	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,449.550	55.76	74.00	18.24	18.18	V	5.8	1.00
8	5,460.000	54.91	74.00	19.09	18.42	V	101.1	2.00
8	5,571.950	106.45			18.64	V	206.3	2.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,449.125	41.10	54.00	12.90	18.17	V	46.1	1.00
8	5,460.000	40.97	54.00	13.03	18.42	V	268.4	1.00
8	5,571.525	93.46			18.65	V	108.3	1.00

**REMARKS:**


- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5580MHz: Fundamental frequency.
- 16 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,702.880	102.88			18.67	V	310.4	2.00
10	5,725.000	55.48	68.20	12.72	18.82	V	207.4	1.00
10	5,728.550	60.10	68.20	8.10	18.84	V	148.9	2.00



REMARKS:


- 9 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 10 Margin value = Limit value- Emission level.
- 11 5700MHz: Fundamental frequency.
- 12 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,726.500	103.75			18.83	V	4.5	1.00
9	5,850.000	54.31	68.20	13.89	18.20	V	59.3	2.00
9	5,853.500	56.28	68.20	11.92	18.21	V	357.8	1.00



REMARKS:


- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamplifier FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5720MHz: Fundamental frequency.
- 16 #: Out of restricted band.

**802.11AX (20MHz) _RU FULL**

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	66.30	74.00	7.70	18.41	H	359	2.00
7	5,460.000	66.30	74.00	7.70	18.41	H	359	2.00
7	5,498.400	105.66			19.33	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	42.16	54.00	11.84	18.42	H	0.9	2.00
7	5,460.000	42.03	54.00	11.97	18.40	H	111.9	2.00
7	5,497.950	93.14			19.32	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	68.11	74.00	5.89	18.42	V	110.7	2.00
7	5,460.000	67.26	74.00	6.74	18.41	V	110.7	2.00
7	5,504.700	106.45			19.48	V	110.7	2.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	42.28	54.00	11.72	18.42	V	313.9	2.00
7	5,460.000	42.15	54.00	11.85	18.41	V	313.9	2.00
7	5,491.200	90.49			19.16	V	313.9	2.00

**REMARKS:**


- 21 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 22 Margin value = Limit value- Emission level.
- 23 5500MHz: Fundamental frequency.
- 24 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	40.79	54.00	13.21	18.16	H	1	1.00
8	5,460.000	40.62	54.00	13.38	18.39	H	359	2.00
8	5,572.800	90.48			18.63	H	45	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,432.125	56.19	74.00	17.81	17.76	V	1	1.00
8	5,460.000	54.26	74.00	19.74	18.42	V	1	1.00
8	5,571.530	101.02			18.65	V	313.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,447.850	40.76	54.00	13.24	18.14	V	313.9	2.00
8	5,460.000	40.64	54.00	13.36	18.40	V	313.9	2.00
8	5,571.525	88.66			18.65	V	313.9	2.00



REMARKS:

- 17 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 18 Margin value = Limit value- Emission level.
- 19 5580MHz: Fundamental frequency.
- 20 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,705.475	98.73			18.68	V	303.3	1.00
10	5,724.900	60.04	68.20	8.16	18.82	V	303.3	1.00
10	5,732.450	63.59	68.20	4.61	18.85	V	5.2	1.00



REMARKS:

- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5700MHz: Fundamental frequency.
- 16 #: Out of restricted band.

