




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,716.500	102.67			18.76	V	299.7	1.00
9	5,850.000	54.60	68.20	13.60	18.20	V	5.8	1.00
9	5,862.500	56.12	68.20	12.08	18.26	V	1.1	2.00



REMARKS:

- 17 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 18 Margin value = Limit value- Emission level.
- 19 5720MHz: Fundamental frequency.
- 20 #: Out of restricted band.




802.11AX (40MHz) _RU FULL

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	68.33	74.00	5.67	18.40	H	79	2.00
5	5,460.000	66.90	74.00	7.10	18.42	H	79	2.00
5	5,496.500	101.81			19.28	H	27.7	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	43.81	54.00	10.19	18.40	H	79.1	2.00
5	5,460.000	43.65	54.00	10.35	18.42	H	79.1	2.00
5	5,496.000	88.47			19.27	H	29	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	65.02	74.00	8.98	18.41	V	253.5	1.00
5	5,460.000	65.52	74.00	8.48	18.42	V	307.2	2.00
5	5,499.000	103.55			19.34	V	79	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	42.38	54.00	11.62	18.41	V	280.3	1.00
5	5,460.000	42.51	54.00	11.49	18.42	V	280.3	1.00
5	5,522.000	89.06			19.43	V	182.4	2.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5510MHz: Fundamental frequency.
- 8 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,459.725	41.08	54.00	12.92	18.42	H	76.6	2.00
6	5,460.000	41.03	54.00	12.97	18.41	H	76.6	2.00
6	5,542.013	88.35			19.10	H	76.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	65.02	74.00	8.98	18.41	V	253.5	1.00
5	5,460.000	65.52	74.00	8.48	18.42	V	307.2	2.00
5	5,499.000	103.55			19.34	V	79	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	42.38	54.00	11.62	18.41	V	280.3	1.00
5	5,460.000	42.51	54.00	11.49	18.42	V	280.3	1.00
5	5,522.000	89.06			19.43	V	182.4	2.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5500MHz: Fundamental frequency.
- #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,668.000	99.60			18.37	V	1	1.00
8	5,725.000	62.67	68.20	5.53	18.82	V	5.2	1.00
8	5,726.500	63.25	68.20	4.95	18.83	V	5.2	1.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5670MHz: Fundamental frequency.
- 8 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,700.533	98.60			18.65	V	1	1.00
9	5,850.000	54.39	68.20	13.81	18.20	V	209.9	1.00
9	5,850.867	56.25	68.20	11.95	18.20	V	339.5	1.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5710MHz: Fundamental frequency.
- #: Out of restricted band.



802.11AX (80MHz) _RU FULL

CHANNEL	TX Channel 106	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	59.28	74.00	14.72	18.42	H	98.7	2.00
2	5,460.000	59.28	74.00	14.72	18.42	H	98.7	2.00
2	5,553.933	91.27			18.91	H	98.7	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	40.85	54.00	13.15	18.42	H	99.9	2.00
2	5,460.000	40.85	54.00	13.15	18.42	H	99.9	2.00
2	5,500.267	77.99			19.37	H	99.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.250	61.67	74.00	12.33	18.41	V	49.8	1.00
2	5,460.000	61.42	74.00	12.58	18.42	V	49.8	1.00
2	5,494.900	92.77			19.25	V	266.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.633	42.23	54.00	11.77	18.42	V	213.5	1.00
2	5,460.000	42.23	54.00	11.77	18.42	V	213.5	1.00
2	5,500.267	80.05			19.37	V	213.5	1.00



REMARKS:


- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5530MHz: Fundamental frequency.
- 8 #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,572.825	92.99			18.63	V	318.7	1.00
3	5,725.000	54.01	68.20	14.19	18.82	V	50.9	1.00
3	5,725.775	54.58	68.20	13.62	18.82	V	50.9	1.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5610MHz: Fundamental frequency.
- #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,672.500	89.51			18.41	V	306.7	2.00
4	5,850.000	50.43	68.20	17.77	18.20	V	359	1.00
4	5,859.267	51.59	68.20	16.61	18.24	V	1	1.00



REMARKS:

- 5 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 6 Margin value = Limit value- Emission level.
- 7 5690MHz: Fundamental frequency.
- 8 #: Out of restricted band.




802.11AX (160MHz) _RU FULL

CHANNEL	TX Channel 114	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,419.563	65.31	74.00	8.69	17.46	H	359	1.00
9	5,460.000	62.57	74.00	11.43	18.42	H	1	1.00
9	5,563.063	103.21			18.77	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,419.125	50.84	54.00	3.16	17.45	H	359	1.00
9	5,460.000	49.71	54.00	4.29	18.42	H	359	1.00
9	5,552.125	89.71			18.93	H	97.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,421.313	63.96	74.00	10.04	17.51	V	331.8	1.00
9	5,460.000	60.34	74.00	13.66	18.42	V	196.8	2.00
9	5,563.940	101.61			18.76	V	276.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,422.188	49.88	54.00	4.12	17.53	V	312.8	1.00
9	5,460.000	48.43	54.00	5.57	18.42	V	354.2	1.00
9	5,563.500	89.31			18.77	V	312.8	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.




BAND 4

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.250	56.76	68.20	11.44	18.17	H	5.2	1.00
12	5,747.190	111.73			18.75	H	359.1	1.00
13	5,967.375	56.88	68.20	11.32	18.76	H	359.1	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,648.750	55.77	68.20	12.43	18.20	V	5.1	1.00
12	5,746.250	109.12			18.76	V	1	1.00
13	5,954.250	57.74	68.20	10.46	18.63	V	176.5	1.00


**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,631.563	56.48	68.20	11.72	18.04	V	223	1.00
12	5,782.190	109.80			18.58	V	274.4	1.00
13	5,964.000	57.32	68.20	10.88	18.71	V	1	1.00


**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,630.313	55.78	68.20	12.42	18.03	V	1	1.00
12	5,825.940	103.91			18.32	V	1	1.00
13	5,957.625	56.90	68.20	11.30	18.65	V	184.9	2.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.

