




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	52.85	74.00	21.15	15.21	V	263.7	1.00
2	5,150.000	52.21	74.00	21.79	15.21	V	47.3	1.00
2	5,200.000	105.90			16.64	V	359.1	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.300	38.37	54.00	15.63	15.20	V	197.9	2.00
2	5,150.000	38.45	54.00	15.55	15.21	V	359	1.00
2	5,201.500	91.73			16.63	V	266.1	1.00

**REMARKS:**

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,148.250	38.67	54.00	15.33	15.17	H	351.8	1.00
3	5,150.000	38.66	54.00	15.34	15.19	H	351.8	1.00
3	5,241.250	94.23			16.45	H	308	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,122.750	54.16	74.00	19.84	14.42	V	359.1	1.00
3	5,150.000	53.10	74.00	20.90	15.20	V	5.4	2.00
3	5,241.250	108.12			16.45	V	303.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.000	38.52	54.00	15.48	15.19	V	359.1	1.00
3	5,150.000	38.50	54.00	15.50	15.20	V	359.1	1.00
3	5,239.375	92.63			16.46	V	359.1	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5240MHz: Fundamental frequency.




802.11AX (40MHz)

CHANNEL	TX Channel 38	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.000	63.93	74.00	10.07	15.10	H	5.1	1.00
1	5,150.000	64.96	74.00	9.04	15.22	H	343	1.00
1	5,192.500	106.60			16.54	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	48.51	54.00	5.49	15.20	H	0.9	2.00
1	5,150.000	48.63	54.00	5.37	15.22	H	333	1.00
1	5,189.000	92.72			16.43	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.000	63.37	74.00	10.63	15.10	V	91	2.00
1	5,150.000	63.64	74.00	10.36	15.22	V	1	1.00
1	5,191.500	105.98			16.50	V	291.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	48.64	54.00	5.36	15.20	V	1	1.00
1	5,150.000	48.92	54.00	5.08	15.22	V	1	1.00
1	5,192.000	92.97			16.52	V	318.6	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5190MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.550	39.44	54.00	14.56	15.20	H	1	1.00
2	5,150.000	39.44	54.00	14.56	15.21	H	340.6	1.00
2	5,228.650	92.05			16.51	H	94.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,139.750	53.42	74.00	20.58	14.92	V	270.8	1.00
2	5,150.000	52.69	74.00	21.31	15.21	V	359	1.00
2	5,231.450	103.92			16.50	V	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.550	39.08	54.00	14.92	15.20	V	316.8	1.00
2	5,150.000	39.14	54.00	14.86	15.21	V	316.8	1.00
2	5,229.000	90.62			16.51	V	1	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5230MHz: Fundamental frequency.

**802.11AX (80MHz)**

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,147.400	65.43	74.00	8.57	15.14	H	1	1.00
10	5,150.000	65.29	74.00	8.71	15.22	H	350	1.00
10	5,211.575	106.64			16.59	H	100	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	49.82	54.00	4.18	15.20	H	358.8	1.00
10	5,150.000	49.84	54.00	4.16	15.22	H	358.8	1.00
10	5,209.025	90.86			16.60	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.100	65.13	74.00	8.87	15.19	V	1	1.00
10	5,150.000	64.96	74.00	9.04	15.22	V	1	1.00
10	5,208.600	104.86			16.60	V	1	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,142.300	50.73	54.00	3.27	14.99	V	311.6	1.00
10	5,150.000	50.62	54.00	3.38	15.22	V	1	1.00
10	5,212.000	91.95			16.58	V	311.6	1.00

**REMARKS:**

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.




RU mode





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,137.000	38.60	54.00	15.40	14.84	H	0.9	2.00
1	5,150.000	38.41	54.00	15.59	15.19	H	108.2	2.00
1	5,171.200	91.62			15.88	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,137.450	53.52	74.00	20.48	14.85	V	1	1.00
1	5,150.000	52.85	74.00	21.15	15.21	V	359.1	1.00
1	5,171.650	107.51			15.89	V	279.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,137.900	38.46	54.00	15.54	14.86	V	254.2	1.00
1	5,150.000	38.43	54.00	15.57	15.21	V	151.4	2.00
1	5,171.200	95.00			15.88	V	359.1	1.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5180MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.900	38.53	54.00	15.47	15.21	H	120.2	2.00
2	5,150.000	38.53	54.00	15.47	15.21	H	120.2	2.00
2	5,199.100	95.25			16.64	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,146.000	54.49	74.00	19.51	15.10	V	1	1.00
2	5,150.000	52.17	74.00	21.83	15.21	V	0.9	2.00
2	5,199.400	109.24			16.64	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	38.66	54.00	15.34	15.21	V	359.1	1.00
2	5,150.000	38.66	54.00	15.34	15.21	V	316.3	2.00
2	5,199.400	96.52			16.64	V	359.1	1.00



REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,141.875	38.64	54.00	15.36	14.98	H	359	2.00
3	5,150.000	38.51	54.00	15.49	15.18	H	359	2.00
3	5,248.375	99.95			16.42	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,140.000	53.16	74.00	20.84	14.93	V	144.2	1.00
3	5,150.000	52.51	74.00	21.49	15.20	V	115.4	2.00
3	5,248.750	112.63			16.42	V	359	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,138.875	38.48	54.00	15.52	14.89	V	359.1	1.00
3	5,150.000	38.53	54.00	15.47	15.19	V	359.1	1.00
3	5,248.750	99.39			16.42	V	341.4	1.00

**REMARKS:**

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5240MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,141.050	39.28	54.00	14.72	14.96	H	6.9	2.00
1	5,150.000	39.05	54.00	14.95	15.19	H	359.1	1.00
1	5,173.900	95.88			15.96	H	0.9	2.00

