




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,144.650	53.48	74.00	20.52	15.06	V	262.4	2.00
1	5,150.000	52.58	74.00	21.42	15.19	V	14.9	2.00
1	5,173.450	102.13			15.95	V	313.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,139.700	38.62	54.00	15.38	14.92	V	164.5	1.00
1	5,150.000	38.52	54.00	15.48	15.19	V	5	1.00
1	5,173.900	90.00			15.96	V	214.6	1.00



REMARKS:


- 7 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 8 Margin value = Limit value- Emission level.
- 9 5180MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	38.77	54.00	15.23	15.21	H	1	2.00
2	5,150.000	38.72	54.00	15.28	15.21	H	10.7	2.00
2	5,195.800	97.57			16.64	H	1.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,122.600	60.03	74.00	13.97	14.42	V	1	1.00
2	5,150.000	51.88	74.00	22.12	15.21	V	200.3	1.00
2	5,195.200	107.58			16.62	V	107.1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,140.000	38.42	54.00	15.58	14.93	V	304.4	1.00
2	5,150.000	38.28	54.00	15.72	15.21	V	304.4	1.00
2	5,195.800	93.58			16.64	V	108.4	2.00



REMARKS:

- 7 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 8 Margin value = Limit value- Emission level.
- 9 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,142.625	38.56	54.00	15.44	15.00	H	1	2.00
3	5,150.000	38.46	54.00	15.54	15.13	H	1	2.00
3	5,248.750	98.12			16.42	H	107.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,125.000	56.93	74.00	17.07	14.49	V	1	1.00
3	5,150.000	52.32	74.00	21.68	15.21	V	359.1	1.00
3	5,246.130	105.57			16.43	V	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,142.250	38.15	54.00	15.85	14.99	V	309.1	1.00
3	5,150.000	37.99	54.00	16.01	15.18	V	48.5	1.00
3	5,248.750	92.90			16.42	V	309.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5240MHz: Fundamental frequency.




802.11AX (20MHz)_RU106

CHANNEL	TX Channel 36	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.150	54.30	74.00	19.70	15.19	H	355.5	2.00
1	5,150.000	53.13	74.00	20.87	15.21	H	355.5	2.00
1	5,176.150	105.65			16.03	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,142.400	38.51	54.00	15.49	15.00	H	0.9	2.00
1	5,150.000	38.48	54.00	15.52	15.21	H	85.7	2.00
1	5,176.600	92.51			16.04	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.450	55.16	74.00	18.84	15.11	V	310.4	2.00
1	5,150.000	51.98	74.00	22.02	15.21	V	1	1.00
1	5,177.950	100.89			16.09	V	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	38.46	54.00	15.54	15.21	V	303.1	1.00
1	5,150.000	38.46	54.00	15.54	15.21	V	303.1	1.00
1	5,171.200	91.62			15.88	V	303.1	1.00



REMARKS:

- 10 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 11 Margin value = Limit value- Emission level.
- 12 5180MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,142.700	38.18	54.00	15.82	15.00	H	101.1	2.00
2	5,150.000	38.19	54.00	15.81	15.21	H	1	2.00
2	5,195.800	93.31			16.64	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,145.700	53.13	74.00	20.87	15.09	V	101.2	1.00
2	5,150.000	52.12	74.00	21.88	15.21	V	259	1.00
2	5,197.900	101.86			16.64	V	359	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,142.100	38.15	54.00	15.85	14.99	V	328.2	1.00
2	5,150.000	38.19	54.00	15.81	15.21	V	357.4	1.00
2	5,191.900	92.22			16.52	V	237.4	1.00

**REMARKS:**


- 10 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 11 Margin value = Limit value- Emission level.
- 12 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.750	38.51	54.00	15.49	15.21	H	354.3	2.00
3	5,150.000	38.51	54.00	15.49	15.21	H	354.3	2.00
3	5,246.875	94.25			16.43	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,136.250	52.93	74.00	21.07	14.82	V	203.9	1.00
3	5,150.000	51.96	74.00	22.04	15.21	V	354.9	1.00
3	5,243.125	105.80			16.45	V	256.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.750	38.20	54.00	15.80	15.21	V	1	1.00
3	5,150.000	38.20	54.00	15.80	15.21	V	1	1.00
3	5,248.750	90.90			16.42	V	359.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5240MHz: Fundamental frequency.




802.11AX (20MHz)_RU FULL

CHANNEL	TX Channel 36	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	57.64	74.00	16.36	15.21	H	62.9	2.00
1	5,150.000	57.64	74.00	16.36	15.21	H	62.9	2.00
1	5,186.050	104.53			16.34	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.900	39.12	54.00	14.88	15.13	H	0.9	2.00
1	5,150.000	38.91	54.00	15.09	15.21	H	355	2.00
1	5,186.500	90.43			16.35	H	113.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.150	54.65	74.00	19.35	15.19	V	128.6	2.00
1	5,150.000	53.92	74.00	20.08	15.21	V	128.6	2.00
1	5,178.400	101.53			16.10	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	38.68	54.00	15.32	15.21	V	359.1	1.00
1	5,150.000	38.68	54.00	15.32	15.21	V	359.1	1.00
1	5,188.300	88.54			16.41	V	1	1.00



REMARKS:


- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5180MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.500	38.65	54.00	15.35	14.97	H	355.5	2.00
2	5,150.000	38.61	54.00	15.39	15.21	H	0.9	2.00
2	5,206.600	91.04			16.61	H	60.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.200	52.94	74.00	21.06	14.96	V	1.4	2.00
2	5,150.000	52.05	74.00	21.95	15.21	V	1	2.00
2	5,208.400	101.35			16.60	V	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.900	38.36	54.00	15.64	15.21	V	247	1.00
2	5,150.000	38.36	54.00	15.64	15.21	V	247	1.00
2	5,208.400	88.63			16.60	V	359	1.00



REMARKS:

- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.750	38.51	54.00	15.49	15.21	H	359	2.00
3	5,150.000	38.51	54.00	15.49	15.21	H	359	2.00
3	5,236.375	92.04			16.48	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,141.125	52.92	74.00	21.08	14.96	V	211	2.00
3	5,150.000	52.64	74.00	21.36	15.21	V	146.6	1.00
3	5,248.750	101.20			16.42	V	359	1.00

