



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,141.875	38.02	54.00	15.98	14.98	V	359.1	1.00
3	5,150.000	38.00	54.00	16.00	15.21	V	1	1.00
3	5,248.375	88.46			16.42	V	248.2	1.00



REMARKS:

- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5240MHz: Fundamental frequency.




802.11AX (40MHz) _RU FULL

CHANNEL	TX Channel 38	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.000	62.85	74.00	11.15	15.16	H	359	2.00
1	5,150.000	59.95	74.00	14.05	15.22	H	355.5	2.00
1	5,206.000	100.99			16.61	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,144.500	42.90	54.00	11.10	15.06	H	359	2.00
1	5,150.000	42.10	54.00	11.90	15.22	H	355.5	2.00
1	5,206.000	87.08			16.61	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,145.500	64.05	74.00	9.95	15.09	V	316.8	1.00
1	5,150.000	61.52	74.00	12.48	15.22	V	316.8	1.00
1	5,182.000	99.20			16.21	V	316.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,143.000	43.37	54.00	10.63	15.01	V	92.2	2.00
1	5,150.000	42.69	54.00	11.31	15.22	V	92.2	2.00
1	5,202.000	84.22			16.63	V	273.8	1.00



REMARKS:


- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5190MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,142.900	38.12	54.00	15.88	15.01	H	96.4	2.00
2	5,150.000	37.96	54.00	16.04	15.16	H	1	2.00
2	5,226.550	87.23			16.52	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.150	53.22	74.00	20.78	14.96	V	65.9	2.00
2	5,150.000	52.74	74.00	21.26	15.21	V	306	2.00
2	5,211.500	100.03			16.59	V	318	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.150	38.37	54.00	15.63	14.96	V	318.1	1.00
2	5,150.000	38.33	54.00	15.67	15.20	V	318.1	1.00
2	5,212.200	86.59			16.58	V	318.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5230MHz: Fundamental frequency.




802.11AX (80MHz) _RU FULL

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,147.400	62.75	74.00	11.25	15.14	H	359	2.00
10	5,150.000	60.12	74.00	13.88	15.22	H	5.1	1.00
10	5,226.025	93.49			16.52	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,144.425	38.98	54.00	15.02	15.05	H	1	2.00
10	5,150.000	36.36	54.00	17.64	15.22	H	105.9	2.00
10	5,236.225	78.26			16.48	H	8.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,145.275	62.42	74.00	11.58	15.08	V	304.4	1.00
10	5,150.000	61.87	74.00	12.13	15.22	V	304.4	1.00
10	5,231.550	90.39			16.50	V	304.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,140.600	38.91	54.00	15.09	14.94	V	312.8	1.00
10	5,150.000	37.41	54.00	16.59	15.22	V	312.8	1.00
10	5,180.125	76.80			16.15	V	312.8	1.00



REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5210MHz: Fundamental frequency.




802.11AX (160MHz) _RU FULL

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,127.500	55.03	74.00	18.97	14.56	H	5.8	2.00
8	5,150.000	50.15	74.00	23.85	15.21	H	46.1	2.00
8	5,226.375	87.73			16.52	H	5.8	2.00
8	5,350.000	54.97	74.00	19.03	16.74	H	101.1	2.00
8	5,396.563	65.35	74.00	8.65	17.03	H	101.1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,144.125	36.09	54.00	17.91	15.05	H	1	2.00
8	5,150.000	35.42	54.00	18.58	15.21	H	40.2	2.00
8	5,236.438	74.03			16.48	H	3.1	2.00
8	5,350.000	39.33	54.00	14.67	16.74	H	92.8	2.00
8	5,383.438	42.67	54.00	11.33	16.95	H	92.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,135.813	54.47	74.00	19.53	14.80	V	318.7	1.00
8	5,150.000	50.81	74.00	23.19	15.21	V	318.7	1.00
8	5,201.438	85.95			16.63	V	318.7	1.00
8	5,350.000	53.49	74.00	20.51	16.74	V	318.7	1.00
8	5,397.875	64.04	74.00	9.96	17.04	V	266.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,138.875	35.62	54.00	18.38	14.89	V	325.9	1.00
8	5,150.000	35.32	54.00	18.68	15.21	V	325.9	1.00
8	5,199.250	72.28			16.64	V	325.9	1.00
8	5,350.000	38.65	54.00	15.35	16.74	V	325.9	1.00
8	5,384.750	42.39	54.00	11.61	16.96	V	273.3	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.




Band 2

802.11a

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.280	110.31			16.39	H	120.2	2.00
4	5,350.000	54.69	74.00	19.31	16.73	H	359.1	1.00
4	5,386.200	55.82	74.00	18.18	16.97	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	98.68			16.39	H	359	2.00
4	5,350.000	40.04	54.00	13.96	16.73	H	359.1	1.00
4	5,352.950	40.13	54.00	13.87	16.75	H	11.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.280	107.11			16.39	V	299.6	1.00
4	5,350.000	53.48	74.00	20.52	16.73	V	358.6	1.00
4	5,352.000	54.61	74.00	19.39	16.75	V	345.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.375	94.29			16.39	V	359.1	1.00
4	5,350.000	40.05	54.00	13.95	16.73	V	254.2	1.00
4	5,351.050	40.02	54.00	13.98	16.74	V	254.2	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	99.55			16.30	H	9.4	2.00
5	5,350.000	41.79	54.00	12.21	16.73	H	107.2	2.00
5	5,351.000	41.79	54.00	12.21	16.74	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	108.45			16.32	V	317.5	1.00
5	5,350.000	54.42	74.00	19.58	16.73	V	310.3	2.00
5	5,386.700	55.03	74.00	18.97	16.97	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.500	96.76			16.32	V	302	1.00
5	5,350.000	40.59	54.00	13.41	16.73	V	250.6	1.00
5	5,351.000	40.66	54.00	13.34	16.74	V	250.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,322.400	98.45			16.50	H	4.4	1.00
6	5,350.000	47.02	54.00	6.98	16.73	H	359	2.00
6	5,350.400	46.44	54.00	7.56	16.74	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.600	109.18			16.49	V	304.4	1.00
6	5,350.000	62.99	74.00	11.01	16.73	V	359.1	1.00
6	5,350.400	62.96	74.00	11.04	16.74	V	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.400	96.41			16.48	V	323.5	1.00
6	5,350.000	46.65	54.00	7.35	16.73	V	359	1.00
6	5,350.400	46.45	54.00	7.55	16.74	V	359	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (20MHz)

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	108.97			16.39	H	358.2	1.00
4	5,350.000	54.26	74.00	19.74	16.73	H	0.9	2.00
4	5,353.425	54.71	74.00	19.29	16.76	H	358.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	97.22			16.39	H	0.9	2.00
4	5,350.000	40.05	54.00	13.95	16.73	H	0.9	2.00
4	5,354.375	40.09	54.00	13.91	16.76	H	0.9	2.00

