



ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	98.79			16.41	H	355	2.00
4	5,350.000	40.13	54.00	13.87	16.73	H	359.1	1.00
4	5,355.800	40.20	54.00	13.80	16.77	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	106.97			16.41	V	251.8	1.00
4	5,350.000	53.18	74.00	20.82	16.73	V	251.8	1.00
4	5,355.325	54.23	74.00	19.77	16.77	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	94.55			16.41	V	311.6	2.00
4	5,350.000	39.54	54.00	14.46	16.73	V	359.1	1.00
4	5,355.800	39.70	54.00	14.30	16.77	V	253	1.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	96.85			16.30	H	56.9	2.00
5	5,350.000	40.17	54.00	13.83	16.73	H	109.5	2.00
5	5,354.900	40.27	54.00	13.73	16.77	H	109.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	109.28			16.32	V	107.1	2.00
5	5,350.000	54.33	74.00	19.67	16.73	V	359	1.00
5	5,362.700	55.51	74.00	18.49	16.82	V	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.600	97.13			16.31	V	103.5	2.00
5	5,350.000	39.99	54.00	14.01	16.73	V	103.5	2.00
5	5,354.900	40.12	54.00	13.88	16.77	V	103.5	2.00



REMARKS:


- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	98.24			16.55	H	339.5	1.00
6	5,350.000	40.19	54.00	13.81	16.73	H	359	2.00
6	5,354.800	40.36	54.00	13.64	16.77	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	107.06			16.55	V	92.8	1.00
6	5,350.000	61.04	74.00	12.96	16.73	V	43.7	1.00
6	5,350.400	61.68	74.00	12.32	16.74	V	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.400	95.42			16.55	V	96.4	1.00
6	5,350.000	39.67	54.00	14.33	16.73	V	46.1	1.00
6	5,356.000	39.83	54.00	14.17	16.77	V	46.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11AX (20MHz) _RU52

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,253.680	109.46			16.41	H	1	2.00
4	5,350.000	53.86	74.00	20.14	16.73	H	242.2	1.00
4	5,358.175	54.71	74.00	19.29	16.79	H	67.6	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,253.200	97.90			16.41	H	70.1	2.00
4	5,350.000	40.15	54.00	13.85	16.73	H	359	2.00
4	5,354.850	40.22	54.00	13.78	16.77	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.250	105.85			16.41	V	5.1	1.00
4	5,350.000	53.07	74.00	20.93	16.73	V	25.8	2.00
4	5,362.925	54.06	74.00	19.94	16.82	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.725	92.12			16.41	V	355.5	2.00
4	5,350.000	39.90	54.00	14.10	16.73	V	117.8	2.00
4	5,354.375	39.95	54.00	14.05	16.76	V	117.8	2.00



REMARKS:


- 7 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 8 Margin value = Limit value- Emission level.
- 9 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,295.500	97.93			16.31	H	15	2.00
5	5,350.000	40.41	54.00	13.59	16.73	H	15	2.00
5	5,356.100	40.56	54.00	13.44	16.77	H	359	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.000	105.52			16.30	V	359.1	1.00
5	5,350.000	54.45	74.00	19.55	16.73	V	114.3	2.00
5	5,357.300	54.80	74.00	19.20	16.78	V	245.8	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.300	92.04			16.30	V	264.9	2.00
5	5,350.000	40.26	54.00	13.74	16.73	V	115.5	2.00
5	5,353.700	40.44	54.00	13.56	16.76	V	115.5	2.00

**REMARKS:**


- 7 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 8 Margin value = Limit value- Emission level.
- 9 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,326.800	96.09			16.54	H	359	2.00
6	5,350.000	40.37	54.00	13.63	16.73	H	1	2.00
6	5,356.000	40.47	54.00	13.53	16.77	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.200	105.21			16.54	V	1	1.00
6	5,350.000	59.49	74.00	14.51	16.73	V	47.3	1.00
6	5,355.200	61.33	74.00	12.67	16.77	V	114.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.600	92.90			16.54	V	95.3	1.00
6	5,350.000	39.90	54.00	14.10	16.73	V	115.5	2.00
6	5,357.200	40.17	54.00	13.83	16.78	V	115.5	2.00



REMARKS:

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11AX (20MHz) _RU106

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.000	108.41			16.40	H	19.6	2.00
4	5,350.000	53.86	74.00	20.14	16.73	H	194.2	1.00
4	5,367.200	54.95	74.00	19.05	16.85	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.000	95.01			16.40	H	0.9	2.00
4	5,350.000	40.03	54.00	13.97	16.73	H	193.1	1.00
4	5,354.850	40.15	54.00	13.85	16.77	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.000	104.67			16.40	V	1	1.00
4	5,350.000	52.97	74.00	21.03	16.73	V	151.4	1.00
4	5,362.925	54.30	74.00	19.70	16.82	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.475	90.73			16.40	V	248.2	1.00
4	5,350.000	39.68	54.00	14.32	16.73	V	248.2	1.00
4	5,355.325	39.81	54.00	14.19	16.77	V	359.1	1.00



REMARKS:


- 10 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 11 Margin value = Limit value- Emission level.
- 12 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.300	94.30			16.30	H	1	2.00
5	5,350.000	40.08	54.00	13.92	16.73	H	1	2.00
5	5,356.100	40.22	54.00	13.78	16.77	H	14.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.600	104.15			16.30	V	244.6	1.00
5	5,350.000	55.94	74.00	18.06	16.73	V	244.6	1.00
5	5,354.000	57.63	74.00	16.37	16.76	V	244.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.600	91.62			16.30	V	248.2	1.00
5	5,350.000	39.81	54.00	14.19	16.73	V	5.1	1.00
5	5,350.400	39.88	54.00	14.12	16.74	V	5.1	1.00



REMARKS:

- 10 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 11 Margin value = Limit value- Emission level.
- 12 5300MHz: Fundamental frequency.

