




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	93.80			16.55	H	359	2.00
6	5,350.000	40.19	54.00	13.81	16.73	H	0.9	2.00
6	5,354.800	40.20	54.00	13.80	16.77	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	102.59			16.55	V	247	1.00
6	5,350.000	62.44	74.00	11.56	16.73	V	211.1	2.00
6	5,353.600	62.00	74.00	12.00	16.76	V	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.200	89.61			16.54	V	102.3	1.00
6	5,350.000	39.80	54.00	14.20	16.73	V	257.7	1.00
6	5,355.600	39.85	54.00	14.15	16.77	V	6.5	1.00



REMARKS:


- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.

**802.11AX (20MHz) _RU FULL**

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,266.500	105.88			16.38	H	0.9	2.00
4	5,350.000	53.37	74.00	20.63	16.73	H	208.6	2.00
4	5,361.025	55.09	74.00	18.91	16.81	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,266.500	93.15			16.38	H	1	2.00
4	5,350.000	39.85	54.00	14.15	16.73	H	1	2.00
4	5,357.225	40.03	54.00	13.97	16.78	H	104.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,268.880	101.62			16.37	V	273.2	1.00
4	5,350.000	53.08	74.00	20.92	16.73	V	261.4	2.00
4	5,389.050	54.34	74.00	19.66	16.99	V	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	89.57			16.40	V	312.8	1.00
4	5,350.000	39.74	54.00	14.26	16.73	V	84.5	2.00
4	5,355.325	39.85	54.00	14.15	16.77	V	135.8	2.00



REMARKS:

- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,296.700	92.38			16.30	H	0.9	2.00
5	5,350.000	40.16	54.00	13.84	16.73	H	17	2.00
5	5,366.000	40.37	54.00	13.63	16.84	H	65.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,308.100	101.23			16.38	V	359	1.00
5	5,350.000	58.28	74.00	15.72	16.73	V	219.4	2.00
5	5,353.400	61.02	74.00	12.98	16.76	V	245.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,303.000	90.60			16.33	V	110.6	2.00
5	5,350.000	39.91	54.00	14.09	16.73	V	110.6	2.00
5	5,355.800	40.08	54.00	13.92	16.77	V	110.6	2.00



REMARKS:


- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,315.200	91.09			16.44	H	14.9	2.00
6	5,350.000	42.60	54.00	11.40	16.73	H	62.9	2.00
6	5,350.400	42.51	54.00	11.49	16.74	H	62.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,311.600	103.54			16.41	V	65.3	2.00
6	5,350.000	69.36	74.00	4.64	16.73	V	115.5	2.00
6	5,350.400	69.39	74.00	4.61	16.74	V	115.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,315.600	87.54			16.44	V	5.1	1.00
6	5,350.000	41.87	54.00	12.13	16.73	V	5.1	1.00
6	5,350.400	41.74	54.00	12.26	16.74	V	5.1	1.00



REMARKS:

- 13 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 14 Margin value = Limit value- Emission level.
- 15 5320MHz: Fundamental frequency.




802.11AX (40MHz) _RU FULL

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,256.867	101.37			16.40	H	359	2.00
3	5,350.000	53.64	74.00	20.36	16.73	H	92.2	2.00
3	5,359.533	56.33	74.00	17.67	16.80	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,255.767	88.64			16.40	H	359	2.00
3	5,350.000	39.95	54.00	14.05	16.73	H	67.1	2.00
3	5,448.267	41.20	54.00	12.80	18.15	H	93.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,263.467	99.91			16.38	V	300.7	1.00
3	5,350.000	53.81	74.00	20.19	16.73	V	304.8	2.00
3	5,352.200	55.44	74.00	18.56	16.75	V	300.7	1.00




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,257.967	86.84			16.40	V	1	1.00
3	5,350.000	39.40	54.00	14.60	16.73	V	322.2	1.00
3	5,448.267	40.87	54.00	13.13	18.15	V	176.5	2.00

**REMARKS:**

- Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,296.000	87.87			16.30	H	0.9	2.00
4	5,350.000	41.68	54.00	12.32	16.73	H	1	2.00
4	5,356.000	41.95	54.00	12.05	16.77	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,299.000	99.65			16.30	V	359	1.00
4	5,350.000	69.66	74.00	4.34	16.73	V	79.6	2.00
4	5,352.000	70.29	74.00	3.71	16.75	V	79.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,322.000	85.83			16.50	V	99.4	2.00
4	5,350.000	42.06	54.00	11.94	16.73	V	99.4	2.00
4	5,352.500	42.27	54.00	11.73	16.75	V	99.4	2.00



REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5310MHz: Fundamental frequency.




802.11AX (80MHz) _RU FULL

CHANNEL	TX Channel 58	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,325.067	90.74			16.52	H	48.5	1.00
1	5,350.000	54.06	74.00	19.94	16.73	H	359	2.00
1	5,370.533	59.71	74.00	14.29	16.87	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,266.033	77.62			16.38	H	3.8	2.00
1	5,350.000	38.72	54.00	15.28	16.73	H	94	2.00
1	5,357.700	40.39	54.00	13.61	16.78	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,312.600	89.74			16.42	V	310.4	1.00
1	5,350.000	53.72	74.00	20.28	16.73	V	310.4	1.00
1	5,362.467	58.72	74.00	15.28	16.81	V	310.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,261.633	76.10			16.39	V	318.8	1.00
1	5,350.000	38.87	54.00	15.13	16.73	V	318.8	1.00
1	5,360.633	39.89	54.00	14.11	16.80	V	318.8	1.00



REMARKS:

- 4 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 5 Margin value = Limit value- Emission level.
- 6 5290MHz: Fundamental frequency.




Band 3

802.11a

CHANNEL	TX Channel 100	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,446.650	57.42	74.00	16.58	18.11	H	45	1.00
7	5,460.000	55.80	74.00	18.20	18.42	H	0.9	2.00
7	5,502.000	111.52			19.41	H	45	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	42.25	54.00	11.75	18.42	H	343	1.00
7	5,460.000	42.25	54.00	11.75	18.42	H	343	1.00
7	5,499.300	100.17			19.35	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	55.63	74.00	18.37	18.41	V	355	2.00
7	5,460.000	54.91	74.00	19.09	18.42	V	9	1.00
7	5,498.850	105.20			19.34	V	355	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	41.38	54.00	12.62	18.42	V	45	1.00
7	5,460.000	41.38	54.00	12.62	18.42	V	45	1.00
7	5,500.650	94.90			19.38	V	242.2	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.

