


|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2441MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18778.2911  | -26.33      | 63.18          | 36.85          | 74.00          | 37.15       | PASS   | Horizont | PK     |
| 2              | 19841.5137  | -25.10      | 62.00          | 36.90          | 74.00          | 37.10       | PASS   | Horizont | PK     |
| 3              | 21553.1421  | -25.77      | 62.08          | 36.31          | 74.00          | 37.69       | PASS   | Horizont | PK     |
| 4              | 22407.9363  | -25.10      | 61.00          | 35.90          | 74.00          | 38.10       | PASS   | Horizont | PK     |
| 5              | 23824.773   | -22.28      | 58.78          | 36.50          | 74.00          | 37.50       | PASS   | Horizont | PK     |
| 6              | 25115.8046  | -21.51      | 57.77          | 36.26          | 74.00          | 37.74       | PASS   | Horizont | PK     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2441MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18283.5713  | -26.86      | 65.24          | 38.38          | 74.00          | 35.62       | PASS   | Vertical | PK     |
| 2              | 19518.5007  | -25.61      | 62.43          | 36.82          | 74.00          | 37.18       | PASS   | Vertical | PK     |
| 3              | 20081.9033  | -24.98      | 61.21          | 36.23          | 74.00          | 37.77       | PASS   | Vertical | PK     |
| 4              | 21782.3113  | -25.55      | 61.82          | 36.27          | 74.00          | 37.73       | PASS   | Vertical | PK     |
| 5              | 23595.2638  | -23.07      | 59.72          | 36.65          | 74.00          | 37.35       | PASS   | Vertical | PK     |
| 6              | 25201.8281  | -21.04      | 57.52          | 36.48          | 74.00          | 37.52       | PASS   | Vertical | PK     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1615.7744   | 13.71       | 36.56          | 50.27          | 74.00          | 23.73       | PASS   | Horizont | PK     |
| 2              | 2835.4557   | 17.40       | 36.71          | 54.11          | 74.00          | 19.89       | PASS   | Horizont | PK     |
| 3              | 4960.1307   | -8.05       | 51.43          | 43.38          | 74.00          | 30.62       | PASS   | Horizont | PK     |
| 4              | 7440.296    | -2.50       | 49.74          | 47.24          | 74.00          | 26.76       | PASS   | Horizont | PK     |
| 5              | 9920.4614   | 1.49        | 46.14          | 47.63          | 74.00          | 26.37       | PASS   | Horizont | PK     |
| 6              | 17682.9789  | 15.17       | 37.02          | 52.19          | 74.00          | 21.81       | PASS   | Horizont | PK     |
| 7              | 2832.9222   | 17.33       | 18.88          | 36.21          | 54.00          | 17.79       | PASS   | Horizont | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1527.3685   | 13.42       | 37.23          | 50.65          | 74.00          | 23.35       | PASS   | Vertical | PK     |
| 2              | 2774.385    | 16.95       | 37.54          | 54.49          | 74.00          | 19.51       | PASS   | Vertical | PK     |
| 3              | 4960.1307   | -8.05       | 52.31          | 44.26          | 74.00          | 29.74       | PASS   | Vertical | PK     |
| 4              | 5991.1994   | -5.41       | 53.72          | 48.31          | 74.00          | 25.69       | PASS   | Vertical | PK     |
| 5              | 6636.2424   | -3.96       | 50.32          | 46.36          | 74.00          | 27.64       | PASS   | Vertical | PK     |
| 6              | 17788.9859  | 16.03       | 36.92          | 52.95          | 74.00          | 21.05       | PASS   | Vertical | PK     |
| 7              | 2796.3864   | 17.26       | 18.54          | 35.80          | 54.00          | 18.20       | PASS   | Vertical | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18245.1498  | -26.91      | 64.21          | 37.30          | 74.00          | 36.70       | PASS   | Horizont | PK     |
| 2              | 19394.3958  | -25.63      | 62.17          | 36.54          | 74.00          | 37.46       | PASS   | Horizont | PK     |
| 3              | 20096.8639  | -25.05      | 61.66          | 36.61          | 74.00          | 37.39       | PASS   | Horizont | PK     |
| 4              | 21610.2644  | -25.73      | 62.68          | 36.95          | 74.00          | 37.05       | PASS   | Horizont | PK     |
| 5              | 23313.3925  | -23.86      | 60.03          | 36.17          | 74.00          | 37.83       | PASS   | Horizont | PK     |
| 6              | 24536.4215  | -21.81      | 58.12          | 36.31          | 74.00          | 37.69       | PASS   | Horizont | PK     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |

## Test Graph



## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 18575.643   | -26.69      | 63.93          | 37.24          | 74.00          | 36.76       | PASS   | Vertical | PK     |
| 2  | 19698.3679  | -25.41      | 61.56          | 36.15          | 74.00          | 37.85       | PASS   | Vertical | PK     |
| 3  | 21151.2461  | -25.81      | 61.98          | 36.17          | 74.00          | 37.83       | PASS   | Vertical | PK     |
| 4  | 22248.81    | -25.33      | 60.90          | 35.57          | 74.00          | 38.43       | PASS   | Vertical | PK     |
| 5  | 23599.684   | -23.06      | 59.63          | 36.57          | 74.00          | 37.43       | PASS   | Vertical | PK     |
| 6  | 25171.5669  | -21.20      | 59.05          | 37.85          | 74.00          | 36.15       | PASS   | Vertical | PK     |

## Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

|           |                                |                |           |
|-----------|--------------------------------|----------------|-----------|
| Test_Mode | 802.11ax(HE80)Transmittin<br>g | Test_Frequency | 2402MHz   |
| Remark:   | /                              | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.85          | 51.81          | 74.00          | 22.19       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 27.88          | 43.84          | 54.00          | 10.16       | PASS   | Horizont | AV     |

|           |                   |                |           |
|-----------|-------------------|----------------|-----------|
| Test_Mode | GFSK Transmitting | Test_Frequency | 2402MHz   |
| Remark:   | /                 | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.94          | 51.90          | 74.00          | 22.10       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 28.11          | 44.07          | 54.00          | 9.93        | PASS   | Vertical | AV     |

|           |                   |                |           |
|-----------|-------------------|----------------|-----------|
| Test_Mode | GFSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                 | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 32.75          | 49.04          | 74.00          | 24.96       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 26.40          | 42.69          | 54.00          | 11.31       | PASS   | Horizont | AV     |

|           |                   |                |           |
|-----------|-------------------|----------------|-----------|
| Test_Mode | GFSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                 | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 32.30          | 48.59          | 74.00          | 25.41       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 24.74          | 41.03          | 54.00          | 12.97       | PASS   | Vertical | AV     |

|           |                               |                |           |
|-----------|-------------------------------|----------------|-----------|
| Test_Mode | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2402MHz   |
| Remark:   | /                             | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.60          | 51.56          | 74.00          | 22.44       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 28.52          | 44.48          | 54.00          | 9.52        | PASS   | Horizont | AV     |

|           |                               |                |           |
|-----------|-------------------------------|----------------|-----------|
| Test_Mode | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2402MHz   |
| Remark:   | /                             | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 36.24          | 52.20          | 74.00          | 21.80       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 27.78          | 43.74          | 54.00          | 10.26       | PASS   | Vertical | AV     |

|           |                               |                |           |
|-----------|-------------------------------|----------------|-----------|
| Test_Mode | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                             | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 33.22          | 49.51          | 74.00          | 24.49       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 25.02          | 41.31          | 54.00          | 12.69       | PASS   | Horizont | AV     |

|           |                               |                |           |
|-----------|-------------------------------|----------------|-----------|
| Test_Mode | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                             | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 33.62          | 49.91          | 74.00          | 24.09       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 25.98          | 42.27          | 54.00          | 11.73       | PASS   | Vertical | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2402MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 37.37          | 53.33          | 74.00          | 20.67       | PASS   | Horizont | PK     |
| 2              | 2390        | 15.96       | 27.43          | 43.39          | 54.00          | 10.61       | PASS   | Horizont | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2402MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.89          | 51.85          | 74.00          | 22.15       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 27.57          | 43.53          | 54.00          | 10.47       | PASS   | Vertical | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 31.75          | 48.04          | 74.00          | 25.96       | PASS   | Horizont | PK     |
| 2              | 2483.5      | 16.29       | 26.00          | 42.29          | 54.00          | 11.71       | PASS   | Horizont | AV     |

|           |                    |                |           |
|-----------|--------------------|----------------|-----------|
| Test_Mode | 8DPSK Transmitting | Test_Frequency | 2480MHz   |
| Remark:   | /                  | Test_Date      | 2026/5/19 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 33.57          | 49.86          | 74.00          | 24.14       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 25.22          | 41.51          | 54.00          | 12.49       | PASS   | Vertical | AV     |

Note:  
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level =Receiver Reading - Correct Factor  
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

## 5 Appendix A

Refer to Appendix: Bluetooth Classic of EED32S810647.

## 6 PHOTOGRAPHS

Refer to Appendix Photographs of Report No. EED32R810204.

## Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

\*\*\* End of Report \*\*\*