


Report No.: BKC25114975LE-1
FCC ID:2AY3H-AF82
FCC_BLE (Part15.247) Test Data

Table of Contents

1. -6dB Bandwidth	3
2. 99% Occupied Bandwidth	5
3. Duty Cycle	7
4. Peak Output Power	9
5. Power Spectral Density	11
6. Bandedge	13
7. Spurious Emission	15

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	521.87	500	Pass
NVNT	ANT1	1Mbps	2440.00	535.19	500	Pass
NVNT	ANT1	1Mbps	2480.00	536.40	500	Pass



-6dB_Bandwidth_NVNT_ANT1_1Mbps_2480

2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW (MHz)
NVNT	ANT1	1Mbps	2402.00	1.149
NVNT	ANT1	1Mbps	2440.00	1.191
NVNT	ANT1	1Mbps	2480.00	1.192





99% Occupied Bandwidth NVNT ANT1 1Mbps 2480




3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	15.63	8.06
NVNT	ANT1	1Mbps	2440.00	12.90	8.89
NVNT	ANT1	1Mbps	2480.00	12.90	8.89





Duty Cycle_NVNT_ANT1_1Mbps_2480




4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	1.03	1.27	1000	Pass
NVNT	ANT1	1Mbps	2440.00	0.56	1.14	1000	Pass
NVNT	ANT1	1Mbps	2480.00	0.32	1.08	1000	Pass



Peak_Output_Power_NVNT_ANT1_1Mbps_2480




5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm/3kHz)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-19.40	8	Pass
NVNT	ANT1	1Mbps	2440.00	-19.85	8	Pass
NVNT	ANT1	1Mbps	2480.00	-20.45	8	Pass




Power_Spectral_Density_NVNT_ANT1_1Mbps_2480




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2378.020	0.868	-46.563	-19.132	Pass
NVNT	ANT1	1Mbps	2480.00	2496.900	0.181	-56.761	-19.819	Pass







2_Bandedge_NVNT_ANT1_1Mbps_2480




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	0.868	-45.370	-19.132	Pass
NVNT	ANT1	1Mbps	2440.00	0.402	-45.276	-19.598	Pass
NVNT	ANT1	1Mbps	2480.00	0.181	-46.704	-19.819	Pass





2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480

