



Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.000	58.27	-4.80	53.47	74.00	20.53	Peak
2	5350.000	46.32	-4.80	41.52	54.00	12.48	Average

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax80 Middle Channel 5210MHz Band 1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5150.000	57.52	-5.22	52.30	74.00	21.70	Peak
2	5150.000	45.69	-5.22	40.47	54.00	13.53	Average
3	5350.000	57.94	-4.80	53.14	74.00	20.86	Peak
4	5350.000	46.48	-4.80	41.68	54.00	12.32	Average


Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax80 Middle Channel 5210MHz Band 1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5150.000	58.23	-5.22	53.01	74.00	20.99	Peak
2	5150.000	46.50	-5.22	41.28	54.00	12.72	Average
3	5350.000	58.60	-4.80	53.80	74.00	20.20	Peak
4	5350.000	46.17	-4.80	41.37	54.00	12.63	Average


5725-5850MHz:

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.68	-4.41	57.27	68.20	10.93	Peak
2	5700.000	61.33	-4.49	56.84	105.20	48.36	Peak
3	5720.000	61.64	-4.54	57.10	110.80	53.70	Peak
4	5725.000	62.18	-4.54	57.64	122.20	64.56	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.90	-4.41	57.49	68.20	10.71	Peak
2	5700.000	62.14	-4.49	57.65	105.20	47.55	Peak
3	5720.000	62.35	-4.54	57.81	110.80	52.99	Peak
4	5725.000	62.69	-4.54	58.15	122.20	64.05	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.92	-4.73	58.19	122.20	64.01	Peak
2	5855.000	62.94	-4.71	58.23	110.80	52.57	Peak
3	5875.000	63.48	-4.64	58.84	105.20	46.36	Peak
4	5925.000	62.46	-4.34	58.12	68.20	10.08	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	63.65	-4.73	58.92	122.20	63.28	Peak
2	5855.000	63.24	-4.71	58.53	110.80	52.27	Peak
3	5875.000	63.54	-4.64	58.90	105.20	46.30	Peak
4	5925.000	63.77	-4.34	59.43	68.20	8.77	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.87	-4.41	57.46	68.20	10.74	Peak
2	5700.000	61.78	-4.49	57.29	105.20	47.91	Peak
3	5720.000	62.22	-4.54	57.68	110.80	53.12	Peak
4	5725.000	62.57	-4.54	58.03	122.20	64.17	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	62.05	-4.41	57.64	68.20	10.56	Peak
2	5700.000	62.33	-4.49	57.84	105.20	47.36	Peak
3	5720.000	62.21	-4.54	57.67	110.80	53.13	Peak
4	5725.000	64.37	-4.54	59.83	122.20	62.37	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	63.40	-4.73	58.67	122.20	63.53	Peak
2	5855.000	63.56	-4.71	58.85	110.80	51.95	Peak
3	5875.000	63.64	-4.64	59.00	105.20	46.20	Peak
4	5925.000	62.84	-4.34	58.50	68.20	9.70	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.48	-4.73	57.75	122.20	64.45	Peak
2	5855.000	63.23	-4.71	58.52	110.80	52.28	Peak
3	5875.000	63.41	-4.64	58.77	105.20	46.43	Peak
4	5925.000	62.91	-4.34	58.57	68.20	9.63	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.64	-4.41	57.23	68.20	10.97	Peak
2	5700.000	62.50	-4.49	58.01	105.20	47.19	Peak
3	5720.000	61.83	-4.54	57.29	110.80	53.51	Peak
4	5725.000	62.12	-4.54	57.58	122.20	64.62	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.20	-4.41	56.79	68.20	11.41	Peak
2	5700.000	61.69	-4.49	57.20	105.20	48.00	Peak
3	5720.000	63.85	-4.54	59.31	110.80	51.49	Peak
4	5725.000	65.68	-4.54	61.14	122.20	61.06	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.45	-4.73	57.72	122.20	64.48	Peak
2	5855.000	62.55	-4.71	57.84	110.80	52.96	Peak
3	5875.000	62.94	-4.64	58.30	105.20	46.90	Peak
4	5925.000	62.45	-4.34	58.11	68.20	10.09	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.008	60.82	-4.73	56.09	122.18	66.09	Peak
2	5855.000	60.73	-4.71	56.02	110.80	54.78	Peak
3	5875.000	61.31	-4.64	56.67	105.20	48.53	Peak
4	5925.000	61.65	-4.34	57.31	68.20	10.89	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.45	-4.41	57.04	68.20	11.16	Peak
2	5700.000	61.28	-4.49	56.79	105.20	48.41	Peak
3	5720.000	62.54	-4.54	58.00	110.80	52.80	Peak
4	5725.000	61.85	-4.54	57.31	122.20	64.89	Peak
5	5850.000	61.86	-4.73	57.13	122.20	65.07	Peak
6	5855.000	63.09	-4.71	58.38	110.80	52.42	Peak
7	5875.000	62.95	-4.64	58.31	105.20	46.89	Peak
8	5925.000	62.96	-4.34	58.62	68.20	9.58	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.42	-4.41	57.01	68.20	11.19	Peak
2	5700.000	62.28	-4.49	57.79	105.20	47.41	Peak
3	5720.000	62.54	-4.54	58.00	110.80	52.80	Peak
4	5725.000	64.85	-4.54	60.31	122.20	61.89	Peak
5	5850.000	62.59	-4.73	57.86	122.20	64.34	Peak
6	5855.000	63.33	-4.71	58.62	110.80	52.18	Peak
7	5875.000	63.50	-4.64	58.86	105.20	46.34	Peak
8	5925.000	62.98	-4.34	58.64	68.20	9.56	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.23	-4.41	56.82	68.20	11.38	Peak
2	5700.000	61.21	-4.49	56.72	105.20	48.48	Peak
3	5720.000	61.74	-4.54	57.20	110.80	53.60	Peak
4	5725.000	61.75	-4.54	57.21	122.20	64.99	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.24	-4.41	56.83	68.20	11.37	Peak
2	5700.000	62.65	-4.49	58.16	105.20	47.04	Peak
3	5720.000	62.29	-4.54	57.75	110.80	53.05	Peak
4	5725.000	63.23	-4.54	58.69	122.20	63.51	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.26	-4.73	57.53	122.20	64.67	Peak
2	5855.000	61.31	-4.71	56.60	110.80	54.20	Peak
3	5875.000	62.09	-4.64	57.45	105.20	47.75	Peak
4	5925.000	61.95	-4.34	57.61	68.20	10.59	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.27	-4.73	57.54	122.20	64.66	Peak
2	5855.000	61.37	-4.71	56.66	110.80	54.14	Peak
3	5875.000	61.40	-4.64	56.76	105.20	48.44	Peak
4	5925.000	61.72	-4.34	57.38	68.20	10.82	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	60.58	-4.41	56.17	68.20	12.03	Peak
2	5700.000	62.08	-4.49	57.59	105.20	47.61	Peak
3	5720.000	61.56	-4.54	57.02	110.80	53.78	Peak
4	5725.000	61.61	-4.54	57.07	122.20	65.13	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.15	-4.41	56.74	68.20	11.46	Peak
2	5700.000	62.16	-4.49	57.67	105.20	47.53	Peak
3	5720.000	61.70	-4.54	57.16	110.80	53.64	Peak
4	5725.000	62.41	-4.54	57.87	122.20	64.33	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	61.71	-4.73	56.98	122.20	65.22	Peak
2	5855.000	62.24	-4.71	57.53	110.80	53.27	Peak
3	5875.000	62.70	-4.64	58.06	105.20	47.14	Peak
4	5925.000	61.64	-4.34	57.30	68.20	10.90	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	62.57	-4.73	57.84	122.20	64.36	Peak
2	5855.000	63.17	-4.71	58.46	110.80	52.34	Peak
3	5875.000	63.13	-4.64	58.49	105.20	46.71	Peak
4	5909.132	64.42	-4.48	59.94	79.91	19.97	Peak
5	5925.000	64.46	-4.34	60.12	68.20	8.08	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5700.000	62.09	-4.49	57.60	105.20	47.60	Peak
2	5720.000	62.42	-4.54	57.88	110.80	52.92	Peak
3	5725.000	62.95	-4.54	58.41	122.20	63.79	Peak
4	5850.000	63.18	-4.73	58.45	122.20	63.75	Peak
5	5850.000	61.69	-4.73	56.96	122.20	65.24	Peak
6	5855.000	62.94	-4.71	58.23	110.80	52.57	Peak
7	5875.000	62.20	-4.64	57.56	105.20	47.64	Peak
8	5925.000	62.32	-4.34	57.98	68.20	10.22	Peak

Project No.: 2503W26909E-RF
Tester: Tao Zhu
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	61.18	-4.41	56.77	68.20	11.43	Peak
2	5700.000	61.52	-4.49	57.03	105.20	48.17	Peak
3	5720.000	61.58	-4.54	57.04	110.80	53.76	Peak
4	5725.000	61.60	-4.54	57.06	122.20	65.14	Peak
5	5850.000	62.85	-4.73	58.12	122.20	64.08	Peak
6	5855.000	62.44	-4.71	57.73	110.80	53.07	Peak
7	5875.000	62.35	-4.64	57.71	105.20	47.49	Peak
8	5925.000	62.60	-4.34	58.26	68.20	9.94	Peak

4.3 RF Conducted Data

Please refer to Annex "2503W26909E-RF-00D_Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2503W26909E-RF-EXP EUT EXTERNAL PHOTOGRAPHS
and 2503W26909E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2503W26909E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====