

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 211 of 219

				HV	5500.020	5470 to 5725	Pass
			-30	NV	5500.020	5470 to 5725	Pass
			-20	NV	5500.040	5470 to 5725	Pass
			-10	NV	5500.020	5470 to 5725	Pass
			0	NV	5500.080	5470 to 5725	Pass
			10	NV	5499.980	5470 to 5725	Pass
			30	NV	5500.040	5470 to 5725	Pass
			40	NV	5500.000	5470 to 5725	Pass
			50	NV	5500.040	5470 to 5725	Pass
		5580	20	LV	5580.020	5470 to 5725	Pass
				NV	5580.000	5470 to 5725	Pass
				HV	5580.020	5470 to 5725	Pass
			-30	NV	5580.020	5470 to 5725	Pass
			-20	NV	5580.040	5470 to 5725	Pass
			-10	NV	5579.900	5470 to 5725	Pass
			0	NV	5580.080	5470 to 5725	Pass
			10	NV	5580.020	5470 to 5725	Pass
			30	NV	5580.000	5470 to 5725	Pass
			40	NV	5580.040	5470 to 5725	Pass
			50	NV	5580.060	5470 to 5725	Pass
		5700	20	LV	5700.000	5470 to 5725	Pass
				NV	5699.920	5470 to 5725	Pass
				HV	5700.060	5470 to 5725	Pass
			-30	NV	5699.980	5470 to 5725	Pass
			-20	NV	5700.040	5470 to 5725	Pass
			-10	NV	5700.000	5470 to 5725	Pass
			0	NV	5699.980	5470 to 5725	Pass
			10	NV	5700.060	5470 to 5725	Pass
			30	NV	5700.020	5470 to 5725	Pass
			40	NV	5700.020	5470 to 5725	Pass
			50	NV	5700.060	5470 to 5725	Pass
		5745	20	LV	5745.040	5725 to 5850	Pass
				NV	5745.000	5725 to 5850	Pass
				HV	5745.020	5725 to 5850	Pass
			-30	NV	5744.960	5725 to 5850	Pass
			-20	NV	5745.000	5725 to 5850	Pass
			-10	NV	5745.000	5725 to 5850	Pass
			0	NV	5745.020	5725 to 5850	Pass
			10	NV	5744.980	5725 to 5850	Pass
			30	NV	5745.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 212 of 219

			40	NV	5745.060	5725 to 5850	Pass
			50	NV	5745.020	5725 to 5850	Pass
		5785	20	LV	5785.060	5725 to 5850	Pass
				NV	5785.020	5725 to 5850	Pass
				HV	5785.040	5725 to 5850	Pass
			-30	NV	5785.000	5725 to 5850	Pass
			-20	NV	5785.020	5725 to 5850	Pass
			-10	NV	5784.960	5725 to 5850	Pass
			0	NV	5785.080	5725 to 5850	Pass
			10	NV	5785.040	5725 to 5850	Pass
			30	NV	5785.040	5725 to 5850	Pass
			40	NV	5785.040	5725 to 5850	Pass
			50	NV	5785.040	5725 to 5850	Pass
		5825	20	LV	5825.000	5725 to 5850	Pass
				NV	5825.000	5725 to 5850	Pass
				HV	5825.080	5725 to 5850	Pass
			-30	NV	5824.980	5725 to 5850	Pass
			-20	NV	5825.020	5725 to 5850	Pass
			-10	NV	5825.020	5725 to 5850	Pass
			0	NV	5824.960	5725 to 5850	Pass
			10	NV	5825.020	5725 to 5850	Pass
			30	NV	5825.040	5725 to 5850	Pass
			40	NV	5825.000	5725 to 5850	Pass
			50	NV	5824.960	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	LV	5190.040	5150 to 5250	Pass
				NV	5190.080	5150 to 5250	Pass
				HV	5190.080	5150 to 5250	Pass
			-30	NV	5190.000	5150 to 5250	Pass
			-20	NV	5190.080	5150 to 5250	Pass
			-10	NV	5190.080	5150 to 5250	Pass
			0	NV	5190.040	5150 to 5250	Pass
			10	NV	5190.080	5150 to 5250	Pass
			30	NV	5190.120	5150 to 5250	Pass
			40	NV	5190.080	5150 to 5250	Pass
			50	NV	5190.080	5150 to 5250	Pass
		5230	20	LV	5230.080	5150 to 5250	Pass
				NV	5230.080	5150 to 5250	Pass
				HV	5230.080	5150 to 5250	Pass
			-30	NV	5230.120	5150 to 5250	Pass
			-20	NV	5230.080	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (VHT40) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 213 of 219

			-10	NV	5230.040	5150 to 5250	Pass
			0	NV	5230.040	5150 to 5250	Pass
			10	NV	5230.120	5150 to 5250	Pass
			30	NV	5230.080	5150 to 5250	Pass
			40	NV	5230.080	5150 to 5250	Pass
			50	NV	5230.040	5150 to 5250	Pass
		5270	20	LV	5270.080	5250 to 5350	Pass
				NV	5270.120	5250 to 5350	Pass
				HV	5270.040	5250 to 5350	Pass
			-30	NV	5270.080	5250 to 5350	Pass
			-20	NV	5270.120	5250 to 5350	Pass
			-10	NV	5270.080	5250 to 5350	Pass
			0	NV	5270.080	5250 to 5350	Pass
			10	NV	5270.040	5250 to 5350	Pass
			30	NV	5270.040	5250 to 5350	Pass
			40	NV	5270.120	5250 to 5350	Pass
			50	NV	5270.040	5250 to 5350	Pass
		5310	20	LV	5310.120	5250 to 5350	Pass
				NV	5310.080	5250 to 5350	Pass
				HV	5310.080	5250 to 5350	Pass
			-30	NV	5310.120	5250 to 5350	Pass
			-20	NV	5310.080	5250 to 5350	Pass
			-10	NV	5310.120	5250 to 5350	Pass
			0	NV	5310.040	5250 to 5350	Pass
			10	NV	5310.080	5250 to 5350	Pass
			30	NV	5310.080	5250 to 5350	Pass
			40	NV	5310.120	5250 to 5350	Pass
			50	NV	5310.120	5250 to 5350	Pass
		5510	20	LV	5510.040	5470 to 5725	Pass
				NV	5510.080	5470 to 5725	Pass
				HV	5510.080	5470 to 5725	Pass
			-30	NV	5510.080	5470 to 5725	Pass
			-20	NV	5510.040	5470 to 5725	Pass
			-10	NV	5510.120	5470 to 5725	Pass
			0	NV	5510.040	5470 to 5725	Pass
			10	NV	5510.040	5470 to 5725	Pass
			30	NV	5510.080	5470 to 5725	Pass
			40	NV	5510.040	5470 to 5725	Pass
			50	NV	5510.080	5470 to 5725	Pass
		5550	20	LV	5550.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 214 of 219

				NV	5550.040	5470 to 5725	Pass
				HV	5550.080	5470 to 5725	Pass
			-30	NV	5550.080	5470 to 5725	Pass
			-20	NV	5550.040	5470 to 5725	Pass
			-10	NV	5550.040	5470 to 5725	Pass
			0	NV	5550.040	5470 to 5725	Pass
			10	NV	5550.040	5470 to 5725	Pass
			30	NV	5550.080	5470 to 5725	Pass
			40	NV	5550.040	5470 to 5725	Pass
			50	NV	5550.080	5470 to 5725	Pass
		5670	20	LV	5670.080	5470 to 5725	Pass
				NV	5670.040	5470 to 5725	Pass
				HV	5670.080	5470 to 5725	Pass
			-30	NV	5670.080	5470 to 5725	Pass
			-20	NV	5670.160	5470 to 5725	Pass
			-10	NV	5670.040	5470 to 5725	Pass
			0	NV	5670.080	5470 to 5725	Pass
			10	NV	5670.040	5470 to 5725	Pass
			30	NV	5670.080	5470 to 5725	Pass
			40	NV	5670.040	5470 to 5725	Pass
			50	NV	5670.040	5470 to 5725	Pass
		5755	20	LV	5755.080	5725 to 5850	Pass
				NV	5755.080	5725 to 5850	Pass
				HV	5755.000	5725 to 5850	Pass
			-30	NV	5755.080	5725 to 5850	Pass
			-20	NV	5755.080	5725 to 5850	Pass
			-10	NV	5755.080	5725 to 5850	Pass
			0	NV	5755.080	5725 to 5850	Pass
			10	NV	5755.120	5725 to 5850	Pass
			30	NV	5755.080	5725 to 5850	Pass
			40	NV	5755.080	5725 to 5850	Pass
			50	NV	5755.080	5725 to 5850	Pass
		5795	20	LV	5795.080	5725 to 5850	Pass
				NV	5795.040	5725 to 5850	Pass
				HV	5795.080	5725 to 5850	Pass
			-30	NV	5795.080	5725 to 5850	Pass
			-20	NV	5795.080	5725 to 5850	Pass
			-10	NV	5795.080	5725 to 5850	Pass
			0	NV	5795.080	5725 to 5850	Pass
			10	NV	5795.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing, Training & QC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 215 of 219

			30	NV	5795.040	5725 to 5850	Pass
			40	NV	5794.960	5725 to 5850	Pass
			50	NV	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	LV	5210.075	5150 to 5250	Pass
				NV	5210.075	5150 to 5250	Pass
				HV	5210.150	5150 to 5250	Pass
			-30	NV	5210.075	5150 to 5250	Pass
			-20	NV	5210.075	5150 to 5250	Pass
			-10	NV	5210.075	5150 to 5250	Pass
			0	NV	5210.075	5150 to 5250	Pass
			10	NV	5210.150	5150 to 5250	Pass
			30	NV	5210.075	5150 to 5250	Pass
			40	NV	5210.150	5150 to 5250	Pass
			50	NV	5210.075	5150 to 5250	Pass
		5290	20	LV	5290.075	5250 to 5350	Pass
				NV	5290.075	5250 to 5350	Pass
				HV	5290.075	5250 to 5350	Pass
			-30	NV	5290.075	5250 to 5350	Pass
			-20	NV	5290.075	5250 to 5350	Pass
			-10	NV	5290.075	5250 to 5350	Pass
			0	NV	5290.150	5250 to 5350	Pass
			10	NV	5290.150	5250 to 5350	Pass
			30	NV	5290.075	5250 to 5350	Pass
			40	NV	5290.075	5250 to 5350	Pass
			50	NV	5290.150	5250 to 5350	Pass
		5530	20	LV	5530.075	5470 to 5725	Pass
				NV	5530.075	5470 to 5725	Pass
				HV	5530.075	5470 to 5725	Pass
			-30	NV	5530.075	5470 to 5725	Pass
			-20	NV	5530.075	5470 to 5725	Pass
			-10	NV	5530.075	5470 to 5725	Pass
			0	NV	5530.075	5470 to 5725	Pass
			10	NV	5530.075	5470 to 5725	Pass
			30	NV	5530.075	5470 to 5725	Pass
			40	NV	5530.075	5470 to 5725	Pass
			50	NV	5530.075	5470 to 5725	Pass
		5610	20	LV	5610.075	5470 to 5725	Pass
				NV	5610.075	5470 to 5725	Pass
				HV	5610.075	5470 to 5725	Pass
			-30	NV	5610.075	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (VHT80) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251100510605

Page: 216 of 219

			-20	NV	5610.075	5470 to 5725	Pass
			-10	NV	5610.075	5470 to 5725	Pass
			0	NV	5610.075	5470 to 5725	Pass
			10	NV	5610.075	5470 to 5725	Pass
			30	NV	5610.075	5470 to 5725	Pass
			40	NV	5610.000	5470 to 5725	Pass
			50	NV	5610.075	5470 to 5725	Pass
		5775	20	LV	5775.075	5725 to 5850	Pass
				NV	5775.000	5725 to 5850	Pass
				HV	5775.075	5725 to 5850	Pass
			-30	NV	5775.075	5725 to 5850	Pass
			-20	NV	5775.075	5725 to 5850	Pass
			-10	NV	5775.075	5725 to 5850	Pass
			0	NV	5775.150	5725 to 5850	Pass
			10	NV	5775.075	5725 to 5850	Pass
			30	NV	5775.150	5725 to 5850	Pass
			40	NV	5775.075	5725 to 5850	Pass
			50	NV	5775.075	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6. DFS:

6.1 Test Result



Duty cycle





Radar



5290



5530



- End of the Report -