

MEASUREMENT 1

Device under Test Properties

Manufacturer	Model	Dimensions [mm]	Speaker Position[mm]
		165.0×76.0×10.0	163

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4092	2025-07-19	DAE4 Sn1711	2025-11-11

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency[MHz]
GSM850	GSM-FDD (TDMA,GMSK)	128	824.2

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50×50} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
31.06	29.79	3.63	33.42



MEASUREMENT 2

Device under Test Properties

Manufacturer	Model	Dimensions [mm]	Speaker Position[mm]
		165.0×76.0×10.0	163

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4092	2025-07-19	DAE4 Sn1711	2025-11-11

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency[MHz]
GSM850	GSM-FDD (TDMA,GMSK)	190	836.6

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50×50} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
31.92	30.63	3.63	34.26



MEASUREMENT 3

Device under Test Properties

Manufacturer	Model	Dimensions [mm]	Speaker Position[mm]
		165.0×76.0×10.0	163

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4092	2025-07-19	DAE4 Sn1711	2025-11-11

Communication Systems

Band Name	Communication Systems Name	Channel	Frequency[MHz]
GSM850	GSM-FDD (TDMA,GMSK)	251	848.8

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50×50} [dB(V/m)]	MIF [dB]	R _{Fail} [dB(V/m)]
31.04	29.79	3.63	33.42

