


Meas.1 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
577	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.54



Meas.2 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
565	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4182	836.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.48



Meas.3 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
578	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.6	2.0



Meas.4 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
574	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.32	2.0



Meas.5 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
576	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.84	2.0



Meas.6 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
575	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.57	2.0



Meas.7 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
575	676	26	26

707.5



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.68	2.0



Meas.8 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
554	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.98	1.6



Meas.9 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
568	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.27	1.72



Meas.10 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
577	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.25	2.0



Meas.11 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
390	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.77



Meas.12 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
391	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a WiFi (OFDM, 6Mbps)	44	5220.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.58



Meas.13 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
576	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
GSM 850	EDGE-FDD (TDMA, 8PSK)	190	836.6

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.14 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
562	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, HSPA+)	4182	836.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Meas.15 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
577	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.57	2.0



Meas.16 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
574	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.44	2.0



Meas.17 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
575	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.58	2.0



Meas.18 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
575	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.85	2.0



Meas.19 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
569	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.49	2.0



Meas.20 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
558	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.59	1.33



Meas.21 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
570	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133322	683.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.23	2.0



Meas.22 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
574	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.72	1.65



Meas.23 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
389	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.99	1.94



Meas.24 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
388	676	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2025	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11a WiFi (OFDM, 6Mbps)	44	5220.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.73

