Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0

Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max

Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#Max

Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0

Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0

Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0

Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2486.408	-40.79	-25
2	2490	2495	1000	2494.53	-38.21	-13
3	2495	2496	51	2495.915	-51.33	-13

Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.904	-40.31	-25
2	2490	2495	1000	2495	-14.98	-13
3	2495	2496	51	2496	-30.92	-13

Band41 QAM16 BW=5MHz Channel=39675 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.604	-40.45	-25
2	2490	2495	1000	2494.995	-15.63	-13
3	2495	2496	51	2495.949	-33.6	-13

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.984	-39.63	-25
2	2490	2495	1000	2495	-25.86	-13
3	2495	2496	51	2495.98	-38.18	-13

Band41 QAM16 BW=5MHz Channel=39675 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.772	-40.82	-25
2	2490	2495	1000	2494.465	-35.14	-13
3	2495	2496	51	2495.997	-52.09	-13

Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.848	-40.21	-25
2	2490	2495	1000	2494.98	-28.23	-13
3	2495	2496	51	2495.984	-40.47	-13

Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.142	-48.71	-10
3	2691	2695	1000	2691.756	-37.26	-10
4	2695	2696	1000	2695.058	-38.5	-13
5	2696	2700	1000	2697.172	-39.8	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.026	-26.76	-10
3	2691	2695	1000	2691.008	-16.4	-10
4	2695	2696	1000	2695.015	-35.97	-13
5	2696	2700	1000	2697.656	-39.61	-25

Band41 QAM16 BW=5MHz Channel=41565 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.219	-48.37	-10
3	2691	2695	1000	2691.488	-36.38	-10
4	2695	2696	1000	2695.335	-39.27	-13
5	2696	2700	1000	2697.876	-39.97	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.043	-41.71	-10
3	2691	2695	1000	2691.008	-28.68	-10
4	2695	2696	1000	2695.154	-38.46	-13
5	2696	2700	1000	2696.908	-39.32	-25

Band41 QAM16 BW=5MHz Channel=41565 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.037	-29.16	-10
3	2691	2695	1000	2691.02	-15.78	-10
4	2695	2696	1000	2695.265	-37.27	-13
5	2696	2700	1000	2696.188	-39.94	-25

Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	100	2690.361	-39.27	-10
3	2691	2695	1000	2691.052	-28.47	-10
4	2695	2696	1000	2695.159	-37.11	-13
5	2696	2700	1000	2696.152	-38.79	-25

Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.54	-40.23	-25
2	2486	2495	1000	2495	-26.36	-13
3	2495	2496	100	2495.986	-33.27	-13

Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.725	-40.32	-25
2	2486	2495	1000	2494.847	-32.9	-13
3	2495	2496	100	2495.911	-40.2	-13

Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2483.635	-40.75	-25
2	2486	2495	1000	2493.785	-40.04	-13
3	2495	2496	100	2495.924	-50.16	-13

Band41 QAM16 BW=10MHz Channel=39700 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.65	-39.5	-25
2	2486	2495	1000	2495	-24.73	-13
3	2495	2496	100	2495.985	-31.56	-13

Band41 QAM16 BW=10MHz Channel=39700 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.575	-40.32	-25
2	2486	2495	1000	2493.992	-39.73	-13
3	2495	2496	100	2495.106	-49.68	-13

Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2484.245	-40.05	-25
2	2486	2495	1000	2494.307	-32.9	-13
3	2495	2496	100	2495.615	-40.51	-13

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.074	-27.68	-10
3	2691	2695	1000	2691.004	-27.34	-10
4	2695	2700	1000	2695.345	-36.37	-13
5	2700	2702.5	1000	2701.06	-38.43	-25

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.461	-45.62	-10
3	2691	2695	1000	2691.348	-37.62	-10
4	2695	2700	1000	2695.66	-39.12	-13
5	2700	2702.5	1000	2702.2875	-39.48	-25

Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.009	-37.36	-10
3	2691	2695	1000	2691.048	-32.46	-10
4	2695	2700	1000	2695.225	-35.17	-13
5	2700	2702.5	1000	2700.265	-39.09	-25

Band41 QAM16 BW=10MHz Channel=41540 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.001	-43.39	-10
3	2691	2695	1000	2693.788	-36.92	-10
4	2695	2700	1000	2695.585	-38.39	-13
5	2700	2702.5	1000	2702.4025	-39.61	-25

Band41 QAM16 BW=10MHz Channel=41540 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.008	-26.38	-10
3	2691	2695	1000	2691.008	-26.64	-10
4	2695	2700	1000	2695.15	-32.95	-13
5	2700	2702.5	1000	2701.3475	-37.04	-25

Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	200	2690.057	-38.57	-10
3	2691	2695	1000	2691.06	-31.82	-10
4	2695	2700	1000	2695.505	-35.48	-13
5	2700	2702.5	1000	2700.235	-38.19	-25

Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2479.29375	-40.55	-25
2	2481	2495	1000	2494.986	-30.16	-13
3	2495	2496	150	2495.895	-33.89	-13

Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2478.6525	-40.69	-25
2	2481	2495	1000	2494.748	-40.31	-13
3	2495	2496	150	2495.949	-48.33	-13

Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2480.73375	-40.67	-25
2	2481	2495	1000	2494.482	-32.99	-13
3	2495	2496	150	2495.84	-40.87	-13

Band41 QAM16 BW=15MHz Channel=39725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2478.24	-40.71	-25
2	2481	2495	1000	2493.488	-33.23	-13
3	2495	2496	150	2495.93	-34.63	-13

Band41 QAM16 BW=15MHz Channel=39725 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2478.72375	-40.94	-25
2	2481	2495	1000	2494.706	-40.04	-13
3	2495	2496	150	2495.889	-48.41	-13

Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2480.28	-40.67	-25
2	2481	2495	1000	2494.972	-34.36	-13
3	2495	2496	150	2495.538	-40.19	-13

Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.201	-44.71	-10
3	2691	2695	1000	2692.228	-39.45	-10
4	2695	2705	1000	2695.41	-39.69	-13
5	2705	2708.75	1000	2708.33	-39.95	-25

Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.062	-37.84	-10
3	2691	2695	1000	2691.752	-33.58	-10
4	2695	2705	1000	2696.35	-36.96	-13
5	2705	2708.75	1000	2705.435	-39.85	-25

Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.048	-29.25	-10
3	2691	2695	1000	2691.232	-30.56	-10
4	2695	2705	1000	2696.16	-39.45	-13
5	2705	2708.75	1000	2706.2225	-39.95	-25

Band41 QAM16 BW=15MHz Channel=41515 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.073	-44.87	-10
3	2691	2695	1000	2691.524	-39.77	-10
4	2695	2705	1000	2695.25	-39.9	-13
5	2705	2708.75	1000	2708.2925	-39.99	-25

Band41 QAM16 BW=15MHz Channel=41515 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.021	-28.09	-10
3	2691	2695	1000	2691.04	-27.25	-10
4	2695	2705	1000	2695.05	-37.59	-13
5	2705	2708.75	1000	2708.03	-39.7	-25

Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	300	2690.032	-38.41	-10
3	2691	2695	1000	2691.8	-34.91	-10
4	2695	2705	1000	2696.25	-36.59	-13
5	2705	2708.75	1000	2707.94	-39.48	-25

Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2475.89	-40.84	-25
2	2476	2495	1000	2494.126	-40.59	-13
3	2495	2496	200	2495.168	-47.57	-13

Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2472.905	-40.59	-25
2	2476	2495	1000	2490.744	-38.69	-13
3	2495	2496	200	2495.923	-33.75	-13

Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2475.39	-40.67	-25
2	2476	2495	1000	2494.335	-34.87	-13
3	2495	2496	200	2495.667	-40.44	-13

Band41 QAM16 BW=20MHz Channel=39750 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2473.525	-40.74	-25
2	2476	2495	1000	2493.499	-40.75	-13
3	2495	2496	200	2495.403	-47.29	-13

Band41 QAM16 BW=20MHz Channel=39750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2471.205	-40.83	-25
2	2476	2495	1000	2494.924	-30.65	-13
3	2495	2496	200	2495.989	-34.19	-13

Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2475.755	-40.86	-25
2	2476	2495	1000	2494.411	-35.76	-13
3	2495	2496	200	2495.269	-40.93	-13

Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.038	-30.08	-10
3	2691	2695	1000	2691.156	-31.45	-10
4	2695	2710	1000	2695.315	-36.23	-13
5	2710	2715	1000	2713.495	-39.9	-25

Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.643	-43.14	-10
3	2691	2695	1000	2694.48	-39.69	-10
4	2695	2710	1000	2700.595	-39.87	-13
5	2710	2715	1000	2710.055	-39.92	-25

Band41 QAM16 BW=20MHz Channel=41490 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.441	-43.27	-10
3	2691	2695	1000	2693.492	-39.73	-10
4	2695	2710	1000	2695.135	-39.88	-13
5	2710	2715	1000	2710.765	-40.03	-25

Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.187	-38.37	-10
3	2691	2695	1000	2691.028	-36.51	-10
4	2695	2710	1000	2696.005	-38.36	-13
5	2710	2715	1000	2714.395	-39.81	-25

Band41 QAM16 BW=20MHz Channel=41490 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.365	-28.68	-10
3	2691	2695	1000	2691.624	-29.62	-10
4	2695	2710	1000	2696.71	-36.57	-13
5	2710	2715	1000	2714.69	-39.96	-25

Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2690	2691	430	2690.357	-38.07	-10
3	2691	2695	1000	2691.136	-35.88	-10
4	2695	2710	1000	2695.675	-37.53	-13
5	2710	2715	1000	2712.185	-39.64	-25

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0

Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0

Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max

Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0

Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0

Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0

Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0

Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0

Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max

Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0

Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0

Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0

Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.1015	-40.7	-25
2	2490.5	2496	1000	2495.1585	-40.69	-13
3	2496	2499	1000	2499	-32.77	-10
4	2499	2500	100	2499.983	-27.73	-10

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.4306	-40.7	-25
2	2490.5	2496	1000	2495.648	-39.75	-13
3	2496	2499	1000	2496.909	-40.65	-10
4	2499	2500	100	2499.868	-50.21	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.322	-40.76	-25
2	2490.5	2496	1000	2493.8275	-40.73	-13
3	2496	2499	1000	2498.979	-16.6	-10
4	2499	2500	100	2499.997	-29.84	-10

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.23	-40.69	-25
2	2490.5	2496	1000	2495.4115	-38.3	-13
3	2496	2499	1000	2498.985	-27.37	-10
4	2499	2500	100	2499.995	-38.03	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.371	-40.57	-25
2	2490.5	2496	1000	2495.989	-39.24	-13
3	2496	2499	1000	2499	-27.24	-10
4	2499	2500	100	2499.99	-39.69	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.117	-40.69	-25
2	2490.5	2496	1000	2493.2665	-40.36	-13
3	2496	2499	1000	2496.243	-40.36	-10
4	2499	2500	100	2499.475	-49.59	-10

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.209	-48.14	-10
3	2571	2575	1000	2571.192	-40.39	-10
4	2575	2576	1000	2575.96	-40.47	-13
5	2576	2580	1000	2577.56	-40.45	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.014	-38.95	-10
3	2571	2575	1000	2571.008	-27.93	-10
4	2575	2576	1000	2575.049	-37.72	-13
5	2576	2580	1000	2576.072	-39.02	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.025	-23.95	-10
3	2571	2575	1000	2571.004	-12.9	-10
4	2575	2576	1000	2575.539	-39.73	-13
5	2576	2580	1000	2576.388	-40.37	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.576	-49.5	-10
3	2571	2575	1000	2573.612	-40.32	-10
4	2575	2576	1000	2575.047	-40.44	-13
5	2576	2580	1000	2578.948	-40.52	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.013	-26.08	-10
3	2571	2575	1000	2571.004	-13.54	-10
4	2575	2576	1000	2575.071	-40.45	-13
5	2576	2580	1000	2576.88	-40.5	-25