


Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.25	51.33	68.20	16.87	PASS	Horizont	PK
2	5150	24.08	13.52	37.60	54.00	16.40	PASS	Horizont	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.85	50.93	68.20	17.27	PASS	Vertical	PK
2	5150	24.08	14.12	38.20	54.00	15.80	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.13	52.21	68.20	15.99	PASS	Horizontal	PK
2	5150	24.08	13.60	37.68	54.00	16.32	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.93	51.01	68.20	17.19	PASS	Vertical	PK
2	5150	24.08	14.33	38.41	54.00	15.59	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.91	50.99	68.20	17.21	PASS	Horizont	PK
2	5150	24.08	13.44	37.52	54.00	16.48	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.76	50.84	68.20	17.36	PASS	Vertical	PK
2	5150	24.08	14.19	38.27	54.00	15.73	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.41	51.49	68.20	16.71	PASS	Horizontal	PK
2	5150	24.08	14.01	38.09	54.00	15.91	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.66	52.74	68.20	15.46	PASS	Vertical	PK
2	5150	24.08	14.09	38.17	54.00	15.83	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/10

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.42	51.50	68.20	16.70	PASS	Horizont	PK
2	5150	24.08	14.01	38.09	54.00	15.91	PASS	Horizont	AV