


Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2442.3777	16.46	33.92	50.38	68.20	17.82	PASS	Vertical	PK
2	4963.4585	24.93	32.06	56.99	74.00	17.01	PASS	Vertical	PK
3	6490.7596	28.59	31.11	59.70	68.20	8.50	PASS	Vertical	PK
4	9666.1083	1.16	53.13	54.29	68.20	13.91	PASS	Vertical	PK
5	14318.6659	8.62	49.50	58.12	68.20	10.08	PASS	Vertical	PK
6	17043.7272	12.39	49.91	62.30	68.20	5.90	PASS	Vertical	PK
7	4997.9999	24.97	10.35	35.32	54.00	18.68	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18486.6595	-26.70	62.03	35.33	74.00	38.67	PASS	Horizontal	PK
2	21692.6277	-25.64	59.72	34.08	68.20	34.12	PASS	Horizontal	PK
3	25246.2098	-21.13	56.79	35.66	68.20	32.54	PASS	Horizontal	PK
4	28717.9487	-21.67	56.47	34.80	68.20	33.40	PASS	Horizontal	PK
5	32428.1771	-18.16	53.30	35.14	68.20	33.06	PASS	Horizontal	PK
6	36638.2655	-15.97	48.66	32.69	68.20	35.51	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18504.2602	-26.69	61.57	34.88	74.00	39.12	PASS	Vertical	PK
2	21709.3484	-25.63	60.78	35.15	68.20	33.05	PASS	Vertical	PK
3	25531.3413	-20.96	55.46	34.50	68.20	33.70	PASS	Vertical	PK
4	29633.1853	-20.66	56.51	35.85	68.20	32.35	PASS	Vertical	PK
5	33625.905	-17.38	51.56	34.18	68.20	34.02	PASS	Vertical	PK
6	38051.6021	-14.79	47.45	32.66	68.20	35.54	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2482.4193	16.65	34.11	50.76	68.20	17.44	PASS	Horizontal	PK
2	5105.1442	26.32	32.07	58.39	74.00	15.61	PASS	Horizontal	PK
3	6496.2598	28.41	32.52	60.93	68.20	7.27	PASS	Horizontal	PK
4	9661.5081	1.17	53.46	54.63	68.20	13.57	PASS	Horizontal	PK
5	14357.7679	8.99	49.16	58.15	68.20	10.05	PASS	Horizontal	PK
6	17583.1042	14.04	47.54	61.58	68.20	6.62	PASS	Horizontal	PK
7	5145.8458	27.49	8.76	36.25	54.00	17.75	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2470.0988	16.80	33.12	49.92	68.20	18.28	PASS	Vertical	PK
2	5119.6648	27.01	31.57	58.58	74.00	15.42	PASS	Vertical	PK
3	6460.3984	28.25	32.20	60.45	68.20	7.75	PASS	Vertical	PK
4	9652.8826	1.17	53.56	54.73	68.20	13.47	PASS	Vertical	PK
5	13714.3107	7.25	51.62	58.87	68.20	9.33	PASS	Vertical	PK
6	17572.1786	13.98	47.82	61.80	68.20	6.40	PASS	Vertical	PK
7	5143.8658	27.49	8.80	36.29	54.00	17.71	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18592.2637	-26.69	61.95	35.26	74.00	38.74	PASS	Horizontal	PK
2	21665.3466	-25.67	61.01	35.34	68.20	32.86	PASS	Horizontal	PK
3	25196.9279	-21.06	56.37	35.31	68.20	32.89	PASS	Horizontal	PK
4	28805.9522	-21.48	56.79	35.31	68.20	32.89	PASS	Horizontal	PK
5	32402.6561	-18.04	54.04	36.00	68.20	32.20	PASS	Horizontal	PK
6	38928.9972	-12.99	46.99	34.00	68.20	34.20	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18681.1472	-26.53	62.03	35.50	74.00	38.50	PASS	Vertical	PK
2	21939.9176	-25.72	60.46	34.74	68.20	33.46	PASS	Vertical	PK
3	25279.6512	-21.20	56.71	35.51	68.20	32.69	PASS	Vertical	PK
4	27877.5151	-21.12	57.06	35.94	68.20	32.26	PASS	Vertical	PK
5	32411.4565	-18.08	53.04	34.96	68.20	33.24	PASS	Vertical	PK
6	36610.1044	-15.80	48.88	33.08	68.20	35.12	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2425.657	16.35	34.16	50.51	68.20	17.69	PASS	Horizontal	PK
2	5110.4244	26.54	31.49	58.03	74.00	15.97	PASS	Horizontal	PK
3	6484.8194	28.65	32.46	61.11	68.20	7.09	PASS	Horizontal	PK
4	9592.5046	1.19	53.14	54.33	68.20	13.87	PASS	Horizontal	PK
5	13720.061	7.24	50.52	57.76	68.20	10.44	PASS	Horizontal	PK
6	17579.654	14.02	47.75	61.77	68.20	6.43	PASS	Horizontal	PK
7	5148.7059	27.50	8.70	36.20	54.00	17.80	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2421.6969	16.34	34.22	50.56	68.20	17.64	PASS	Vertical	PK
2	5128.9052	27.46	30.59	58.05	74.00	15.95	PASS	Vertical	PK
3	6478.2191	28.60	32.33	60.93	68.20	7.27	PASS	Vertical	PK
4	9667.2584	1.16	53.11	54.27	68.20	13.93	PASS	Vertical	PK
5	14283.5892	8.54	49.51	58.05	68.20	10.15	PASS	Vertical	PK
6	17003.4752	12.65	49.48	62.13	68.20	6.07	PASS	Vertical	PK
7	5146.5059	27.49	8.49	35.98	54.00	18.02	PASS	Vertical	AV