


|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18545.6218  | -26.69      | 61.97          | 35.28          | 74.00          | 38.72       | PASS   | Horizontal | PK     |
| 2              | 21796.4719  | -25.53      | 60.16          | 34.63          | 68.20          | 33.57       | PASS   | Horizontal | PK     |
| 3              | 25247.0899  | -21.13      | 56.23          | 35.10          | 68.20          | 33.10       | PASS   | Horizontal | PK     |
| 4              | 29131.5653  | -21.42      | 56.43          | 35.01          | 68.20          | 33.19       | PASS   | Horizontal | PK     |
| 5              | 32356.0142  | -18.32      | 53.42          | 35.10          | 68.20          | 33.10       | PASS   | Horizontal | PK     |
| 6              | 38522.4209  | -13.81      | 46.01          | 32.20          | 68.20          | 36.00       | PASS   | Horizontal | PK     |

|           |                                 |                |           |
|-----------|---------------------------------|----------------|-----------|
| Test_Mode | 802.11 ax(HE40)<br>Transmitting | Test_Frequency | 5230MHz   |
| Remark:   | /                               | Test_Date      | 2026/6/12 |

Test Graph




| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18721.6289  | -26.45      | 61.33          | 34.88          | 74.00          | 39.12       | PASS   | Vertical | PK     |
| 2              | 21823.7529  | -25.57      | 60.37          | 34.80          | 68.20          | 33.40       | PASS   | Vertical | PK     |
| 3              | 25154.6862  | -21.29      | 56.46          | 35.17          | 68.20          | 33.03       | PASS   | Vertical | PK     |
| 4              | 28291.1316  | -21.39      | 56.84          | 35.45          | 68.20          | 32.75       | PASS   | Vertical | PK     |
| 5              | 32358.6543  | -18.30      | 53.56          | 35.26          | 68.20          | 32.94       | PASS   | Vertical | PK     |
| 6              | 38643.8658  | -13.83      | 46.98          | 33.15          | 68.20          | 35.05       | PASS   | Vertical | PK     |

U-NII-2A:

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5260MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2540.5016   | 16.70       | 33.39          | 50.09          | 68.20          | 18.11       | PASS   | Horizontal | PK     |
| 2              | 5105.1442   | 26.32       | 31.55          | 57.87          | 74.00          | 16.13       | PASS   | Horizontal | PK     |
| 3              | 6448.0779   | 28.34       | 32.15          | 60.49          | 68.20          | 7.71        | PASS   | Horizontal | PK     |
| 4              | 9628.7314   | 1.20        | 52.90          | 54.10          | 68.20          | 14.10       | PASS   | Horizontal | PK     |
| 5              | 13693.0347  | 7.15        | 50.76          | 57.91          | 68.20          | 10.29       | PASS   | Horizontal | PK     |
| 6              | 17589.4295  | 14.07       | 47.74          | 61.81          | 68.20          | 6.39        | PASS   | Horizontal | PK     |
| 7              | 5147.1659   | 27.49       | 8.64           | 36.13          | 54.00          | 17.87       | PASS   | Horizontal | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5260MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2521.8009   | 16.78       | 34.41          | 51.19          | 68.20          | 17.01       | PASS   | Vertical | PK     |
| 2              | 5030.7812   | 25.30       | 32.64          | 57.94          | 74.00          | 16.06       | PASS   | Vertical | PK     |
| 3              | 6486.1394   | 28.64       | 31.42          | 60.06          | 68.20          | 8.14        | PASS   | Vertical | PK     |
| 4              | 9611.4806   | 1.24        | 52.69          | 53.93          | 68.20          | 14.27       | PASS   | Vertical | PK     |
| 5              | 14353.7427  | 8.98        | 49.03          | 58.01          | 68.20          | 10.19       | PASS   | Vertical | PK     |
| 6              | 17576.7788  | 14.01       | 48.45          | 62.46          | 68.20          | 5.74        | PASS   | Vertical | PK     |
| 7              | 5013.1805   | 25.16       | 10.31          | 35.47          | 54.00          | 18.53       | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5260MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18616.9047  | -26.66      | 61.97          | 35.31          | 74.00          | 38.69       | PASS   | Horizontal | PK     |
| 2              | 22113.2845  | -25.58      | 59.43          | 33.85          | 74.00          | 40.15       | PASS   | Horizontal | PK     |
| 3              | 25684.4674  | -20.75      | 56.27          | 35.52          | 68.20          | 32.68       | PASS   | Horizontal | PK     |
| 4              | 29202.8481  | -21.48      | 57.52          | 36.04          | 68.20          | 32.16       | PASS   | Horizontal | PK     |
| 5              | 32422.0169  | -18.13      | 54.00          | 35.87          | 68.20          | 32.33       | PASS   | Horizontal | PK     |
| 6              | 38537.3815  | -13.85      | 46.99          | 33.14          | 68.20          | 35.06       | PASS   | Horizontal | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5260MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18630.9852  | -26.63      | 61.86          | 35.23          | 74.00          | 38.77       | PASS   | Vertical | PK     |
| 2              | 21885.3554  | -25.65      | 60.10          | 34.45          | 68.20          | 33.75       | PASS   | Vertical | PK     |
| 3              | 25197.8079  | -21.05      | 56.88          | 35.83          | 68.20          | 32.37       | PASS   | Vertical | PK     |
| 4              | 29134.2054  | -21.42      | 56.48          | 35.06          | 68.20          | 33.14       | PASS   | Vertical | PK     |
| 5              | 33135.7254  | -18.40      | 53.13          | 34.73          | 68.20          | 33.47       | PASS   | Vertical | PK     |
| 6              | 38914.9166  | -13.01      | 45.51          | 32.50          | 68.20          | 35.70       | PASS   | Vertical | PK     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5280MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2538.0815   | 16.71       | 33.35          | 50.06          | 68.20          | 18.14       | PASS   | Horizontal | PK     |
| 2              | 4998.6599   | 24.97       | 33.58          | 58.55          | 74.00          | 15.45       | PASS   | Horizontal | PK     |
| 3              | 6389.7756   | 28.34       | 32.37          | 60.71          | 68.20          | 7.49        | PASS   | Horizontal | PK     |
| 4              | 9623.5562   | 1.21        | 53.89          | 55.10          | 68.20          | 13.10       | PASS   | Horizontal | PK     |
| 5              | 13786.7643  | 7.07        | 51.37          | 58.44          | 68.20          | 9.76        | PASS   | Horizontal | PK     |
| 6              | 17553.7777  | 13.89       | 47.99          | 61.88          | 68.20          | 6.32        | PASS   | Horizontal | PK     |
| 7              | 5015.1606   | 25.13       | 10.53          | 35.66          | 54.00          | 18.34       | PASS   | Horizontal | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5280MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2537.2015   | 16.71       | 33.69          | 50.40          | 68.20          | 17.80       | PASS   | Vertical | PK     |
| 2              | 5059.6024   | 25.61       | 32.14          | 57.75          | 74.00          | 16.25       | PASS   | Vertical | PK     |
| 3              | 6489.6596   | 28.62       | 31.67          | 60.29          | 68.20          | 7.91        | PASS   | Vertical | PK     |
| 4              | 9675.8838   | 1.17        | 53.74          | 54.91          | 68.20          | 13.29       | PASS   | Vertical | PK     |
| 5              | 14365.2433  | 9.02        | 48.88          | 57.90          | 68.20          | 10.30       | PASS   | Vertical | PK     |
| 6              | 17585.9793  | 14.06       | 47.66          | 61.72          | 68.20          | 6.48        | PASS   | Vertical | PK     |
| 7              | 5005.2602   | 25.10       | 10.40          | 35.50          | 54.00          | 18.50       | PASS   | Vertical | AV     |

|           |                          |                |           |
|-----------|--------------------------|----------------|-----------|
| Test_Mode | 802.11 a<br>Transmitting | Test_Frequency | 5280MHz   |
| Remark:   | /                        | Test_Date      | 2026/6/12 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18572.0229  | -26.69      | 62.19          | 35.50          | 74.00          | 38.50       | PASS   | Horizontal | PK     |
| 2              | 21788.5515  | -25.54      | 61.28          | 35.74          | 68.20          | 32.46       | PASS   | Horizontal | PK     |
| 3              | 25299.892   | -21.24      | 56.98          | 35.74          | 68.20          | 32.46       | PASS   | Horizontal | PK     |
| 4              | 28746.1098  | -21.60      | 57.13          | 35.53          | 68.20          | 32.67       | PASS   | Horizontal | PK     |
| 5              | 32396.4959  | -18.05      | 54.14          | 36.09          | 68.20          | 32.11       | PASS   | Horizontal | PK     |
| 6              | 35817.1927  | -16.79      | 49.87          | 33.08          | 68.20          | 35.12       | PASS   | Horizontal | PK     |