

802.11ax (HEW80)	MIMO	5670	SU	/	40	NV	5550.080	5470 to 5725	Pass
					50	NV	5550.120	5470 to 5725	Pass
					20	LV	5670.000	5470 to 5725	Pass
						NV	5670.040	5470 to 5725	Pass
						HV	5669.960	5470 to 5725	Pass
					-30	NV	5670.080	5470 to 5725	Pass
					-20	NV	5670.040	5470 to 5725	Pass
					-10	NV	5670.040	5470 to 5725	Pass
					0	NV	5670.040	5470 to 5725	Pass
					10	NV	5670.000	5470 to 5725	Pass
					30	NV	5670.040	5470 to 5725	Pass
					40	NV	5670.040	5470 to 5725	Pass
		5755	SU	/	50	NV	5670.040	5470 to 5725	Pass
					20	LV	5755.040	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5754.960	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.040	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5754.960	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	SU	/	20	LV	5795.040	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.120	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.080	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5795.080	5725 to 5850	Pass
					40	NV	5795.040	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
		5210	SU	/	20	LV	5210.075	5150 to 5250	Pass
						NV	5210.075	5150 to 5250	Pass
						HV	5210.000	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.225	5150 to 5250	Pass
					-10	NV	5210.150	5150 to 5250	Pass
					0	NV	5210.150	5150 to 5250	Pass
					10	NV	5210.075	5150 to 5250	Pass
					30	NV	5210.075	5150 to 5250	Pass
					40	NV	5210.150	5150 to 5250	Pass
					50	NV	5210.075	5150 to 5250	Pass
		5290	SU	/	20	LV	5290.075	5250 to 5350	Pass
						NV	5290.000	5250 to 5350	Pass
						HV	5290.000	5250 to 5350	Pass
					-30	NV	5290.075	5250 to 5350	Pass
					-20	NV	5290.150	5250 to 5350	Pass
					-10	NV	5290.075	5250 to 5350	Pass
					0	NV	5290.075	5250 to 5350	Pass
					10	NV	5290.075	5250 to 5350	Pass
					30	NV	5290.000	5250 to 5350	Pass
					40	NV	5290.075	5250 to 5350	Pass
					50	NV	5290.225	5250 to 5350	Pass

		5530	SU	/	20	LV	5530.075	5470 to 5725	Pass
						NV	5530.075	5470 to 5725	Pass
						HV	5530.150	5470 to 5725	Pass
					-30	NV	5530.150	5470 to 5725	Pass
					-20	NV	5530.150	5470 to 5725	Pass
					-10	NV	5530.075	5470 to 5725	Pass
					0	NV	5530.000	5470 to 5725	Pass
					10	NV	5530.075	5470 to 5725	Pass
					30	NV	5530.075	5470 to 5725	Pass
					40	NV	5530.075	5470 to 5725	Pass
					50	NV	5530.150	5470 to 5725	Pass
		5775	SU	/	20	LV	5775.075	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.075	5725 to 5850	Pass
					-30	NV	5775.000	5725 to 5850	Pass
					-20	NV	5775.000	5725 to 5850	Pass
					-10	NV	5774.925	5725 to 5850	Pass
					0	NV	5775.000	5725 to 5850	Pass
					10	NV	5775.075	5725 to 5850	Pass
					30	NV	5775.000	5725 to 5850	Pass
					40	NV	5775.075	5725 to 5850	Pass
					50	NV	5775.150	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0209	13.21
5260	5320	0.0191	12.81
5500	5700	0.0236	13.73
5745	5825	0.0253	14.03
5190	5230	0.0130	11.14
5270	5310	0.0140	11.47
5510	5670	0.0166	12.20
5755	5795	0.0238	13.76
5210	5210	0.0119	10.76
5290	5290	0.0129	11.11
5530	5610	0.0155	11.89
5775	5775	0.0223	13.48

*** End of Report ***