

Appendix: 5G Wi-Fi DFS _USB

Content

Appendix A: DFS Detection Thresholds 3

 Test Result 3

 Test Graphs 4

Appendix D: Channel Move Time and Channel Closing Transmission Time 9

 Test Result 9


 Test Graphs 10


Appendix A: DFS Detection Thresholds


Test Result


TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-58.54	-58.51	PASS
11A	5260	Type1	-58.74	-58.51	PASS
11A	5260	Type2	-58.60	-58.51	PASS
11A	5260	Type3	-58.69	-58.51	PASS
11A	5260	Type4	-58.82	-58.51	PASS
11A	5260	Type5	-58.82	-58.51	PASS
11A	5260	Type6	-58.95	-58.51	PASS
11A	5500	Type0	-58.74	-58.51	PASS
11A	5500	Type1	-58.75	-58.51	PASS
11A	5500	Type2	-58.54	-58.51	PASS
11A	5500	Type3	-58.55	-58.51	PASS
11A	5500	Type4	-58.76	-58.51	PASS
11A	5500	Type5	-58.87	-58.51	PASS
11A	5500	Type6	-58.96	-58.51	PASS
11AX40SISO	5270	Type0	-58.67	-58.51	PASS
11AX40SISO	5270	Type1	-58.53	-58.51	PASS
11AX40SISO	5270	Type2	-58.75	-58.51	PASS
11AX40SISO	5270	Type3	-58.70	-58.51	PASS
11AX40SISO	5270	Type4	-58.53	-58.51	PASS
11AX40SISO	5270	Type5	-58.52	-58.51	PASS
11AX40SISO	5270	Type6	-58.89	-58.51	PASS
11AX40SISO	5510	Type0	-58.82	-58.51	PASS
11AX40SISO	5510	Type1	-58.80	-58.51	PASS
11AX40SISO	5510	Type2	-58.69	-58.51	PASS
11AX40SISO	5510	Type3	-58.91	-58.51	PASS
11AX40SISO	5510	Type4	-58.71	-58.51	PASS
11AX40SISO	5510	Type5	-58.97	-58.51	PASS
11AX40SISO	5510	Type6	-58.63	-58.51	PASS


Test Graphs












Appendix D: Channel Move Time and Channel Closing
Transmission Time

Test Result

TestMode	Frequency [MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5260	200+0	200+60	57.1	10000	PASS
11A	5500	200+0	200+60	89.6	10000	PASS
11AX40SISO	5270	200+0	200+60	64.9	10000	PASS
11AX40SISO	5510	200+0	200+60	61	10000	PASS

Test Graphs



*** End of Report ***