


Battery replacement instructions

Cod.001087050X rev.A ed.04/2026



hydrovar X Series

HVX+ Smart Controller

Control system for frequency converters

xylem



Li-CFx
ø16x3.2 mm, 3 V, 120 mAh,
UL1642, IEC 60086-4
BR1632, -30...+80°C
BR1632A, -40...+125°C



BR1632: < 7 years
BR1632A: < 10 years

WM







PM







Further
product
documentation

VFD



1 2  VFD3 


WM PM

4 5  PM


6



WM PM



WM




PM

7




WM PM



8



WM PM



1

2




Li-CFx: BR1632, BR1632A
 Li-MnO₂: CR1632, LM1632, DL 1632, ...
 $t -20 \leq \dots \geq +50^{\circ}\text{C}$
 IEC 60086-4

9




WM PM



10




PM



11



PM




12




1.5 Nm
(13.3 lbf·in)

WM PM




13



VFD



WM PM VFD



VFD

14

WM PM



Xylem is a trademark of Xylem Inc. or one of its subsidiaries.
Hydrovar is a trademark of Xylem Inc. or one of its subsidiaries.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Xylem Service Italia S.r.l. is under license.
All other trademarks or registered trademarks are property of their respective owners.

Xylem Service Italia S.r.l.
Via Vittorio Lombardi 14
36075 Montecchio Maggiore (VI) - Italy
xylem.com

This information is subject to revision without notice. Visit our website for the latest version of this document and more information.

© 2026 Xylem Inc. or its affiliates. All rights reserved.

