



天线承认书

Parts Approval Sheet

Customer	雷特	Project	SP-GW-4S-LT
Band	BT	Color	Black
PN	X1482	Version	V0
Customer material number			

DATE: 2022/11/18

R&D			QC
Issued by	Checked by	Confirmed by	Checked by
伍海沅		韦永斌	文孝群
Customer Confirm			

Environmental requirements: ☒ ROHS

☐ REACH

☐ 无

Contents

Contents	2
1.Summary	3
2.General Description	3
2.1Antenna Components/Part revisions	3
2.2Definitions	3
3.Electrical Performance	4
3.1 Matching Circuit Description	4
3.2 VSWR(Test in free space)	4
3.3 Gain&Efficiency	5
4. Antenna Engineer drawing	6

1. Summary

This report summarizes the electrical results of the our antenna to support the project SP-GW-4S-LT. The test fixture is made for further testing, which is show below:

2. General Description

2.1Antenna Components/Part revisions

The antenna part number is T: A

2.2Definitions

VSWR: Voltage Standing Wave Rate

TRP: total radiated power

TIS: total istropic sensitivity

3. Electrical Performance

3.1 Matching Circuit Description




3.2 VSWR (Test in free space)




3.3 Gain&Efficiency


Frequency (MHz)	Gain (dB)	Efficiency (%)
2400	1.57	47.53
2410	1.68	47.61
2420	1.75	47.74
2430	1.83	48.24
2440	2.00	48.63
2450	1.75	49.48
2460	1.76	49.63
2470	1.49	49.91
2480	1.35	49.37
2490	1.25	48.34
2500	1.13	48.26

4. Antenna Engineer drawing







3D radiation pattern diagram



XY-plane



XZ-plane



YZ-plane