



## Appendix D.6:Band edge measurements

### Test Result B1


| TestMode   | Antenna | ChName | Freq(MHz) | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|-----------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180      | -32.39      | $\leq -27$ | PASS    |
|            |         | High   | 5240      | -36.78      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180      | -32.63      | $\leq -27$ | PASS    |
|            |         | High   | 5240      | -37.13      | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190      | -30.6       | $\leq -27$ | PASS    |
|            |         | High   | 5230      | -37.66      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180      | -31.57      | $\leq -27$ | PASS    |
|            |         | High   | 5240      | -36.67      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190      | -29.22      | $\leq -27$ | PASS    |
|            |         | High   | 5230      | -36.96      | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210      | -31.04      | $\leq -27$ | PASS    |
|            |         | High   | 5210      | -36.94      | $\leq -27$ | PASS    |
| 11AX20SISO | Ant1    | Low    | 5180      | -36.23      | $\leq -27$ | PASS    |
|            |         | High   | 5240      | -37.36      | $\leq -27$ | PASS    |
| 11AX40SISO | Ant1    | Low    | 5190      | -30.99      | $\leq -27$ | PASS    |
|            |         | High   | 5230      | -37.02      | $\leq -27$ | PASS    |
| 11AX80SISO | Ant1    | Low    | 5210      | -31.04      | $\leq -27$ | PASS    |
|            |         | High   | 5210      | -37.63      | $\leq -27$ | PASS    |

Test GraphsB1







11N20SISO\_Ant1\_High\_5240




11N40SISO\_Ant1\_Low\_5190







11AC40SISO\_Ant1\_Low\_5190



11AC40SISO\_Ant1\_High\_5230




## 11AC80SISO\_Ant1\_Low\_5210



## 11AC80SISO\_Ant1\_High\_5210




## 11AX20SISO\_Ant1\_Low\_5180





11AX20SISO\_Ant1\_High\_5240



11AX40SISO\_Ant1\_Low\_5190







## Appendix D.7:Conducted Spurious Emission

### Test Result

| TestMode   | Antenna | Freq(MHz) | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|-----------|-----------------|----------------|------------------|-------------|---------|
| 11A        | Ant1    | 5180      | 30~5140         | 5138.98        | -37.6            | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 26652.32       | -37.11           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 4945.48        | -46.16           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 23573.67       | -37.05           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 2637.29        | -45.92           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24128.37       | -36.69           | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | 5180      | 30~5140         | 5131.82        | -39.28           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 26068.76       | -37.21           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 4924.19        | -44.78           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 26826.88       | -36.77           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 2627.58        | -46.08           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 23570.78       | -36.79           | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | 5190      | 30~5140         | 5139.66        | -34.41           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24288.51       | -36.48           | ≤-27        | PASS    |
|            |         | 5230      | 30~5140         | 5136.93        | -42.8            | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24276.25       | -37.22           | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | 5180      | 30~5140         | 5129.95        | -37.7            | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24289.95       | -37.19           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 5135.23        | -45.36           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24782.62       | -37.07           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 4950.08        | -45.96           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24240.18       | -35.85           | ≤-27        | PASS    |
| 11AC40SISO | Ant1    | 5190      | 30~5140         | 5136.93        | -36.75           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 25668.42       | -37.22           | ≤-27        | PASS    |
|            |         | 5230      | 30~5140         | 5139.83        | -41.45           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24307.26       | -37.23           | ≤-27        | PASS    |
| 11AC80SISO | Ant1    | 5210      | 30~5140         | 5120.07        | -28.08           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 24983.87       | -37.4            | ≤-27        | PASS    |
| 11AX20SISO | Ant1    | 5180      | 30~5140         | 5131.48        | -42.78           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 23573.67       | -36.51           | ≤-27        | PASS    |
|            |         | 5200      | 30~5140         | 3145.4         | -45.87           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 25716.75       | -36.35           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 3147.95        | -46.05           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 26035.58       | -36.65           | ≤-27        | PASS    |
| 11AX40SISO | Ant1    | 5190      | 30~5140         | 5135.74        | -37.48           | ≤-27        | PASS    |
|            |         |           | 5360~27000      | 26801.63       | -36.65           | ≤-27        | PASS    |

|            |      |      |            |          |        |            |      |
|------------|------|------|------------|----------|--------|------------|------|
|            |      | 5230 | 30~5140    | 5135.06  | -45.17 | $\leq -27$ | PASS |
|            |      |      | 5360~27000 | 23497.21 | -36.43 | $\leq -27$ | PASS |
| 11AX80SISO | Ant1 | 5210 | 30~5140    | 5138.13  | -33.99 | $\leq -27$ | PASS |
|            |      |      | 5360~27000 | 25965.61 | -37.04 | $\leq -27$ | PASS |

## Test Graphs

11A\_Ant1\_5180\_30~5140



11A\_Ant1\_5180\_5360~27000




11A\_Ant1\_5200\_30~5140




11A\_Ant1\_5200\_5360~27000



11A\_Ant1\_5240\_30~5140



## 11A\_Ant1\_5240\_5360~27000




## 11N20SISO\_Ant1\_5180\_30~5140



## 11N20SISO\_Ant1\_5180\_5360~27000



11N20SISO\_Ant1\_5200\_30~5140




11N20SISO\_Ant1\_5200\_5360~27000



## 11N20SISO\_Ant1\_5240\_30~5140




## 11N20SISO\_Ant1\_5240\_5360~27000



## 11N40SISO\_Ant1\_5190\_30~5140



11N40SISO\_Ant1\_5190\_5360~27000




11N40SISO\_Ant1\_5230\_30~5140







11AC20SISO\_Ant1\_5200\_30~5140



11AC20SISO\_Ant1\_5200\_5360~27000



## 11AC20SISO\_Ant1\_5240\_30~5140




## 11AC20SISO\_Ant1\_5240\_5360~27000



## 11AC40SISO\_Ant1\_5190\_30~5140



11AC40SISO\_Ant1\_5190\_5360~27000




11AC40SISO\_Ant1\_5230\_30~5140







11AX20SISO\_Ant1\_5180\_30~5140



11AX20SISO\_Ant1\_5180\_5360~27000




## 11AX20SISO\_Ant1\_5200\_30~5140



## 11AX20SISO\_Ant1\_5200\_5360~27000



## 11AX20SISO\_Ant1\_5240\_30~5140



11AX20SISO\_Ant1\_5240\_5360~27000



11AX40SISO\_Ant1\_5190\_30~5140



## 11AX40SISO\_Ant1\_5190\_5360~27000



## 11AX40SISO\_Ant1\_5230\_30~5140



## 11AX40SISO\_Ant1\_5230\_5360~27000



11AX80SISO\_Ant1\_5210\_30~5140



11AX80SISO\_Ant1\_5210\_5360~27000



## Appendix D.8:Emissions in Restricted Bands

### Test Result

| TestMode      | Antenna | ChName | Freq<br>(MHz) | Detector | Freq<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Verdict |
|---------------|---------|--------|---------------|----------|---------------|-----------------|----------------|--------------------|-------------------|---------|
| 11A           | Ant1    | Low    | 5180          | AV       | 4500.000      | -47.54          | ≤-41.20        | 47.66              | ≤54               | PASS    |
|               |         |        |               | AV       | 5149.600      | -44.67          | ≤-41.20        | 50.53              | ≤54               | PASS    |
|               |         |        |               | AV       | 5150.000      | -44.74          | ≤-41.20        | 50.46              | ≤54               | PASS    |
|               |         |        |               | Peak     | 4500.000      | -41.04          | ≤-21.20        | 54.16              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5149.600      | -31.98          | ≤-21.20        | 63.22              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5150.000      | -31.56          | ≤-21.20        | 63.64              | ≤74               | PASS    |
|               |         | High   | 5240          | AV       | 5350.000      | -46.48          | ≤-41.20        | 48.72              | ≤54               | PASS    |
|               |         |        |               | AV       | 5458.800      | -45.37          | ≤-41.20        | 49.83              | ≤54               | PASS    |
|               |         |        |               | AV       | 5460.000      | -45.71          | ≤-41.20        | 49.49              | ≤54               | PASS    |
|               |         |        |               | Peak     | 5350.000      | -38.93          | ≤-21.20        | 56.27              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5376.720      | -34.99          | ≤-21.20        | 60.21              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5460.000      | -36.48          | ≤-21.20        | 58.72              | ≤74               | PASS    |
| 11N20SIS<br>O | Ant1    | Low    | 5180          | AV       | 4500.000      | -47.6           | ≤-41.20        | 47.60              | ≤54               | PASS    |
|               |         |        |               | AV       | 4936.800      | -45.07          | ≤-41.20        | 50.13              | ≤54               | PASS    |
|               |         |        |               | AV       | 5150.000      | -45.52          | ≤-41.20        | 49.68              | ≤54               | PASS    |
|               |         |        |               | Peak     | 4500.000      | -40.59          | ≤-21.20        | 54.61              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5134.900      | -32.05          | ≤-21.20        | 63.15              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5150.000      | -37.85          | ≤-21.20        | 57.35              | ≤74               | PASS    |
|               |         | High   | 5240          | AV       | 5350.000      | -46.34          | ≤-41.20        | 48.86              | ≤54               | PASS    |
|               |         |        |               | AV       | 5449.680      | -45.3           | ≤-41.20        | 49.90              | ≤54               | PASS    |
|               |         |        |               | AV       | 5460.000      | -45.53          | ≤-41.20        | 49.67              | ≤54               | PASS    |
|               |         |        |               | Peak     | 5350.000      | -38             | ≤-21.20        | 57.20              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5397.840      | -35.69          | ≤-21.20        | 59.51              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5460.000      | -38.25          | ≤-21.20        | 56.95              | ≤74               | PASS    |
| 11N40SIS<br>O | Ant1    | Low    | 5190          | AV       | 4500.000      | -47.43          | ≤-41.20        | 47.77              | ≤54               | PASS    |
|               |         |        |               | AV       | 5147.500      | -43.87          | ≤-41.20        | 51.33              | ≤54               | PASS    |
|               |         |        |               | AV       | 5150.000      | -42.61          | ≤-41.20        | 52.59              | ≤54               | PASS    |
|               |         |        |               | Peak     | 4500.000      | -39.9           | ≤-21.20        | 55.30              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5146.800      | -31.84          | ≤-21.20        | 63.36              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5150.000      | -29.4           | ≤-21.20        | 65.80              | ≤74               | PASS    |
|               |         | High   | 5230          | AV       | 5350.000      | -46.19          | ≤-41.20        | 49.01              | ≤54               | PASS    |
|               |         |        |               | AV       | 5441.020      | -45.03          | ≤-41.20        | 50.17              | ≤54               | PASS    |
|               |         |        |               | AV       | 5460.000      | -45.46          | ≤-41.20        | 49.74              | ≤54               | PASS    |
|               |         |        |               | Peak     | 5350.000      | -39.51          | ≤-21.20        | 55.69              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5448.300      | -36.05          | ≤-21.20        | 59.15              | ≤74               | PASS    |
|               |         |        |               | Peak     | 5460.000      | -39.41          | ≤-21.20        | 55.79              | ≤74               | PASS    |


|                |      |      |      |      |          |        |         |       |     |      |
|----------------|------|------|------|------|----------|--------|---------|-------|-----|------|
| 11AC20SI<br>SO | Ant1 | Low  | 5180 | AV   | 4500.000 | -47.6  | ≤-41.20 | 47.60 | ≤54 | PASS |
|                |      |      |      | AV   | 4937.500 | -45.06 | ≤-41.20 | 50.14 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -45.19 | ≤-41.20 | 50.01 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -40.82 | ≤-21.20 | 54.38 | ≤74 | PASS |
|                |      |      |      | Peak | 5142.600 | -31.26 | ≤-21.20 | 63.94 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -30.31 | ≤-21.20 | 64.89 | ≤74 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -46.42 | ≤-41.20 | 48.78 | ≤54 | PASS |
|                |      |      |      | AV   | 5454.240 | -45.24 | ≤-41.20 | 49.96 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.67 | ≤-41.20 | 49.53 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -39.86 | ≤-21.20 | 55.34 | ≤74 | PASS |
|                |      |      |      | Peak | 5413.680 | -35.15 | ≤-21.20 | 60.05 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -38.92 | ≤-21.20 | 56.28 | ≤74 | PASS |
| 11AC40SI<br>SO | Ant1 | Low  | 5190 | AV   | 4500.000 | -47.68 | ≤-41.20 | 47.52 | ≤54 | PASS |
|                |      |      |      | AV   | 5148.200 | -43.33 | ≤-41.20 | 51.87 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -44.19 | ≤-41.20 | 51.01 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -41.13 | ≤-21.20 | 54.07 | ≤74 | PASS |
|                |      |      |      | Peak | 5149.600 | -29.12 | ≤-21.20 | 66.08 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -33.62 | ≤-21.20 | 61.58 | ≤74 | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -46.5  | ≤-41.20 | 48.70 | ≤54 | PASS |
|                |      |      |      | AV   | 5456.100 | -45.09 | ≤-41.20 | 50.11 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.32 | ≤-41.20 | 49.88 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -39.85 | ≤-21.20 | 55.35 | ≤74 | PASS |
|                |      |      |      | Peak | 5424.120 | -35.69 | ≤-21.20 | 59.51 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -38.5  | ≤-21.20 | 56.70 | ≤74 | PASS |
| 11AC80SI<br>SO | Ant1 | Low  | 5210 | AV   | 4500.000 | -47.08 | ≤-41.20 | 48.12 | ≤54 | PASS |
|                |      |      |      | AV   | 5130.750 | -41.9  | ≤-41.20 | 53.30 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -44.52 | ≤-41.20 | 50.68 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -40.13 | ≤-21.20 | 55.07 | ≤74 | PASS |
|                |      |      |      | Peak | 5120.250 | -24.45 | ≤-21.20 | 70.75 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -28.02 | ≤-21.20 | 67.18 | ≤74 | PASS |
|                |      | High | 5210 | AV   | 5350.000 | -45.89 | ≤-41.20 | 49.31 | ≤54 | PASS |
|                |      |      |      | AV   | 5459.160 | -44.36 | ≤-41.20 | 50.84 | ≤54 | PASS |
|                |      |      |      | AV   | 5460.000 | -45.19 | ≤-41.20 | 50.01 | ≤54 | PASS |
|                |      |      |      | Peak | 5350.000 | -38.76 | ≤-21.20 | 56.44 | ≤74 | PASS |
|                |      |      |      | Peak | 5375.440 | -35.82 | ≤-21.20 | 59.38 | ≤74 | PASS |
|                |      |      |      | Peak | 5460.000 | -38.04 | ≤-21.20 | 57.16 | ≤74 | PASS |
| 11AX20SI<br>SO | Ant1 | Low  | 5180 | AV   | 4500.000 | -47.3  | ≤-41.20 | 47.90 | ≤54 | PASS |
|                |      |      |      | AV   | 4938.200 | -44.98 | ≤-41.20 | 50.22 | ≤54 | PASS |
|                |      |      |      | AV   | 5150.000 | -46.02 | ≤-41.20 | 49.18 | ≤54 | PASS |
|                |      |      |      | Peak | 4500.000 | -40.11 | ≤-21.20 | 55.09 | ≤74 | PASS |
|                |      |      |      | Peak | 5146.100 | -29.06 | ≤-21.20 | 66.14 | ≤74 | PASS |
|                |      |      |      | Peak | 5150.000 | -36.61 | ≤-21.20 | 58.59 | ≤74 | PASS |
|                |      | High | 5240 | AV   | 5350.000 | -46.29 | ≤-41.20 | 48.91 | ≤54 | PASS |


|                |      |      |      |      |          |        |               |       |           |      |
|----------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|                |      |      |      | AV   | 5456.400 | -45.18 | $\leq -41.20$ | 50.02 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5460.000 | -45.42 | $\leq -41.20$ | 49.78 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -38.76 | $\leq -21.20$ | 56.44 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5431.440 | -35.67 | $\leq -21.20$ | 59.53 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -38.64 | $\leq -21.20$ | 56.56 | $\leq 74$ | PASS |
| 11AX40SI<br>SO | Ant1 | Low  | 5190 | AV   | 4500.000 | -47.61 | $\leq -41.20$ | 47.59 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 4945.900 | -44.76 | $\leq -41.20$ | 50.44 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5150.000 | -44.51 | $\leq -41.20$ | 50.69 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 4500.000 | -38.85 | $\leq -21.20$ | 56.35 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5146.100 | -33.36 | $\leq -21.20$ | 61.84 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5150.000 | -36.19 | $\leq -21.20$ | 59.01 | $\leq 74$ | PASS |
|                |      | High | 5230 | AV   | 5350.000 | -46.48 | $\leq -41.20$ | 48.72 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5446.220 | -45.09 | $\leq -41.20$ | 50.11 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5460.000 | -45.39 | $\leq -41.20$ | 49.81 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -39.72 | $\leq -21.20$ | 55.48 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5427.760 | -35.68 | $\leq -21.20$ | 59.52 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -37.24 | $\leq -21.20$ | 57.96 | $\leq 74$ | PASS |
| 11AX80SI<br>SO | Ant1 | Low  | 5210 | AV   | 4500.000 | -47.08 | $\leq -41.20$ | 48.12 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5130.750 | -41.9  | $\leq -41.20$ | 53.30 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5150.000 | -44.52 | $\leq -41.20$ | 50.68 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 4500.000 | -41.74 | $\leq -21.20$ | 53.46 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5146.500 | -31.2  | $\leq -21.20$ | 64.00 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5150.000 | -37.54 | $\leq -21.20$ | 57.66 | $\leq 74$ | PASS |
|                |      | High | 5210 | AV   | 5350.000 | -46.15 | $\leq -41.20$ | 49.05 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5454.120 | -44.62 | $\leq -41.20$ | 50.58 | $\leq 54$ | PASS |
|                |      |      |      | AV   | 5460.000 | -45.49 | $\leq -41.20$ | 49.71 | $\leq 54$ | PASS |
|                |      |      |      | Peak | 5350.000 | -38.57 | $\leq -21.20$ | 56.63 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5445.720 | -35.6  | $\leq -21.20$ | 59.60 | $\leq 74$ | PASS |
|                |      |      |      | Peak | 5460.000 | -38.32 | $\leq -21.20$ | 56.88 | $\leq 74$ | PASS |

Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs






11A\_Ant1\_High\_5240\_Peak



11N20SISO\_Ant1\_Low\_5180\_AV



## 11N20SISO\_Ant1\_Low\_5180\_Peak



## 11N20SISO\_Ant1\_High\_5240\_AV




## 11N20SISO\_Ant1\_High\_5240\_Peak



11N40SISO\_Ant1\_Low\_5190\_AV



11N40SISO\_Ant1\_Low\_5190\_Peak




## 11N40SISO\_Ant1\_High\_5230\_AV




## 11N40SISO\_Ant1\_High\_5230\_Peak



## 11AC20SISO\_Ant1\_Low\_5180\_AV





11AC20SISO\_Ant1\_Low\_5180\_Peak




11AC20SISO\_Ant1\_High\_5240\_AV








11AC40SISO\_Ant1\_High\_5230\_AV




11AC40SISO\_Ant1\_High\_5230\_Peak



## 11AC80SISO\_Ant1\_Low\_5210\_AV



## 11AC80SISO\_Ant1\_Low\_5210\_Peak



## 11AC80SISO\_Ant1\_High\_5210\_AV




11AC80ISO\_Ant1\_High\_5210\_Peak



11AX20ISO\_Ant1\_Low\_5180\_AV



## 11AX20SISO\_Ant1\_Low\_5180\_Peak



## 11AX20SISO\_Ant1\_High\_5240\_AV




## 11AX20SISO\_Ant1\_High\_5240\_Peak



11AX40SISO\_Ant1\_Low\_5190\_AV



11AX40SISO\_Ant1\_Low\_5190\_Peak



## 11AX40SISO\_Ant1\_High\_5230\_AV




## 11AX40SISO\_Ant1\_High\_5230\_Peak



## 11AX80SISO\_Ant1\_Low\_5210\_AV



11AX80SISO\_Ant1\_Low\_5210\_Peak



11AX80SISO\_Ant1\_High\_5210\_AV



