



Project Information			
Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	116
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7456.80	30.52	17.13	47.65	54.00	6.35	360	Horizontal	PASS
2	12232.33	33.58	7.61	41.19	54.00	12.81	18	Horizontal	PASS
3	17971.67	30.25	16.65	46.90	54.00	7.10	290	Horizontal	PASS
4	6563.95	72.55	15.03	87.58	-	-	214	Horizontal	NA
5	7485.85	39.58	17.28	56.86	74.00	17.14	181	Horizontal	PASS
6	12218.33	40.84	7.65	48.49	74.00	25.51	192	Horizontal	PASS
7	17975.00	37.51	16.67	54.18	74.00	19.82	72	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	116
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7360.20	31.12	16.58	47.70	54.00	6.30	331	Vertical	PASS
2	12215.67	33.45	7.65	41.10	54.00	12.90	41	Vertical	PASS
3	17951.67	29.78	16.50	46.28	54.00	7.72	106	Vertical	PASS
4	6566.75	71.11	15.03	86.14	-	-	177	Vertical	NA
5	7461.00	39.32	17.16	56.48	74.00	17.52	194	Vertical	PASS
6	12221.33	41.36	7.64	49.00	74.00	25.00	207	Vertical	PASS
7	17927.67	38.29	16.31	54.60	74.00	19.40	273	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7495.30	30.37	17.32	47.69	54.00	6.31	314	Horizontal	PASS
2	11589.33	34.22	6.56	40.78	54.00	13.22	18	Horizontal	PASS
3	17970.67	29.67	16.63	46.30	54.00	7.70	30	Horizontal	PASS
4	6601.40	73.69	15.07	88.76	-	-	215	Horizontal	NA
5	7560.40	39.43	16.94	56.37	74.00	17.63	207	Horizontal	PASS
6	11716.33	42.34	6.46	48.80	74.00	25.20	325	Horizontal	PASS
7	17982.33	37.49	16.73	54.22	74.00	19.78	249	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7463.45	30.28	17.17	47.45	54.00	6.55	99	Vertical	PASS
2	12234.00	34.30	7.61	41.91	54.00	12.09	206	Vertical	PASS
3	17987.33	29.11	16.76	45.87	54.00	8.13	105	Vertical	PASS
4	6628.35	72.17	15.27	87.44	-	-	178	Vertical	NA
5	7451.20	39.36	17.11	56.47	74.00	17.53	99	Vertical	PASS
6	12218.00	40.78	7.65	48.43	74.00	25.57	127	Vertical	PASS
7	17892.33	38.43	16.06	54.49	74.00	19.51	39	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7498.10	30.22	17.33	47.55	54.00	6.45	214	Horizontal	PASS
2	12226.00	33.58	7.62	41.20	54.00	12.80	305	Horizontal	PASS
3	17934.67	30.27	16.36	46.63	54.00	7.37	227	Horizontal	PASS
4	6533.15	73.45	14.94	88.39	-	-	222	Horizontal	NA
5	7497.05	39.25	17.32	56.57	74.00	17.43	214	Horizontal	PASS
6	12311.67	41.51	7.45	48.96	74.00	25.04	271	Horizontal	PASS
7	17984.00	37.41	16.74	54.15	74.00	19.85	216	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7488.30	30.91	17.29	48.20	54.00	5.80	204	Vertical	PASS
2	12400.00	33.48	7.64	41.12	54.00	12.88	238	Vertical	PASS
3	17907.33	30.29	16.16	46.45	54.00	7.55	74	Vertical	PASS
4	6537.35	72.74	14.96	87.70	-	-	154	Vertical	NA
5	7533.80	38.75	17.13	55.88	74.00	18.12	313	Vertical	PASS
6	12223.67	40.85	7.64	48.49	74.00	25.51	7	Vertical	PASS
7	17968.67	37.65	16.62	54.27	74.00	19.73	30	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	123
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7548.15	30.56	17.04	47.60	54.00	6.40	188	Horizontal	PASS
2	12219.33	33.55	7.65	41.20	54.00	12.80	61	Horizontal	PASS
3	17903.00	30.13	16.12	46.25	54.00	7.75	159	Horizontal	PASS
4	6568.85	74.71	15.04	89.75	-	-	213	Horizontal	NA
5	7533.45	39.45	17.13	56.58	74.00	17.42	137	Horizontal	PASS
6	12219.33	41.18	7.65	48.83	74.00	25.17	149	Horizontal	PASS
7	17953.00	37.80	16.50	54.30	74.00	19.70	290	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	123
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7503.35	30.33	17.32	47.65	54.00	6.35	255	Vertical	PASS
2	12280.00	33.64	7.48	41.12	54.00	12.88	127	Vertical	PASS
3	17992.00	29.61	16.80	46.41	54.00	7.59	226	Vertical	PASS
4	6566.75	72.98	15.03	88.01	-	-	184	Vertical	NA
5	7577.20	39.62	16.80	56.42	74.00	17.58	255	Vertical	PASS
6	11702.00	42.51	6.46	48.97	74.00	25.03	259	Vertical	PASS
7	17912.33	37.92	16.19	54.11	74.00	19.89	346	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7489.70	30.40	17.29	47.69	54.00	6.31	214	Horizontal	PASS
2	12253.33	33.54	7.55	41.09	54.00	12.91	171	Horizontal	PASS
3	17715.00	30.77	15.57	46.34	54.00	7.66	225	Horizontal	PASS
4	6629.05	75.09	15.28	90.37	-	-	205	Horizontal	NA
5	7484.80	38.79	17.27	56.06	74.00	17.94	105	Horizontal	PASS
6	12205.67	41.34	7.68	49.02	74.00	24.98	17	Horizontal	PASS
7	17912.67	38.01	16.20	54.21	74.00	19.79	149	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7547.10	30.29	17.04	47.33	54.00	6.67	271	Vertical	PASS
2	11696.67	33.84	6.46	40.30	54.00	13.70	116	Vertical	PASS
3	17991.33	29.78	16.80	46.58	54.00	7.42	28	Vertical	PASS
4	6629.05	74.88	15.28	90.16	-	-	185	Vertical	NA
5	7483.05	39.27	17.26	56.53	74.00	17.47	185	Vertical	PASS
6	11702.33	41.99	6.46	48.45	74.00	25.55	169	Vertical	PASS
7	17999.67	37.52	16.86	54.38	74.00	19.62	213	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7523.65	30.50	17.19	47.69	54.00	6.31	224	Horizontal	PASS
2	11812.00	34.49	6.47	40.96	54.00	13.04	326	Horizontal	PASS
3	17948.00	29.80	16.46	46.26	54.00	7.74	117	Horizontal	PASS
4	6896.80	73.58	15.32	88.90	-	-	215	Horizontal	NA
5	7469.75	39.22	17.19	56.41	74.00	17.59	281	Horizontal	PASS
6	11917.33	42.17	6.43	48.60	74.00	25.40	40	Horizontal	PASS
7	17930.67	37.85	16.33	54.18	74.00	19.82	205	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7529.25	30.48	17.16	47.64	54.00	6.36	71	Vertical	PASS
2	12216.33	33.87	7.65	41.52	54.00	12.48	118	Vertical	PASS
3	17953.67	29.64	16.50	46.14	54.00	7.86	183	Vertical	PASS
4	6893.30	72.43	15.33	87.76	-	-	210	Vertical	NA
5	7504.40	39.48	17.31	56.79	74.00	17.21	159	Vertical	PASS
6	12224.33	41.44	7.64	49.08	74.00	24.92	129	Vertical	PASS
7	17930.33	37.42	16.33	53.75	74.00	20.25	260	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:		Engineer:	Oushuyan
Remark:	Powersetting 5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7522.60	30.18	17.20	47.38	54.00	6.62	37	Horizontal	PASS
2	11533.33	34.90	6.54	41.44	54.00	12.56	200	Horizontal	PASS
3	17977.33	29.27	16.69	45.96	54.00	8.04	320	Horizontal	PASS
4	6962.60	73.30	15.37	88.67	-	-	242	Horizontal	NA
5	7486.90	39.04	17.27	56.31	74.00	17.69	62	Horizontal	PASS
6	11689.00	42.53	6.47	49.00	74.00	25.00	353	Horizontal	PASS
7	17980.67	37.37	16.71	54.08	74.00	19.92	353	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:		Engineer:	Oushuyan
Remark:	Powersetting 5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7634.95	31.26	16.68	47.94	54.00	6.06	360	Vertical	PASS
2	12328.67	33.57	7.48	41.05	54.00	12.95	220	Vertical	PASS
3	17913.67	29.88	16.20	46.08	54.00	7.92	18	Vertical	PASS
4	6966.80	71.65	15.38	87.03	-	-	220	Vertical	NA
5	7483.40	38.93	17.26	56.19	74.00	17.81	345	Vertical	PASS
6	11688.00	42.10	6.47	48.57	74.00	25.43	74	Vertical	PASS
7	17975.33	37.64	16.67	54.31	74.00	19.69	164	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Oushuyan
Remark:	Powersetting 9		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7526.10	30.48	17.18	47.66	54.00	6.34	202	Horizontal	PASS
2	11539.33	34.46	6.54	41.00	54.00	13.00	256	Horizontal	PASS
3	17986.33	29.85	16.76	46.61	54.00	7.39	71	Horizontal	PASS
4	6911.50	74.58	15.32	89.90	-	-	226	Horizontal	NA
5	7728.05	39.06	17.07	56.13	74.00	17.87	95	Horizontal	PASS
6	11717.00	41.54	6.46	48.00	74.00	26.00	277	Horizontal	PASS
7	17989.00	37.31	16.78	54.09	74.00	19.91	115	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Oushuyan
Remark:	Powersetting 9		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7453.65	31.02	17.12	48.14	54.00	5.86	338	Vertical	PASS
2	11715.33	35.20	6.46	41.66	54.00	12.34	242	Vertical	PASS
3	17991.00	29.42	16.79	46.21	54.00	7.79	2	Vertical	PASS
4	6958.75	72.04	15.35	87.39	-	-	222	Vertical	NA
5	7325.20	39.43	16.49	55.92	74.00	18.08	188	Vertical	PASS
6	11606.33	42.09	6.55	48.64	74.00	25.36	232	Vertical	PASS
7	17987.00	37.26	16.76	54.02	74.00	19.98	34	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7409.55	30.86	16.58	47.44	54.00	6.56	342	Horizontal	PASS
2	12218.00	33.51	7.65	41.16	54.00	12.84	36	Horizontal	PASS
3	17968.00	30.24	16.61	46.85	54.00	7.15	90	Horizontal	PASS
4	6900.30	76.47	15.32	91.79	-	-	226	Horizontal	NA
5	7458.90	39.69	17.14	56.83	74.00	17.17	161	Horizontal	PASS
6	12175.67	41.93	7.39	49.32	74.00	24.68	133	Horizontal	PASS
7	17979.00	37.90	16.70	54.60	74.00	19.40	244	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7531.00	30.67	17.14	47.81	54.00	6.19	240	Vertical	PASS
2	12213.00	33.41	7.67	41.08	54.00	12.92	242	Vertical	PASS
3	17922.33	30.64	16.27	46.91	54.00	7.09	153	Vertical	PASS
4	6894.35	73.76	15.33	89.09	-	-	189	Vertical	NA
5	7455.75	38.95	17.13	56.08	74.00	17.92	180	Vertical	PASS
6	12226.00	42.59	7.62	50.21	74.00	23.79	142	Vertical	PASS
7	17901.67	37.77	16.12	53.89	74.00	20.11	187	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7521.90	30.46	17.20	47.66	54.00	6.34	144	Horizontal	PASS
2	12346.00	33.07	7.52	40.59	54.00	13.41	253	Horizontal	PASS
3	17945.00	30.13	16.44	46.57	54.00	7.43	46	Horizontal	PASS
4	6963.65	74.47	15.37	89.84	-	-	227	Horizontal	NA
5	7481.65	38.49	17.25	55.74	74.00	18.26	326	Horizontal	PASS
6	12194.67	40.52	7.63	48.15	74.00	25.85	177	Horizontal	PASS
7	17949.67	37.93	16.48	54.41	74.00	19.59	111	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7425.30	30.66	16.78	47.44	54.00	6.56	107	Vertical	PASS
2	11704.67	34.06	6.46	40.52	54.00	13.48	253	Vertical	PASS
3	17984.67	30.12	16.74	46.86	54.00	7.14	253	Vertical	PASS
4	6966.45	73.48	15.38	88.86	-	-	220	Vertical	NA
5	7350.75	39.44	16.61	56.05	74.00	17.95	161	Vertical	PASS
6	12332.33	41.88	7.49	49.37	74.00	24.63	23	Vertical	PASS
7	17907.67	38.44	16.16	54.60	74.00	19.40	143	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7468.70	30.94	17.19	48.13	54.00	5.87	351	Horizontal	PASS
2	11660.00	33.86	6.50	40.36	54.00	13.64	310	Horizontal	PASS
3	17934.00	30.55	16.36	46.91	54.00	7.09	124	Horizontal	PASS
4	6917.80	73.87	15.31	89.18	-	-	236	Horizontal	NA
5	7492.15	38.74	17.30	56.04	74.00	17.96	120	Horizontal	PASS
6	11710.00	41.99	6.46	48.45	74.00	25.55	343	Horizontal	PASS
7	17897.67	38.27	16.09	54.36	74.00	19.64	135	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7703.55	30.51	16.94	47.45	54.00	6.55	55	Vertical	PASS
2	12375.33	33.71	7.58	41.29	54.00	12.71	78	Vertical	PASS
3	17948.33	30.15	16.46	46.61	54.00	7.39	177	Vertical	PASS
4	6957.00	73.71	15.34	89.05	-	-	172	Vertical	NA
5	7456.80	38.67	17.13	55.80	74.00	18.20	130	Vertical	PASS
6	12404.00	41.62	7.62	49.24	74.00	24.76	353	Vertical	PASS
7	17988.33	37.49	16.77	54.26	74.00	19.74	12	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5891.93	30.59	14.12	44.71	68.20	23.49	100	Horizontal	PASS
2	5907.73	30.51	14.07	44.58	68.20	23.62	20	Horizontal	PASS
3	5923.89	30.39	14.02	44.41	68.20	23.79	20	Horizontal	PASS
4	5890.56	41.47	14.12	55.59	88.20	32.61	130	Horizontal	PASS
5	5909.91	40.71	14.07	54.78	88.20	33.42	120	Horizontal	PASS
6	5923.33	40.89	14.02	54.91	88.20	33.29	30	Horizontal	PASS


Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5881.26	30.20	14.15	44.35	68.20	23.85	10	Vertical	PASS
2	5903.58	31.09	14.08	45.17	68.20	23.03	80	Vertical	PASS
3	5922.49	30.52	14.03	44.55	68.20	23.65	20	Vertical	PASS
4	5880.98	40.59	14.15	54.74	88.20	33.46	30	Vertical	PASS
5	5906.08	41.60	14.08	55.68	88.20	32.52	10	Vertical	PASS
6	5922.82	41.21	14.02	55.23	88.20	32.97	70	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5864.88	30.43	14.19	44.62	68.20	23.58	100	Horizontal	PASS
2	5891.83	30.66	14.12	44.78	68.20	23.42	70	Horizontal	PASS
3	5923.80	30.50	14.02	44.52	68.20	23.68	100	Horizontal	PASS
4	5866.77	41.35	14.19	55.54	88.20	32.66	50	Horizontal	PASS
5	5893.24	40.72	14.12	54.84	88.20	33.36	100	Horizontal	PASS
6	5921.44	41.23	14.03	55.26	88.20	32.94	90	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5865.23	30.78	14.19	44.97	68.20	23.23	30	Vertical	PASS
2	5898.81	30.72	14.10	44.82	68.20	23.38	20	Vertical	PASS
3	5921.82	30.48	14.03	44.51	68.20	23.69	10	Vertical	PASS
4	5867.02	40.71	14.19	54.90	88.20	33.30	120	Vertical	PASS
5	5899.22	41.09	14.10	55.19	88.20	33.01	40	Vertical	PASS
6	5922.46	40.47	14.03	54.50	88.20	33.70	100	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5855.69	30.54	14.22	44.76	68.20	23.44	60	Horizontal	PASS
2	5888.77	30.59	14.13	44.72	68.20	23.48	130	Horizontal	PASS
3	5921.78	30.29	14.03	44.32	68.20	23.88	40	Horizontal	PASS
4	5859.25	41.57	14.21	55.78	88.20	32.42	20	Horizontal	PASS
5	5885.57	41.43	14.14	55.57	88.20	32.63	140	Horizontal	PASS
6	5920.58	41.20	14.03	55.23	88.20	32.97	120	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5877.17	30.76	14.16	44.92	68.20	23.28	50	Vertical	PASS
2	5900.26	30.81	14.10	44.91	68.20	23.29	120	Vertical	PASS
3	5924.46	32.16	14.02	46.18	68.20	22.02	90	Vertical	PASS
4	5879.77	40.89	14.15	55.04	88.20	33.16	100	Vertical	PASS
5	5898.37	40.62	14.10	54.72	88.20	33.48	30	Vertical	PASS
6	5924.02	41.45	14.02	55.47	88.20	32.73	70	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5882.50	30.71	14.15	44.86	68.20	23.34	20	Horizontal	PASS
2	5902.24	30.42	14.10	44.52	68.20	23.68	30	Horizontal	PASS
3	5921.59	30.75	14.03	44.78	68.20	23.42	120	Horizontal	PASS
4	5881.18	40.90	14.15	55.05	88.20	33.15	70	Horizontal	PASS
5	5904.17	41.43	14.08	55.51	88.20	32.69	130	Horizontal	PASS
6	5922.40	40.71	14.03	54.74	88.20	33.46	10	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5891.15	30.71	14.12	44.83	68.20	23.37	110	Vertical	PASS
2	5905.07	30.57	14.08	44.65	68.20	23.55	90	Vertical	PASS
3	5921.51	30.34	14.03	44.37	68.20	23.83	10	Vertical	PASS
4	5892.75	41.65	14.12	55.77	88.20	32.43	20	Vertical	PASS
5	5903.58	40.94	14.08	55.02	88.20	33.18	90	Vertical	PASS
6	5923.83	40.87	14.02	54.89	88.20	33.31	0	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5880.28	30.84	14.15	44.99	68.20	23.21	80	Horizontal	PASS
2	5902.33	30.45	14.10	44.55	68.20	23.65	50	Horizontal	PASS
3	5921.24	30.51	14.03	44.54	68.20	23.66	10	Horizontal	PASS
4	5883.09	41.42	14.14	55.56	88.20	32.64	30	Horizontal	PASS
5	5902.94	41.07	14.09	55.16	88.20	33.04	30	Horizontal	PASS
6	5921.95	41.11	14.03	55.14	88.20	33.06	90	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:		Engineer:	Oushuyan
Remark:	Powersetting 3		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5884.02	30.50	14.14	44.64	68.20	23.56	80	Vertical	PASS
2	5907.03	30.57	14.08	44.65	68.20	23.55	70	Vertical	PASS
3	5922.72	30.55	14.02	44.57	68.20	23.63	60	Vertical	PASS
4	5886.55	40.69	14.13	54.82	88.20	33.38	50	Vertical	PASS
5	5906.14	40.91	14.08	54.99	88.20	33.21	100	Vertical	PASS
6	5923.52	41.22	14.02	55.24	88.20	32.96	90	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5874.17	30.33	14.17	44.50	68.20	23.70	10	Horizontal	PASS
2	5900.14	30.45	14.10	44.55	68.20	23.65	60	Horizontal	PASS
3	5919.62	30.72	14.03	44.75	68.20	23.45	130	Horizontal	PASS
4	5872.69	40.56	14.17	54.73	88.20	33.47	140	Horizontal	PASS
5	5900.42	41.00	14.10	55.10	88.20	33.10	110	Horizontal	PASS
6	5922.22	40.85	14.03	54.88	88.20	33.32	80	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5879.21	30.57	14.15	44.72	68.20	23.48	120	Vertical	PASS
2	5903.70	31.07	14.08	45.15	68.20	23.05	50	Vertical	PASS
3	5924.42	32.13	14.02	46.15	68.20	22.05	100	Vertical	PASS
4	5882.85	41.31	14.14	55.45	88.20	32.75	50	Vertical	PASS
5	5904.50	40.84	14.08	54.92	88.20	33.28	20	Vertical	PASS
6	5924.78	41.81	14.02	55.83	88.20	32.37	70	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:		Engineer:	Oushuyan
Remark:	Powersetting 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.47	37.41	15.81	53.22	68.20	14.98	236	Horizontal	PASS
2	7126.90	31.60	15.81	47.41	68.20	20.79	228	Horizontal	PASS
3	7130.32	29.59	15.82	45.41	68.20	22.79	198	Horizontal	PASS
4	7125.25	57.13	15.81	72.94	88.20	15.26	228	Horizontal	PASS
5	7126.14	51.80	15.81	67.61	88.20	20.59	241	Horizontal	PASS
6	7126.76	47.86	15.81	63.67	88.20	24.53	239	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.64	37.50	15.81	53.31	68.20	14.89	223	Vertical	PASS
2	7126.40	33.02	15.81	48.83	68.20	19.37	220	Vertical	PASS
3	7127.99	30.04	15.82	45.86	68.20	22.34	225	Vertical	PASS
4	7125.19	54.40	15.81	70.21	88.20	17.99	238	Vertical	PASS
5	7126.14	50.24	15.81	66.05	88.20	22.15	172	Vertical	PASS
6	7127.35	45.74	15.81	61.55	88.20	26.65	223	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7128.84	29.54	15.82	45.36	68.20	22.84	165	Horizontal	PASS
2	7133.88	29.53	15.83	45.36	68.20	22.84	89	Horizontal	PASS
3	7146.27	29.26	15.85	45.11	68.20	23.09	167	Horizontal	PASS
4	7129.02	40.54	15.82	56.36	88.20	31.84	307	Horizontal	PASS
5	7135.00	40.51	15.83	56.34	88.20	31.86	173	Horizontal	PASS
6	7145.04	40.17	15.85	56.02	88.20	32.18	279	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7126.39	29.50	15.81	45.31	68.20	22.89	126	Vertical	PASS
2	7135.79	29.29	15.83	45.12	68.20	23.08	257	Vertical	PASS
3	7151.78	29.56	15.87	45.43	68.20	22.77	12	Vertical	PASS
4	7127.00	40.08	15.81	55.89	88.20	32.31	79	Vertical	PASS
5	7137.95	40.05	15.84	55.89	88.20	32.31	321	Vertical	PASS
6	7150.66	39.73	15.86	55.59	88.20	32.61	171	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:		Engineer:	Oushuyan
Remark:	Powersetting 9		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7127.46	29.45	15.81	45.26	68.20	22.94	90	Horizontal	PASS
2	7153.67	29.58	15.87	45.45	68.20	22.75	285	Horizontal	PASS
3	7177.54	29.53	15.97	45.50	68.20	22.70	108	Horizontal	PASS
4	7126.94	40.18	15.81	55.99	88.20	32.21	199	Horizontal	PASS
5	7150.29	40.47	15.86	56.33	88.20	31.87	262	Horizontal	PASS
6	7178.53	40.36	15.97	56.33	88.20	31.87	39	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:		Engineer:	Oushuyan
Remark:	Powersetting 9		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7128.13	29.65	15.82	45.47	68.20	22.73	272	Vertical	PASS
2	7145.24	29.52	15.85	45.37	68.20	22.83	122	Vertical	PASS
3	7180.61	29.63	15.98	45.61	68.20	22.59	98	Vertical	PASS
4	7128.55	41.16	15.82	56.98	88.20	31.22	24	Vertical	PASS
5	7139.05	40.52	15.84	56.36	88.20	31.84	354	Vertical	PASS
6	7166.46	40.18	15.93	56.11	88.20	32.09	11	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.02	51.45	15.81	67.26	68.20	0.94	238	Horizontal	PASS
2	7125.08	49.80	15.81	65.61	68.20	2.59	238	Horizontal	PASS
3	7125.14	47.87	15.81	63.68	68.20	4.52	238	Horizontal	PASS
4	7125.14	61.62	15.81	77.43	88.20	10.77	240	Horizontal	PASS
5	7125.75	55.67	15.81	71.48	88.20	16.72	225	Horizontal	PASS
6	7127.12	49.35	15.81	65.16	88.20	23.04	248	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:		Engineer:	Oushuyan
Remark:	Powersetting 1.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.02	50.30	15.81	66.11	68.20	2.09	221	Vertical	PASS
2	7125.33	40.45	15.81	56.26	68.20	11.94	221	Vertical	PASS
3	7127.68	29.86	15.82	45.68	68.20	22.52	224	Vertical	PASS
4	7125.05	62.33	15.81	78.14	88.20	10.06	221	Vertical	PASS
5	7125.75	56.39	15.81	72.20	88.20	16.00	219	Vertical	PASS
6	7128.55	43.26	15.82	59.08	88.20	29.12	216	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7128.52	29.61	15.82	45.43	68.20	22.77	358	Horizontal	PASS
2	7132.77	29.37	15.83	45.20	68.20	23.00	286	Horizontal	PASS
3	7141.26	29.42	15.84	45.26	68.20	22.94	192	Horizontal	PASS
4	7127.33	40.45	15.81	56.26	88.20	31.94	44	Horizontal	PASS
5	7133.31	40.54	15.83	56.37	88.20	31.83	212	Horizontal	PASS
6	7138.60	40.96	15.84	56.80	88.20	31.40	209	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 4		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7127.40	29.72	15.81	45.53	68.20	22.67	109	Vertical	PASS
2	7137.59	29.53	15.84	45.37	68.20	22.83	360	Vertical	PASS
3	7145.98	29.47	15.85	45.32	68.20	22.88	346	Vertical	PASS
4	7127.62	40.33	15.82	56.15	88.20	32.05	171	Vertical	PASS
5	7136.80	40.05	15.83	55.88	88.20	32.32	204	Vertical	PASS
6	7146.59	40.41	15.85	56.26	88.20	31.94	114	Vertical	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7130.73	29.52	15.82	45.34	68.20	22.86	24	Horizontal	PASS
2	7143.32	29.71	15.85	45.56	68.20	22.64	118	Horizontal	PASS
3	7157.10	29.25	15.89	45.14	68.20	23.06	229	Horizontal	PASS
4	7129.69	40.23	15.82	56.05	88.20	32.15	229	Horizontal	PASS
5	7139.47	40.02	15.84	55.86	88.20	32.34	203	Horizontal	PASS
6	7157.57	39.80	15.89	55.69	88.20	32.51	295	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	227
SN:		Engineer:	Oushuyan
Remark:	Powersetting 8		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7126.31	29.41	15.81	45.22	68.20	22.98	313	Vertical	PASS
2	7140.88	29.52	15.84	45.36	68.20	22.84	308	Vertical	PASS
3	7149.04	29.38	15.86	45.24	68.20	22.96	129	Vertical	PASS
4	7127.72	40.56	15.82	56.38	88.20	31.82	175	Vertical	PASS
5	7136.97	39.92	15.83	55.75	88.20	32.45	250	Vertical	PASS
6	7147.38	40.09	15.85	55.94	88.20	32.26	277	Vertical	PASS

~The End~