








Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;powersetting 7.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	74.52	56.79	-30.05	26.74	40.00	13.26	Horizontal	PASS
2	140.97	60.39	-30.62	29.77	43.50	13.73	Horizontal	PASS
3	154.98	59.04	-29.88	29.16	43.50	14.34	Horizontal	PASS
4	258.77	55.33	-24.74	30.59	46.00	15.41	Horizontal	PASS
5	282.98	56.08	-24.37	31.71	46.00	14.29	Horizontal	PASS
6	457.58	47.93	-20.00	27.93	46.00	18.07	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;powersetting 7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	58.76	55.04	-26.18	28.86	40.00	11.14	Vertical	PASS
2	73.17	55.93	-29.67	26.26	40.00	13.74	Vertical	PASS
3	156.73	54.22	-30.03	24.19	43.50	19.31	Vertical	PASS
4	258.68	49.25	-24.74	24.51	46.00	21.49	Vertical	PASS
5	380.07	45.51	-21.38	24.13	46.00	21.87	Vertical	PASS
6	950.72	42.71	-11.50	31.21	46.00	14.79	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	Z;Powersetting 2.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7454.00	30.17	17.12	47.29	54.00	6.71	37	Horizontal	PASS
2	12261.33	33.55	7.53	41.08	54.00	12.92	9	Horizontal	PASS
3	17920.67	29.34	16.25	45.59	54.00	8.41	9	Horizontal	PASS
4	6415.90	79.81	14.94	94.75	-	-	4	Horizontal	NA
5	7336.40	39.31	16.55	55.86	74.00	18.14	62	Horizontal	PASS
6	12231.33	40.45	7.61	48.06	74.00	25.94	52	Horizontal	PASS
7	17759.00	38.08	15.58	53.66	74.00	20.34	52	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	Z;Powersetting 2.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7585.60	30.75	16.73	47.48	54.00	6.52	69	Vertical	PASS
2	12231.67	33.16	7.61	40.77	54.00	13.23	70	Vertical	PASS
3	17747.33	30.34	15.57	45.91	54.00	8.09	41	Vertical	PASS
4	6409.95	81.81	14.91	96.72	-	-	62	Vertical	NA
5	7787.55	39.04	17.23	56.27	68.20	11.93	69	Vertical	PASS
6	12407.33	40.35	7.61	47.96	74.00	26.04	19	Vertical	PASS
7	17991.33	36.77	16.80	53.57	74.00	20.43	63	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	Z; Powersetting 5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7462.40	29.91	17.16	47.07	54.00	6.93	54	Horizontal	PASS
2	12482.67	33.70	7.31	41.01	54.00	12.99	31	Horizontal	PASS
3	17955.00	29.70	16.52	46.22	54.00	7.78	70	Horizontal	PASS
4	5972.45	77.26	13.86	91.12	-	-	12	Horizontal	NA
5	7750.45	38.85	17.19	56.04	68.20	12.16	62	Horizontal	PASS
6	12199.67	41.18	7.70	48.88	74.00	25.12	63	Horizontal	PASS
7	17909.33	38.53	16.17	54.70	74.00	19.30	63	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7521.20	29.80	17.21	47.01	54.00	6.99	55	Vertical	PASS
2	12268.67	33.77	7.51	41.28	54.00	12.72	51	Vertical	PASS
3	17958.00	29.55	16.54	46.09	54.00	7.91	70	Vertical	PASS
4	5954.25	80.01	13.91	93.92	-	-	70	Vertical	NA
5	7233.85	39.55	16.30	55.85	68.20	12.35	47	Vertical	PASS
6	12149.33	40.84	7.06	47.90	74.00	26.10	62	Vertical	PASS
7	17994.33	38.06	16.82	54.88	74.00	19.12	62	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7740.65	30.21	17.13	47.34	54.00	6.66	70	Horizontal	PASS
2	12205.33	32.92	7.68	40.60	54.00	13.40	40	Horizontal	PASS
3	17956.67	29.56	16.53	46.09	54.00	7.91	70	Horizontal	PASS
4	5982.95	75.90	13.81	89.71	-	-	14	Horizontal	NA
5	7451.90	38.49	17.11	55.60	74.00	18.40	22	Horizontal	PASS
6	12408.67	41.03	7.61	48.64	74.00	25.36	70	Horizontal	PASS
7	17991.00	36.44	16.79	53.23	74.00	20.77	51	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7494.25	30.33	17.31	47.64	54.00	6.36	55	Vertical	PASS
2	11690.67	34.78	6.47	41.25	54.00	12.75	7	Vertical	PASS
3	17924.67	29.88	16.29	46.17	54.00	7.83	70	Vertical	PASS
4	5993.80	78.06	13.78	91.84	-	-	70	Vertical	NA
5	7562.15	38.87	16.93	55.80	74.00	18.20	0	Vertical	PASS
6	11863.00	42.44	6.41	48.85	74.00	25.15	62	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7503.00	29.80	17.32	47.12	54.00	6.88	13	Horizontal	PASS
2	12208.67	33.06	7.67	40.73	54.00	13.27	27	Horizontal	PASS
3	17725.33	30.48	15.57	46.05	54.00	7.95	16	Horizontal	PASS
4	5950.05	83.38	13.93	97.31	-	-	62	Horizontal	NA
5	7732.60	39.27	17.10	56.37	74.00	17.63	54	Horizontal	PASS
6	12227.00	40.84	7.62	48.46	74.00	25.54	16	Horizontal	PASS
7	17940.33	37.34	16.41	53.75	74.00	20.25	27	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7487.60	30.34	17.28	47.62	54.00	6.38	70	Vertical	PASS
2	12352.00	33.33	7.54	40.87	54.00	13.13	51	Vertical	PASS
3	17945.00	29.79	16.44	46.23	54.00	7.77	30	Vertical	PASS
4	5951.45	87.04	13.93	100.97	-	-	63	Vertical	NA
5	7623.75	39.38	16.66	56.04	74.00	17.96	38	Vertical	PASS
6	12323.67	40.82	7.48	48.30	74.00	25.70	40	Vertical	PASS
7	17869.67	37.83	15.94	53.77	74.00	20.23	51	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	45
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7484.10	30.07	17.26	47.33	54.00	6.67	54	Horizontal	PASS
2	12235.33	32.74	7.60	40.34	54.00	13.66	63	Horizontal	PASS
3	17922.67	30.69	16.27	46.96	54.00	7.04	63	Horizontal	PASS
4	6167.40	84.69	13.88	98.57	-	-	0	Horizontal	NA
5	7589.10	39.49	16.70	56.19	74.00	17.81	54	Horizontal	PASS
6	15351.67	39.76	11.92	51.68	74.00	22.32	52	Horizontal	PASS
7	17987.67	36.54	16.77	53.31	74.00	20.69	0	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	45
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7555.85	30.79	16.98	47.77	54.00	6.23	55	Vertical	PASS
2	12323.67	33.31	7.48	40.79	54.00	13.21	41	Vertical	PASS
3	17913.33	29.90	16.20	46.10	54.00	7.90	41	Vertical	PASS
4	6181.75	85.59	13.89	99.48	-	-	64	Vertical	NA
5	7342.35	38.66	16.58	55.24	74.00	18.76	70	Vertical	PASS
6	12204.33	40.36	7.69	48.05	74.00	25.95	30	Vertical	PASS
7	17995.33	37.24	16.82	54.06	74.00	19.94	0	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7448.40	30.17	17.08	47.25	54.00	6.75	29	Horizontal	PASS
2	12211.00	33.17	7.67	40.84	54.00	13.16	32	Horizontal	PASS
3	17935.33	29.54	16.37	45.91	54.00	8.09	0	Horizontal	PASS
4	6415.90	84.41	14.94	99.35	-	-	4	Horizontal	NA
5	7548.85	39.32	17.03	56.35	74.00	17.65	13	Horizontal	PASS
6	11715.00	41.95	6.46	48.41	74.00	25.59	21	Horizontal	PASS
7	17978.00	36.69	16.69	53.38	74.00	20.62	42	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	93
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 6.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7513.50	30.62	17.25	47.87	54.00	6.13	30	Vertical	PASS
2	12346.67	33.68	7.52	41.20	54.00	12.80	41	Vertical	PASS
3	17987.33	30.00	16.76	46.76	54.00	7.24	41	Vertical	PASS
4	6419.40	88.10	14.95	103.05	-	-	55	Vertical	NA
5	7452.95	38.69	17.12	55.81	74.00	18.19	46	Vertical	PASS
6	12442.33	41.05	7.47	48.52	74.00	25.48	63	Vertical	PASS
7	17971.33	37.38	16.65	54.03	74.00	19.97	52	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7639.15	30.78	16.69	47.47	54.00	6.53	62	Horizontal	PASS
2	12260.67	33.16	7.53	40.69	54.00	13.31	63	Horizontal	PASS
3	17973.67	29.79	16.66	46.45	54.00	7.55	9	Horizontal	PASS
4	5969.65	81.43	13.86	95.29	-	-	4	Horizontal	NA
5	7528.55	40.05	17.16	57.21	74.00	16.79	62	Horizontal	PASS
6	12205.00	40.31	7.68	47.99	74.00	26.01	31	Horizontal	PASS
7	17943.00	37.17	16.42	53.59	74.00	20.41	41	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7411.30	30.98	16.61	47.59	54.00	6.41	21	Vertical	PASS
2	12404.00	33.58	7.62	41.20	54.00	12.80	70	Vertical	PASS
3	17983.67	29.02	16.73	45.75	54.00	8.25	8	Vertical	PASS
4	5954.60	85.01	13.91	98.92	-	-	70	Vertical	NA
5	7923.00	38.49	17.35	55.84	68.20	12.36	70	Vertical	PASS
6	13286.33	40.22	8.21	48.43	74.00	25.57	29	Vertical	PASS
7	17962.33	36.98	16.57	53.55	74.00	20.45	29	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7493.55	30.27	17.31	47.58	54.00	6.42	55	Horizontal	PASS
2	11633.00	34.12	6.53	40.65	54.00	13.35	18	Horizontal	PASS
3	17905.00	29.75	16.14	45.89	54.00	8.11	29	Horizontal	PASS
4	5992.75	78.88	13.78	92.66	-	-	13	Horizontal	NA
5	7457.15	38.29	17.13	55.42	74.00	18.58	38	Horizontal	PASS
6	12399.00	40.43	7.64	48.07	74.00	25.93	63	Horizontal	PASS
7	16538.00	39.33	12.80	52.13	68.20	16.07	7	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7506.50	30.27	17.30	47.57	54.00	6.43	63	Vertical	PASS
2	12225.67	33.42	7.62	41.04	54.00	12.96	63	Vertical	PASS
3	17976.67	29.70	16.69	46.39	54.00	7.61	40	Vertical	PASS
4	6023.55	81.39	13.77	95.16	-	-	70	Vertical	NA
5	7363.70	39.48	16.57	56.05	74.00	17.95	29	Vertical	PASS
6	11682.33	41.97	6.48	48.45	74.00	25.55	40	Vertical	PASS
7	17696.67	36.78	15.50	52.28	68.20	15.92	51	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7530.65	30.20	17.15	47.35	54.00	6.65	65	Horizontal	PASS
2	12235.33	33.44	7.60	41.04	54.00	12.96	14	Horizontal	PASS
3	17982.67	29.16	16.73	45.89	54.00	8.11	70	Horizontal	PASS
4	6437.60	80.32	15.03	95.35	-	-	16	Horizontal	NA
5	7797.70	38.77	17.24	56.01	68.20	12.19	28	Horizontal	PASS
6	12135.00	41.07	6.88	47.95	74.00	26.05	25	Horizontal	PASS
7	17929.67	37.29	16.33	53.62	74.00	20.38	14	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7573.35	30.97	16.83	47.80	54.00	6.20	31	Vertical	PASS
2	11579.33	34.25	6.55	40.80	54.00	13.20	21	Vertical	PASS
3	17916.33	30.27	16.23	46.50	54.00	7.50	44	Vertical	PASS
4	6441.80	82.13	15.04	97.17	-	-	40	Vertical	NA
5	7726.65	38.94	17.06	56.00	74.00	18.00	40	Vertical	PASS
6	13405.33	41.26	8.78	50.04	68.20	18.16	9	Vertical	PASS
7	17986.67	36.73	16.76	53.49	74.00	20.51	21	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7506.85	29.75	17.30	47.05	54.00	6.95	33	Horizontal	PASS
2	12231.00	33.06	7.61	40.67	54.00	13.33	13	Horizontal	PASS
3	17984.33	29.34	16.74	46.08	54.00	7.92	70	Horizontal	PASS
4	6446.70	79.63	15.06	94.69	-	-	5	Horizontal	NA
5	7779.15	38.54	17.22	55.76	68.20	12.44	60	Horizontal	PASS
6	12328.33	41.07	7.48	48.55	74.00	25.45	49	Horizontal	PASS
7	17947.33	36.91	16.46	53.37	74.00	20.63	25	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7636.35	30.82	16.69	47.51	54.00	6.49	23	Vertical	PASS
2	12342.67	32.87	7.52	40.39	54.00	13.61	4	Vertical	PASS
3	17972.00	29.21	16.65	45.86	54.00	8.14	4	Vertical	PASS
4	6435.50	81.15	15.01	96.16	-	-	32	Vertical	NA
5	7519.45	39.16	17.22	56.38	74.00	17.62	66	Vertical	PASS
6	12434.67	40.78	7.50	48.28	74.00	25.72	38	Vertical	PASS
7	17985.33	36.80	16.75	53.55	74.00	20.45	49	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7526.80	30.57	17.17	47.74	54.00	6.26	0	Horizontal	PASS
2	11821.00	33.88	6.46	40.34	54.00	13.66	50	Horizontal	PASS
3	17991.67	29.23	16.80	46.03	54.00	7.97	28	Horizontal	PASS
4	6485.20	80.41	14.87	95.28	-	-	5	Horizontal	NA
5	7529.60	39.08	17.15	56.23	74.00	17.77	31	Horizontal	PASS
6	11710.33	42.03	6.46	48.49	74.00	25.51	50	Horizontal	PASS
7	17997.00	37.40	16.84	54.24	74.00	19.76	5	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7526.10	30.01	17.18	47.19	54.00	6.81	22	Vertical	PASS
2	12219.67	32.75	7.64	40.39	54.00	13.61	52	Vertical	PASS
3	17967.67	29.58	16.61	46.19	54.00	7.81	17	Vertical	PASS
4	6473.30	80.81	14.94	95.75	-	-	49	Vertical	NA
5	7864.90	38.54	17.34	55.88	68.20	12.32	22	Vertical	PASS
6	12336.00	40.78	7.50	48.28	74.00	25.72	4	Vertical	PASS
7	17965.67	36.95	16.60	53.55	74.00	20.45	63	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7538.35	30.54	17.10	47.64	54.00	6.36	0	Horizontal	PASS
2	12332.33	33.17	7.49	40.66	54.00	13.34	0	Horizontal	PASS
3	17990.67	29.04	16.79	45.83	54.00	8.17	41	Horizontal	PASS
4	6429.55	82.31	14.99	97.30	-	-	13	Horizontal	NA
5	7728.75	39.27	17.07	56.34	74.00	17.66	63	Horizontal	PASS
6	12155.67	41.08	7.14	48.22	74.00	25.78	41	Horizontal	PASS
7	17821.33	37.70	15.69	53.39	74.00	20.61	9	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	97
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7486.90	30.37	17.27	47.64	54.00	6.36	29	Vertical	PASS
2	12226.33	33.04	7.62	40.66	54.00	13.34	30	Vertical	PASS
3	17922.00	29.61	16.27	45.88	54.00	8.12	19	Vertical	PASS
4	6437.95	82.88	15.03	97.91	-	-	54	Vertical	NA
5	7399.40	39.50	16.46	55.96	74.00	18.04	13	Vertical	PASS
6	12193.00	40.44	7.62	48.06	74.00	25.94	30	Vertical	PASS
7	17987.67	36.46	16.77	53.23	74.00	20.77	30	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7509.65	30.05	17.28	47.33	54.00	6.67	29	Horizontal	PASS
2	12227.67	32.71	7.62	40.33	54.00	13.67	20	Horizontal	PASS
3	17979.00	29.11	16.70	45.81	54.00	8.19	41	Horizontal	PASS
4	6477.85	81.06	14.91	95.97	-	-	12	Horizontal	NA
5	7742.05	38.95	17.14	56.09	74.00	17.91	53	Horizontal	PASS
6	12217.67	41.39	7.65	49.04	74.00	24.96	0	Horizontal	PASS
7	17988.00	37.02	16.77	53.79	74.00	20.21	63	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	105
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7563.90	30.58	16.91	47.49	54.00	6.51	5	Vertical	PASS
2	12385.33	33.11	7.60	40.71	54.00	13.29	18	Vertical	PASS
3	17964.67	29.44	16.59	46.03	54.00	7.97	70	Vertical	PASS
4	6473.65	85.08	14.94	100.02	-	-	46	Vertical	NA
5	7823.25	37.93	17.30	55.23	68.20	12.97	29	Vertical	PASS
6	12387.67	40.64	7.61	48.25	74.00	25.75	63	Vertical	PASS
7	17874.00	37.62	15.97	53.59	74.00	20.41	18	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	113
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7470.80	30.56	17.20	47.76	54.00	6.24	33	Horizontal	PASS
2	12380.33	32.76	7.60	40.36	54.00	13.64	27	Horizontal	PASS
3	17992.00	28.97	16.80	45.77	54.00	8.23	13	Horizontal	PASS
4	6513.55	79.74	14.84	94.58	-	-	0	Horizontal	NA
5	7417.95	38.70	16.69	55.39	74.00	18.61	6	Horizontal	PASS
6	12272.67	41.20	7.50	48.70	74.00	25.30	27	Horizontal	PASS
7	17973.33	37.57	16.65	54.22	74.00	19.78	61	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-6
Bandwidth	20MHz	Channel	113
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	12383.33	33.16	7.61	40.77	54.00	13.23	14	Vertical	PASS
2	17983.33	28.98	16.73	45.71	54.00	8.29	70	Vertical	PASS
3	6515.65	82.28	14.85	97.13	-	-	48	Vertical	NA
4	7776.35	39.31	17.22	56.53	68.20	11.67	70	Vertical	PASS
5	11705.00	42.13	6.46	48.59	74.00	25.41	48	Vertical	PASS
6	17929.33	37.70	16.33	54.03	74.00	19.97	14	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7464.50	30.00	17.17	47.17	54.00	6.83	19	Horizontal	PASS
2	12218.67	33.51	7.65	41.16	54.00	12.84	43	Horizontal	PASS
3	17911.33	29.61	16.19	45.80	54.00	8.20	61	Horizontal	PASS
4	6446.35	82.63	15.06	97.69	-	-	0	Horizontal	NA
5	7476.40	38.66	17.22	55.88	74.00	18.12	27	Horizontal	PASS
6	12203.33	40.82	7.69	48.51	74.00	25.49	61	Horizontal	PASS
7	17960.67	37.44	16.56	54.00	74.00	20.00	61	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7722.80	30.47	17.05	47.52	54.00	6.48	62	Vertical	PASS
2	12218.00	33.51	7.65	41.16	54.00	12.84	42	Vertical	PASS
3	17972.00	29.63	16.65	46.28	54.00	7.72	42	Vertical	PASS
4	6446.35	82.79	15.06	97.85	-	-	29	Vertical	NA
5	7641.60	39.40	16.70	56.10	74.00	17.90	54	Vertical	PASS
6	12220.33	40.56	7.64	48.20	74.00	25.80	19	Vertical	PASS
7	17929.00	37.09	16.32	53.41	74.00	20.59	52	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	12260.33	33.26	7.53	40.79	54.00	13.21	41	Horizontal	PASS
2	17969.33	29.40	16.63	46.03	54.00	7.97	28	Horizontal	PASS
3	6463.85	82.19	14.99	97.18	-	-	0	Horizontal	NA
4	7531.70	38.87	17.14	56.01	74.00	17.99	38	Horizontal	PASS
5	13724.33	41.14	9.29	50.43	68.20	17.77	52	Horizontal	PASS
6	17924.00	37.36	16.29	53.65	74.00	20.35	52	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7373.85	30.94	16.54	47.48	54.00	6.52	5	Vertical	PASS
2	12385.33	33.21	7.60	40.81	54.00	13.19	39	Vertical	PASS
3	17983.33	29.59	16.73	46.32	54.00	7.68	53	Vertical	PASS
4	6474.00	84.58	14.93	99.51	-	-	31	Vertical	NA
5	7674.50	39.09	16.82	55.91	74.00	18.09	67	Vertical	PASS
6	12331.33	40.71	7.49	48.20	74.00	25.80	53	Vertical	PASS
7	17912.67	37.08	16.20	53.28	74.00	20.72	53	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7516.30	30.02	17.24	47.26	54.00	6.74	13	Horizontal	PASS
2	12223.00	33.31	7.64	40.95	54.00	13.05	19	Horizontal	PASS
3	17971.33	29.81	16.65	46.46	54.00	7.54	52	Horizontal	PASS
4	6535.60	78.58	14.95	93.53	-	-	5	Horizontal	NA
5	7499.85	39.33	17.34	56.67	74.00	17.33	30	Horizontal	PASS
6	15308.67	40.02	11.95	51.97	68.20	16.23	19	Horizontal	PASS
7	17751.67	37.91	15.57	53.48	74.00	20.52	41	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -1		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7483.40	30.70	17.26	47.96	54.00	6.04	13	Vertical	PASS
2	12346.33	33.19	7.52	40.71	54.00	13.29	19	Vertical	PASS
3	17981.33	29.16	16.72	45.88	54.00	8.12	7	Vertical	PASS
4	6538.40	78.53	14.96	93.49	-	-	38	Vertical	NA
5	7370.70	38.93	16.55	55.48	74.00	18.52	30	Vertical	PASS
6	15381.00	39.60	11.90	51.50	74.00	22.50	52	Vertical	PASS
7	17983.00	37.87	16.73	54.60	74.00	19.40	0	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7531.35	30.24	17.14	47.38	54.00	6.62	15	Horizontal	PASS
2	11571.33	33.62	6.55	40.17	54.00	13.83	70	Horizontal	PASS
3	17995.67	29.34	16.82	46.16	54.00	7.84	26	Horizontal	PASS
4	6677.00	76.83	15.52	92.35	-	-	15	Horizontal	NA
5	7714.05	38.53	17.00	55.53	74.00	18.47	67	Horizontal	PASS
6	11670.00	41.89	6.49	48.38	74.00	25.62	3	Horizontal	PASS
7	17983.67	36.74	16.73	53.47	74.00	20.53	62	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-7
Bandwidth	40MHz	Channel	147
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7469.75	30.80	17.19	47.99	54.00	6.01	64	Vertical	PASS
2	11793.00	34.14	6.48	40.62	54.00	13.38	42	Vertical	PASS
3	17912.00	29.85	16.19	46.04	54.00	7.96	20	Vertical	PASS
4	6688.20	77.10	15.56	92.66	-	-	55	Vertical	NA
5	7725.60	39.05	17.05	56.10	74.00	17.90	39	Vertical	PASS
6	12184.00	40.93	7.50	48.43	74.00	25.57	9	Vertical	PASS
7	17940.67	37.32	16.41	53.73	74.00	20.27	20	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7502.30	29.91	17.33	47.24	54.00	6.76	21	Horizontal	PASS
2	11711.33	34.09	6.46	40.55	54.00	13.45	31	Horizontal	PASS
3	17972.67	29.70	16.65	46.35	54.00	7.65	0	Horizontal	PASS
4	6698.70	76.18	15.60	91.78	-	-	21	Horizontal	NA
5	7452.95	38.72	17.12	55.84	74.00	18.16	5	Horizontal	PASS
6	12449.67	41.18	7.44	48.62	74.00	25.38	20	Horizontal	PASS
7	17916.67	37.42	16.23	53.65	74.00	20.35	52	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7499.15	30.92	17.33	48.25	54.00	5.75	29	Vertical	PASS
2	12215.67	32.89	7.65	40.54	54.00	13.46	30	Vertical	PASS
3	17912.67	29.67	16.20	45.87	54.00	8.13	8	Vertical	PASS
4	6696.95	77.95	15.59	93.54	-	-	46	Vertical	NA
5	7893.60	38.97	17.34	56.31	68.20	11.89	0	Vertical	PASS
6	14788.00	39.00	11.49	50.49	68.20	17.71	0	Vertical	PASS
7	17957.00	37.51	16.54	54.05	74.00	19.95	8	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -0.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7435.45	30.21	16.91	47.12	54.00	6.88	37	Horizontal	PASS
2	11651.00	34.72	6.51	41.23	54.00	12.77	28	Horizontal	PASS
3	17979.67	30.30	16.71	47.01	54.00	6.99	40	Horizontal	PASS
4	6527.55	81.25	14.91	96.16	-	-	10	Horizontal	NA
5	7822.55	39.05	17.30	56.35	68.20	11.85	10	Horizontal	PASS
6	12410.33	40.92	7.60	48.52	74.00	25.48	17	Horizontal	PASS
7	17963.00	38.04	16.58	54.62	74.00	19.38	61	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	117
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -0.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7753.25	30.14	17.19	47.33	-	-	49	Vertical	NA
2	12213.67	33.34	7.67	41.01	54.00	12.99	50	Vertical	PASS
3	17980.00	29.67	16.71	46.38	54.00	7.62	4	Vertical	PASS
4	6534.20	81.80	14.95	96.75	-	-	32	Vertical	NA
5	7779.85	38.62	17.22	55.84	68.20	12.36	70	Vertical	PASS
6	12221.33	41.29	7.64	48.93	74.00	25.07	39	Vertical	PASS
7	17994.33	38.16	16.82	54.98	74.00	19.02	50	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -1.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7512.80	29.99	17.26	47.25	54.00	6.75	30	Horizontal	PASS
2	11624.00	33.56	6.54	40.10	54.00	13.90	53	Horizontal	PASS
3	17957.33	29.65	16.54	46.19	54.00	7.81	8	Horizontal	PASS
4	6700.80	78.80	15.60	94.40	-	-	38	Horizontal	NA
5	7487.95	38.62	17.28	55.90	74.00	18.10	0	Horizontal	PASS
6	14807.00	39.18	11.59	50.77	68.20	17.43	70	Horizontal	PASS
7	17897.00	37.73	16.08	53.81	74.00	20.19	53	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	149
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -1.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7488.65	29.89	17.29	47.18	54.00	6.82	0	Vertical	PASS
2	12225.67	33.12	7.62	40.74	54.00	13.26	7	Vertical	PASS
3	17995.00	29.32	16.82	46.14	54.00	7.86	0	Vertical	PASS
4	6688.90	80.19	15.56	95.75	-	-	45	Vertical	NA
5	7573.35	38.88	16.83	55.71	74.00	18.29	4	Vertical	PASS
6	12322.67	40.92	7.47	48.39	74.00	25.61	28	Vertical	PASS
7	17915.33	37.91	16.22	54.13	74.00	19.87	0	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -0.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7725.25	30.23	17.05	47.28	54.00	6.72	0	Horizontal	PASS
2	12335.67	33.40	7.49	40.89	54.00	13.11	70	Horizontal	PASS
3	17988.00	29.56	16.77	46.33	54.00	7.67	63	Horizontal	PASS
4	6868.80	77.62	15.36	92.98	-	-	14	Horizontal	NA
5	7854.05	39.45	17.34	56.79	68.20	11.41	70	Horizontal	PASS
6	13748.33	41.05	8.93	49.98	68.20	18.22	30	Horizontal	PASS
7	17989.67	36.84	16.78	53.62	74.00	20.38	52	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-7
Bandwidth	20MHz	Channel	185
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -0.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7475.35	30.23	17.22	47.45	54.00	6.55	13	Vertical	PASS
2	12210.33	33.06	7.67	40.73	54.00	13.27	42	Vertical	PASS
3	17995.67	29.60	16.82	46.42	54.00	7.58	0	Vertical	PASS
4	6876.85	79.40	15.35	94.75	-	-	54	Vertical	NA
5	7440.00	39.19	16.97	56.16	74.00	17.84	70	Vertical	PASS
6	15390.33	38.69	11.90	50.59	74.00	23.41	9	Vertical	PASS
7	17971.33	37.62	16.65	54.27	74.00	19.73	0	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7619.90	30.55	16.65	47.20	54.00	6.80	53	Horizontal	PASS
2	12270.67	33.61	7.50	41.11	54.00	12.89	63	Horizontal	PASS
3	17923.33	29.79	16.27	46.06	54.00	7.94	9	Horizontal	PASS
4	6849.55	77.21	15.39	92.60	-	-	21	Horizontal	NA
5	7482.35	39.06	17.25	56.31	74.00	17.69	4	Horizontal	PASS
6	12326.00	41.78	7.47	49.25	74.00	24.75	70	Horizontal	PASS
7	17935.67	37.46	16.37	53.83	74.00	20.17	20	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7451.55	30.42	17.10	47.52	54.00	6.48	21	Vertical	PASS
2	12459.00	33.25	7.40	40.65	54.00	13.35	53	Vertical	PASS
3	17954.33	29.33	16.52	45.85	54.00	8.15	70	Vertical	PASS
4	6826.45	78.63	15.33	93.96	-	-	55	Vertical	NA
5	7329.75	39.39	16.52	55.91	74.00	18.09	70	Vertical	PASS
6	12221.33	40.50	7.64	48.14	74.00	25.86	20	Vertical	PASS
7	17948.00	37.24	16.46	53.70	74.00	20.30	41	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7463.80	30.23	17.16	47.39	54.00	6.61	49	Horizontal	PASS
2	12040.67	34.16	6.60	40.76	54.00	13.24	40	Horizontal	PASS
3	17988.67	29.20	16.77	45.97	54.00	8.03	30	Horizontal	PASS
4	6625.90	78.87	15.25	94.12	-	-	8	Horizontal	NA
5	7434.75	39.30	16.91	56.21	74.00	17.79	0	Horizontal	PASS
6	12229.33	40.53	7.62	48.15	74.00	25.85	40	Horizontal	PASS
7	17952.00	37.09	16.50	53.59	74.00	20.41	51	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7529.25	30.90	17.16	48.06	54.00	5.94	54	Vertical	PASS
2	12232.67	33.06	7.61	40.67	54.00	13.33	42	Vertical	PASS
3	17969.00	29.56	16.63	46.19	54.00	7.81	63	Vertical	PASS
4	6617.85	81.80	15.19	96.99	-	-	46	Vertical	NA
5	7518.40	38.42	17.22	55.64	74.00	18.36	5	Vertical	PASS
6	12242.00	41.99	7.58	49.57	74.00	24.43	10	Vertical	PASS
7	17894.00	38.19	16.07	54.26	74.00	19.74	10	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7461.00	30.31	17.16	47.47	54.00	6.53	47	Horizontal	PASS
2	12262.00	33.31	7.53	40.84	54.00	13.16	6	Horizontal	PASS
3	17973.33	29.61	16.65	46.26	54.00	7.74	6	Horizontal	PASS
4	6897.50	75.56	15.32	90.88	-	-	13	Horizontal	NA
5	7760.95	39.09	17.20	56.29	68.20	11.91	13	Horizontal	PASS
6	15355.00	38.99	11.92	50.91	74.00	23.09	6	Horizontal	PASS
7	17992.00	36.74	16.80	53.54	74.00	20.46	70	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7647.55	30.77	16.70	47.47	54.00	6.53	0	Vertical	PASS
2	12225.33	33.59	7.62	41.21	54.00	12.79	30	Vertical	PASS
3	17966.33	29.12	16.61	45.73	54.00	8.27	19	Vertical	PASS
4	6897.85	77.87	15.32	93.19	-	-	58	Vertical	NA
5	7519.10	39.08	17.22	56.30	74.00	17.70	70	Vertical	PASS
6	12218.67	41.55	7.65	49.20	74.00	24.80	8	Vertical	PASS
7	17930.00	37.30	16.33	53.63	74.00	20.37	8	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7480.25	30.51	17.25	47.76	54.00	6.24	55	Horizontal	PASS
2	11652.33	33.96	6.51	40.47	54.00	13.53	19	Horizontal	PASS
3	17929.33	29.73	16.33	46.06	54.00	7.94	51	Horizontal	PASS
4	6971.35	74.80	15.40	90.20	-	-	63	Horizontal	NA
5	7462.05	39.65	17.16	56.81	74.00	17.19	39	Horizontal	PASS
6	12452.33	40.91	7.43	48.34	74.00	25.66	51	Horizontal	PASS
7	17658.67	38.74	14.75	53.49	68.20	14.71	8	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	203
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7432.30	30.68	16.87	47.55	54.00	6.45	70	Vertical	PASS
2	12214.33	33.05	7.66	40.71	54.00	13.29	18	Vertical	PASS
3	17940.33	30.31	16.41	46.72	54.00	7.28	40	Vertical	PASS
4	6959.10	76.85	15.35	92.20	-	-	63	Vertical	NA
5	7799.80	38.80	17.25	56.05	68.20	12.15	38	Vertical	PASS
6	12162.00	41.59	7.22	48.81	74.00	25.19	29	Vertical	PASS
7	17953.67	36.69	16.50	53.19	74.00	20.81	29	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7468.70	30.28	17.19	47.47	54.00	6.53	49	Horizontal	PASS
2	12321.67	33.40	7.47	40.87	54.00	13.13	58	Horizontal	PASS
3	7021.05	75.85	15.67	91.52	-	-	19	Horizontal	NA
4	7487.95	38.64	17.28	55.92	74.00	18.08	49	Horizontal	PASS
5	12193.00	40.33	7.62	47.95	74.00	26.05	24	Horizontal	PASS
6	17924.00	36.79	16.29	53.08	74.00	20.92	3	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7286.00	30.78	16.39	47.17	54.00	6.83	47	Vertical	PASS
2	12273.67	33.05	7.50	40.55	54.00	13.45	40	Vertical	PASS
3	17952.67	29.75	16.50	46.25	54.00	7.75	52	Vertical	PASS
4	7020.00	77.59	15.66	93.25	-	-	63	Vertical	NA
5	7681.50	38.67	16.84	55.51	74.00	18.49	13	Vertical	PASS
6	12222.67	41.03	7.64	48.67	74.00	25.33	7	Vertical	PASS
7	17951.00	37.08	16.48	53.56	74.00	20.44	29	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7465.90	30.35	17.18	47.53	54.00	6.47	46	Horizontal	PASS
2	12207.33	32.71	7.68	40.39	54.00	13.61	0	Horizontal	PASS
3	17967.33	29.56	16.61	46.17	54.00	7.83	19	Horizontal	PASS
4	6888.05	77.49	15.34	92.83	-	-	13	Horizontal	NA
5	7885.55	38.90	17.34	56.24	68.20	11.96	70	Horizontal	PASS
6	12453.33	40.87	7.42	48.29	74.00	25.71	30	Horizontal	PASS
7	17969.67	36.76	16.63	53.39	74.00	20.61	52	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7487.25	29.84	17.28	47.12	54.00	6.88	0	Vertical	PASS
2	11536.33	33.88	6.53	40.41	54.00	13.59	21	Vertical	PASS
3	17970.33	29.18	16.63	45.81	54.00	8.19	42	Vertical	PASS
4	6897.85	81.11	15.32	96.43	-	-	54	Vertical	NA
5	7732.95	38.71	17.10	55.81	74.00	18.19	54	Vertical	PASS
6	12227.33	41.21	7.62	48.83	74.00	25.17	53	Vertical	PASS
7	17982.00	37.35	16.73	54.08	74.00	19.92	63	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	209
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7508.60	30.34	17.29	47.63	54.00	6.37	61	Horizontal	PASS
2	12344.67	33.33	7.52	40.85	54.00	13.15	20	Horizontal	PASS
3	17970.00	29.81	16.63	46.44	54.00	7.56	63	Horizontal	PASS
4	7001.10	75.83	15.52	91.35	-	-	69	Horizontal	NA
5	7996.85	39.23	17.31	56.54	68.20	11.66	29	Horizontal	PASS
6	12267.00	40.82	7.51	48.33	74.00	25.67	52	Horizontal	PASS
7	17912.33	37.48	16.19	53.67	74.00	20.33	63	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	209
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7448.05	30.17	17.07	47.24	54.00	6.76	54	Vertical	PASS
2	11571.67	33.88	6.55	40.43	54.00	13.57	9	Vertical	PASS
3	17975.67	29.11	16.67	45.78	54.00	8.22	21	Vertical	PASS
4	6988.15	78.60	15.47	94.07	-	-	54	Vertical	NA
5	7402.55	39.13	16.49	55.62	74.00	18.38	29	Vertical	PASS
6	11481.67	41.79	6.46	48.25	74.00	25.75	21	Vertical	PASS
7	17902.00	37.34	16.12	53.46	74.00	20.54	31	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 0.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7682.20	30.39	16.85	47.24	54.00	6.76	37	Horizontal	PASS
2	12327.00	33.29	7.48	40.77	54.00	13.23	8	Horizontal	PASS
3	17965.67	29.37	16.60	45.97	54.00	8.03	70	Horizontal	PASS
4	7118.00	78.23	15.80	94.03	-	-	53	Horizontal	NA
5	7664.00	39.95	16.77	56.72	74.00	17.28	45	Horizontal	PASS
6	12325.33	41.19	7.47	48.66	74.00	25.34	19	Horizontal	PASS
7	17920.33	37.25	16.25	53.50	74.00	20.50	30	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 0.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7471.50	30.13	17.20	47.33	54.00	6.67	0	Vertical	PASS
2	12276.67	33.30	7.48	40.78	54.00	13.22	7	Vertical	PASS
3	17995.67	29.87	16.82	46.69	54.00	7.31	18	Vertical	PASS
4	7120.10	77.90	15.80	93.70	-	-	62	Vertical	NA
5	7946.10	39.64	17.37	57.01	68.20	11.19	69	Vertical	PASS
6	12161.00	41.01	7.21	48.22	74.00	25.78	40	Vertical	PASS
7	17937.33	36.65	16.38	53.03	74.00	20.97	51	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	219
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7545.00	30.73	17.06	47.79	54.00	6.21	21	Horizontal	PASS
2	12217.00	32.80	7.65	40.45	54.00	13.55	7	Horizontal	PASS
3	17954.67	29.58	16.52	46.10	54.00	7.90	7	Horizontal	PASS
4	7096.30	78.94	15.77	94.71	-	-	54	Horizontal	NA
5	7767.95	38.98	17.20	56.18	68.20	12.02	4	Horizontal	PASS
6	12231.33	41.26	7.61	48.87	74.00	25.13	18	Horizontal	PASS
7	17954.33	37.36	16.52	53.88	74.00	20.12	7	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	219
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 0.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7743.10	30.14	17.15	47.29	54.00	6.71	13	Vertical	PASS
2	12345.33	33.25	7.52	40.77	54.00	13.23	70	Vertical	PASS
3	17948.33	29.22	16.46	45.68	54.00	8.32	18	Vertical	PASS
4	7099.10	77.74	15.76	93.50	-	-	70	Vertical	NA
5	7613.25	39.02	16.63	55.65	74.00	18.35	5	Vertical	PASS
6	12197.00	40.09	7.67	47.76	74.00	26.24	0	Vertical	PASS
7	17975.67	37.98	16.67	54.65	74.00	19.35	50	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7724.90	30.28	17.05	47.33	54.00	6.67	21	Horizontal	PASS
2	12353.67	33.27	7.54	40.81	54.00	13.19	52	Horizontal	PASS
3	17977.67	29.66	16.69	46.35	54.00	7.65	52	Horizontal	PASS
4	6928.65	75.96	15.31	91.27	-	-	21	Horizontal	NA
5	7771.45	38.29	17.22	55.51	68.20	12.69	13	Horizontal	PASS
6	12268.67	40.41	7.51	47.92	74.00	26.08	41	Horizontal	PASS
7	17941.67	37.12	16.42	53.54	74.00	20.46	41	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7685.00	30.02	16.86	46.88	54.00	7.12	0	Vertical	PASS
2	12222.67	33.06	7.64	40.70	54.00	13.30	20	Vertical	PASS
3	17975.67	29.86	16.67	46.53	54.00	7.47	64	Vertical	PASS
4	6919.55	78.83	15.32	94.15	-	-	46	Vertical	NA
5	7833.05	38.88	17.32	56.20	68.20	12.00	0	Vertical	PASS
6	11689.67	41.88	6.47	48.35	74.00	25.65	0	Vertical	PASS
7	17985.00	36.88	16.75	53.63	74.00	20.37	9	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7465.90	30.56	17.18	47.74	54.00	6.26	61	Horizontal	PASS
2	12403.00	33.57	7.62	41.19	54.00	12.81	63	Horizontal	PASS
3	17902.33	30.06	16.12	46.18	54.00	7.82	63	Horizontal	PASS
4	7053.60	79.17	15.87	95.04	-	-	29	Horizontal	NA
5	7544.30	39.87	17.06	56.93	74.00	17.07	29	Horizontal	PASS
6	13628.33	41.04	9.03	50.07	68.20	18.13	52	Horizontal	PASS
7	17951.67	37.45	16.50	53.95	74.00	20.05	52	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7518.75	30.98	17.22	48.20	54.00	5.80	70	Vertical	PASS
2	12236.00	33.68	7.60	41.28	54.00	12.72	42	Vertical	PASS
3	17973.67	29.96	16.66	46.62	54.00	7.38	63	Vertical	PASS
4	6990.25	79.13	15.47	94.60	-	-	63	Vertical	NA
5	7979.70	39.22	17.34	56.56	68.20	11.64	47	Vertical	PASS
6	11746.67	42.94	6.47	49.41	74.00	24.59	0	Vertical	PASS
7	17982.00	37.43	16.73	54.16	74.00	19.84	52	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7694.10	30.55	16.90	47.45	54.00	6.55	21	Horizontal	PASS
2	12243.00	32.93	7.58	40.51	54.00	13.49	63	Horizontal	PASS
3	17978.67	29.45	16.69	46.14	54.00	7.86	20	Horizontal	PASS
4	6066.95	69.29	13.71	83.00	-	-	54	Horizontal	NA
5	7945.40	39.02	17.37	56.39	68.20	11.81	29	Horizontal	PASS
6	12525.67	41.25	7.19	48.44	74.00	25.56	30	Horizontal	PASS
7	17903.00	37.42	16.12	53.54	74.00	20.46	0	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7466.95	30.78	17.18	47.96	54.00	6.04	30	Vertical	PASS
2	12234.00	33.48	7.61	41.09	54.00	12.91	0	Vertical	PASS
3	17991.67	28.99	16.80	45.79	54.00	8.21	53	Vertical	PASS
4	6050.85	69.29	13.78	83.07	-	-	64	Vertical	NA
5	7302.45	39.79	16.38	56.17	74.00	17.83	47	Vertical	PASS
6	12270.67	40.92	7.50	48.42	74.00	25.58	21	Vertical	PASS
7	17977.00	37.31	16.69	54.00	74.00	20.00	63	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7360.90	30.59	16.58	47.17	54.00	6.83	70	Horizontal	PASS
2	12214.33	33.20	7.66	40.86	54.00	13.14	70	Horizontal	PASS
3	17970.00	29.15	16.63	45.78	54.00	8.22	17	Horizontal	PASS
4	6049.80	76.68	13.77	90.45	-	-	63	Horizontal	NA
5	7569.15	39.69	16.86	56.55	74.00	17.45	13	Horizontal	PASS
6	11826.33	42.27	6.45	48.72	74.00	25.28	70	Horizontal	PASS
7	17901.00	37.52	16.10	53.62	74.00	20.38	0	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7521.90	30.94	17.20	48.14	54.00	5.86	48	Vertical	PASS
2	11871.33	34.83	6.40	41.23	54.00	12.77	41	Vertical	PASS
3	17990.33	29.02	16.79	45.81	54.00	8.19	0	Vertical	PASS
4	6010.25	77.66	13.76	91.42	-	-	67	Vertical	NA
5	7847.75	39.74	17.35	57.09	68.20	11.11	48	Vertical	PASS
6	13345.33	40.68	8.43	49.11	74.00	24.89	63	Vertical	PASS
7	17709.00	38.26	15.57	53.83	74.00	20.17	53	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7487.60	29.67	17.28	46.95	54.00	7.05	4	Horizontal	PASS
2	12219.33	33.17	7.65	40.82	54.00	13.18	29	Horizontal	PASS
3	17983.67	29.57	16.73	46.30	54.00	7.70	0	Horizontal	PASS
4	6455.45	76.90	15.04	91.94	-	-	4	Horizontal	NA
5	7835.15	38.75	17.32	56.07	68.20	12.13	64	Horizontal	PASS
6	12222.00	41.52	7.64	49.16	74.00	24.84	40	Horizontal	PASS
7	17968.00	37.13	16.61	53.74	74.00	20.26	0	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7491.80	29.91	17.30	47.21	54.00	6.79	30	Vertical	PASS
2	11714.00	34.74	6.46	41.20	54.00	12.80	63	Vertical	PASS
3	17890.00	30.27	16.05	46.32	54.00	7.68	18	Vertical	PASS
4	6456.15	77.40	15.04	92.44	-	-	5	Vertical	NA
5	7366.85	39.20	16.56	55.76	74.00	18.24	70	Vertical	PASS
6	12438.33	41.48	7.49	48.97	74.00	25.03	30	Vertical	PASS
7	17986.67	37.48	16.76	54.24	74.00	19.76	18	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7498.80	30.62	17.33	47.95	54.00	6.05	29	Horizontal	PASS
2	11615.67	33.78	6.54	40.32	54.00	13.68	31	Horizontal	PASS
3	17817.67	30.41	15.67	46.08	54.00	7.92	21	Horizontal	PASS
4	6495.35	76.80	14.81	91.61	-	-	4	Horizontal	NA
5	7576.85	38.77	16.81	55.58	74.00	18.42	0	Horizontal	PASS
6	12498.67	41.10	7.25	48.35	74.00	25.65	21	Horizontal	PASS
7	17995.00	37.72	16.82	54.54	74.00	19.46	9	Horizontal	PASS