



Project Information			
Mode:	802.11ax160	Band:	U-NII-6
Bandwidth	160MHz	Channel	111
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7433.70	30.51	16.89	47.40	54.00	6.60	21	Vertical	PASS
2	11668.67	33.98	6.49	40.47	54.00	13.53	21	Vertical	PASS
3	17982.33	29.55	16.73	46.28	54.00	7.72	42	Vertical	PASS
4	6525.45	76.92	14.90	91.82	-	-	0	Vertical	NA
5	7514.90	38.58	17.25	55.83	74.00	18.17	13	Vertical	PASS
6	12447.00	40.85	7.45	48.30	74.00	25.70	21	Vertical	PASS
7	17940.33	37.27	16.41	53.68	74.00	20.32	42	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 5.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7500.90	30.25	17.33	47.58	54.00	6.42	29	Horizontal	PASS
2	12250.33	33.53	7.56	41.09	54.00	12.91	52	Horizontal	PASS
3	17969.67	29.68	16.63	46.31	54.00	7.69	30	Horizontal	PASS
4	6604.55	71.84	15.10	86.94	-	-	5	Horizontal	NA
5	7577.20	39.27	16.80	56.07	74.00	17.93	55	Horizontal	PASS
6	11460.00	41.74	6.39	48.13	74.00	25.87	63	Horizontal	PASS
7	17993.33	37.48	16.81	54.29	74.00	19.71	52	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7520.85	30.37	17.21	47.58	54.00	6.42	39	Vertical	PASS
2	12211.33	33.41	7.67	41.08	54.00	12.92	29	Vertical	PASS
3	17990.33	30.01	16.79	46.80	54.00	7.20	7	Vertical	PASS
4	6647.60	72.70	15.41	88.11	-	-	13	Vertical	NA
5	7754.30	38.52	17.19	55.71	68.20	12.49	13	Vertical	PASS
6	12379.33	40.27	7.59	47.86	74.00	26.14	51	Vertical	PASS
7	17946.33	37.28	16.46	53.74	74.00	20.26	51	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 5.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7718.25	30.34	17.02	47.36	54.00	6.64	21	Horizontal	PASS
2	12416.67	33.23	7.58	40.81	54.00	13.19	63	Horizontal	PASS
3	17935.33	29.63	16.37	46.00	54.00	8.00	52	Horizontal	PASS
4	6648.30	72.09	15.41	87.50	-	-	12	Horizontal	NA
5	7870.50	38.88	17.34	56.22	68.20	11.98	12	Horizontal	PASS
6	12196.00	40.91	7.65	48.56	74.00	25.44	70	Horizontal	PASS
7	17917.67	37.68	16.23	53.91	74.00	20.09	52	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 5.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7560.75	30.12	16.94	47.06	54.00	6.94	5	Vertical	PASS
2	12240.33	33.58	7.59	41.17	54.00	12.83	41	Vertical	PASS
3	17937.33	30.05	16.38	46.43	54.00	7.57	52	Vertical	PASS
4	6604.20	72.60	15.09	87.69	-	-	0	Vertical	NA
5	7641.60	39.04	16.70	55.74	74.00	18.26	5	Vertical	PASS
6	12228.33	40.32	7.62	47.94	74.00	26.06	19	Vertical	PASS
7	17975.00	37.52	16.67	54.19	74.00	19.81	19	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7459.60	30.32	17.14	47.46	54.00	6.54	29	Horizontal	PASS
2	12208.67	32.84	7.67	40.51	54.00	13.49	41	Horizontal	PASS
3	17970.33	29.84	16.63	46.47	54.00	7.53	52	Horizontal	PASS
4	7018.25	71.94	15.65	87.59	-	-	62	Horizontal	NA
5	7494.25	38.79	17.31	56.10	74.00	17.90	54	Horizontal	PASS
6	12251.67	40.60	7.56	48.16	74.00	25.84	19	Horizontal	PASS
7	17972.00	37.05	16.65	53.70	74.00	20.30	30	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7493.20	30.39	17.31	47.70	54.00	6.30	54	Vertical	PASS
2	12335.33	33.33	7.49	40.82	54.00	13.18	64	Vertical	PASS
3	17886.67	30.16	16.03	46.19	54.00	7.81	0	Vertical	PASS
4	7029.45	74.43	15.74	90.17	-	-	54	Vertical	NA
5	7577.90	39.25	16.79	56.04	74.00	17.96	0	Vertical	PASS
6	12233.00	40.75	7.61	48.36	74.00	25.64	9	Vertical	PASS
7	17912.33	37.78	16.19	53.97	74.00	20.03	64	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7619.90	30.80	16.65	47.45	54.00	6.55	5	Horizontal	PASS
2	12217.67	32.96	7.65	40.61	54.00	13.39	9	Horizontal	PASS
3	17933.33	30.06	16.35	46.41	54.00	7.59	63	Horizontal	PASS
4	7011.25	72.01	15.59	87.60	-	-	62	Horizontal	NA
5	7408.50	39.49	16.56	56.05	74.00	17.95	54	Horizontal	PASS
6	12556.67	42.09	7.13	49.22	74.00	24.78	20	Horizontal	PASS
7	17981.00	36.30	16.71	53.01	74.00	20.99	63	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7477.80	29.97	17.23	47.20	54.00	6.80	12	Vertical	PASS
2	12263.67	33.79	7.53	41.32	54.00	12.68	31	Vertical	PASS
3	17911.33	29.97	16.19	46.16	54.00	7.84	21	Vertical	PASS
4	6997.95	75.46	15.51	90.97	-	-	62	Vertical	NA
5	7715.45	39.26	17.00	56.26	74.00	17.74	4	Vertical	PASS
6	12290.00	42.17	7.45	49.62	74.00	24.38	63	Vertical	PASS
7	17965.67	37.05	16.60	53.65	74.00	20.35	31	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 2.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5869.67	30.97	14.18	45.15	68.20	23.05	140	Vertical	PASS
2	5901.96	31.14	14.10	45.24	68.20	22.96	360	Vertical	PASS
3	5915.77	30.72	14.05	44.77	68.20	23.43	72	Vertical	PASS
4	5870.40	41.87	14.18	56.05	88.20	32.15	275	Vertical	PASS
5	5901.51	42.16	14.10	56.26	88.20	31.94	201	Vertical	PASS
6	5917.89	42.22	14.03	56.25	88.20	31.95	64	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5847.40	30.29	14.24	44.53	68.20	23.67	0	Horizontal	PASS
2	5899.61	30.57	14.10	44.67	68.20	23.53	0	Horizontal	PASS
3	5919.13	30.47	14.03	44.50	68.20	23.70	0	Horizontal	PASS
4	5849.32	42.06	14.23	56.29	88.20	31.91	45	Horizontal	PASS
5	5898.26	41.65	14.10	55.75	88.20	32.45	0	Horizontal	PASS
6	5924.44	40.96	14.02	54.98	88.20	33.22	45	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5890.10	30.73	14.13	44.86	68.20	23.34	34	Vertical	PASS
2	5907.32	30.90	14.08	44.98	68.20	23.22	9	Vertical	PASS
3	5923.16	30.85	14.02	44.87	68.20	23.33	19	Vertical	PASS
4	5888.76	41.82	14.13	55.95	88.20	32.25	69	Vertical	PASS
5	5910.33	41.53	14.07	55.60	88.20	32.60	0	Vertical	PASS
6	5922.56	41.07	14.02	55.09	88.20	33.11	64	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 2.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5866.17	30.66	14.19	44.85	68.20	23.35	41	Horizontal	PASS
2	5883.09	30.47	14.14	44.61	68.20	23.59	16	Horizontal	PASS
3	5905.78	30.68	14.08	44.76	68.20	23.44	70	Horizontal	PASS
4	5862.85	41.55	14.20	55.75	88.20	32.45	31	Horizontal	PASS
5	5890.49	41.81	14.12	55.93	88.20	32.27	26	Horizontal	PASS
6	5911.86	41.55	14.06	55.61	88.20	32.59	70	Horizontal	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5890.33	30.39	14.13	44.52	68.20	23.68	70	Vertical	PASS
2	5912.46	30.57	14.06	44.63	68.20	23.57	70	Vertical	PASS
3	5919.42	30.93	14.03	44.96	68.20	23.24	70	Vertical	PASS
4	5887.53	41.54	14.13	55.67	88.20	32.53	22	Vertical	PASS
5	5911.14	42.21	14.06	56.27	88.20	31.93	69	Vertical	PASS
6	5919.94	41.58	14.03	55.61	88.20	32.59	28	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 6.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5865.61	30.81	14.19	45.00	68.20	23.20	54	Horizontal	PASS
2	5896.05	30.85	14.11	44.96	68.20	23.24	31	Horizontal	PASS
3	5917.08	30.63	14.05	44.68	68.20	23.52	54	Horizontal	PASS
4	5863.51	43.24	14.19	57.43	88.20	30.77	0	Horizontal	PASS
5	5897.53	41.74	14.11	55.85	88.20	32.35	17	Horizontal	PASS
6	5916.49	41.86	14.05	55.91	88.20	32.29	70	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 6.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5876.67	30.50	14.16	44.66	68.20	23.54	29	Vertical	PASS
2	5901.26	30.51	14.10	44.61	68.20	23.59	70	Vertical	PASS
3	5918.93	30.57	14.03	44.60	68.20	23.60	44	Vertical	PASS
4	5878.99	42.00	14.15	56.15	88.20	32.05	54	Vertical	PASS
5	5900.42	41.86	14.10	55.96	88.20	32.24	49	Vertical	PASS
6	5921.65	41.53	14.03	55.56	88.20	32.64	0	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5882.45	30.86	14.15	45.01	68.20	23.19	47	Horizontal	PASS
2	5898.33	30.88	14.10	44.98	68.20	23.22	30	Horizontal	PASS
3	5913.08	30.66	14.05	44.71	68.20	23.49	64	Horizontal	PASS
4	5881.75	40.61	14.15	54.76	88.20	33.44	24	Horizontal	PASS
5	5896.79	41.67	14.11	55.78	88.20	32.42	0	Horizontal	PASS
6	5915.10	41.81	14.05	55.86	88.20	32.34	8	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 8.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5883.35	30.58	14.14	44.72	68.20	23.48	58	Vertical	PASS
2	5904.41	30.55	14.08	44.63	68.20	23.57	41	Vertical	PASS
3	5923.61	30.55	14.02	44.57	68.20	23.63	41	Vertical	PASS
4	5887.48	41.28	14.13	55.41	88.20	32.79	63	Vertical	PASS
5	5908.73	41.72	14.07	55.79	88.20	32.41	58	Vertical	PASS
6	5923.45	41.03	14.02	55.05	88.20	33.15	41	Vertical	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5885.13	30.65	14.14	44.79	68.20	23.41	56	Horizontal	PASS
2	5908.18	30.57	14.07	44.64	68.20	23.56	0	Horizontal	PASS
3	5920.94	30.63	14.03	44.66	68.20	23.54	45	Horizontal	PASS
4	5885.21	41.23	14.14	55.37	88.20	32.83	1	Horizontal	PASS
5	5909.34	41.51	14.07	55.58	88.20	32.62	28	Horizontal	PASS
6	5920.02	40.71	14.03	54.74	88.20	33.46	40	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5871.37	30.48	14.17	44.65	68.20	23.55	2	Vertical	PASS
2	5892.25	30.61	14.12	44.73	68.20	23.47	39	Vertical	PASS
3	5921.38	30.69	14.03	44.72	68.20	23.48	17	Vertical	PASS
4	5871.57	41.41	14.17	55.58	88.20	32.62	2	Vertical	PASS
5	5892.81	41.27	14.12	55.39	88.20	32.81	70	Vertical	PASS
6	5920.14	41.31	14.03	55.34	88.20	32.86	54	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.00	40.74	15.81	56.55	-	-	51	Horizontal	NA
2	7126.14	34.82	15.81	50.63	68.20	17.57	51	Horizontal	PASS
3	7158.66	29.55	15.89	45.44	68.20	22.76	46	Horizontal	PASS
4	7125.11	56.83	15.81	72.64	88.20	15.56	56	Horizontal	PASS
5	7126.40	47.55	15.81	63.36	88.20	24.84	51	Horizontal	PASS
6	7160.48	40.22	15.90	56.12	88.20	32.08	36	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.19	37.50	15.81	53.31	68.20	14.89	38	Vertical	PASS
2	7126.90	30.59	15.81	46.40	68.20	21.80	58	Vertical	PASS
3	7154.43	29.32	15.88	45.20	68.20	23.00	7	Vertical	PASS
4	7125.02	56.62	15.81	72.43	88.20	15.77	33	Vertical	PASS
5	7127.01	43.79	15.81	59.60	88.20	28.60	58	Vertical	PASS
6	7155.63	40.30	15.88	56.18	88.20	32.02	28	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7133.41	29.42	15.83	45.25	68.20	22.95	70	Horizontal	PASS
2	7154.69	29.40	15.88	45.28	68.20	22.92	41	Horizontal	PASS
3	7183.54	29.53	15.99	45.52	68.20	22.68	56	Horizontal	PASS
4	7132.62	40.38	15.83	56.21	88.20	31.99	46	Horizontal	PASS
5	7159.41	40.02	15.90	55.92	88.20	32.28	70	Horizontal	PASS
6	7189.12	39.97	16.02	55.99	88.20	32.21	26	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7138.56	29.24	15.84	45.08	68.20	23.12	3	Vertical	PASS
2	7160.74	29.52	15.90	45.42	68.20	22.78	44	Vertical	PASS
3	7191.46	29.12	16.03	45.15	68.20	23.05	8	Vertical	PASS
4	7134.39	40.08	15.83	55.91	88.20	32.29	28	Vertical	PASS
5	7163.91	40.17	15.92	56.09	88.20	32.11	13	Vertical	PASS
6	7192.00	40.16	16.03	56.19	88.20	32.01	3	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7132.50	29.46	15.83	45.29	68.20	22.91	0	Horizontal	PASS
2	7151.17	29.31	15.86	45.17	68.20	23.03	0	Horizontal	PASS
3	7181.18	29.34	15.98	45.32	68.20	22.88	11	Horizontal	PASS
4	7125.64	39.77	15.81	55.58	88.20	32.62	36	Horizontal	PASS
5	7159.75	40.53	15.90	56.43	88.20	31.77	0	Horizontal	PASS
6	7185.76	40.42	16.00	56.42	88.20	31.78	0	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7137.49	29.15	15.83	44.98	68.20	23.22	70	Vertical	PASS
2	7150.71	29.44	15.86	45.30	68.20	22.90	24	Vertical	PASS
3	7185.97	29.53	16.00	45.53	68.20	22.67	70	Vertical	PASS
4	7143.06	40.00	15.85	55.85	88.20	32.35	44	Vertical	PASS
5	7152.21	40.11	15.87	55.98	88.20	32.22	64	Vertical	PASS
6	7194.08	40.16	16.04	56.20	88.20	32.00	9	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting -6		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.02	50.91	15.81	66.72	68.20	1.48	138	Horizontal	PASS
2	7126.65	30.53	15.81	46.34	68.20	21.86	138	Horizontal	PASS
3	7129.00	29.49	15.82	45.31	68.20	22.89	263	Horizontal	PASS
4	7125.19	60.41	15.81	76.22	88.20	11.98	138	Horizontal	PASS
5	7126.93	45.38	15.81	61.19	88.20	27.01	147	Horizontal	PASS
6	7129.03	40.32	15.82	56.14	88.20	32.06	278	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting -6		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7125.08	44.35	15.81	60.16	68.20	8.04	43	Vertical	PASS
2	7133.93	29.26	15.83	45.09	68.20	23.11	222	Vertical	PASS
3	7150.01	29.33	15.86	45.19	68.20	23.01	136	Vertical	PASS
4	7125.16	54.95	15.81	70.76	88.20	17.44	32	Vertical	PASS
5	7133.34	40.40	15.83	56.23	88.20	31.97	92	Vertical	PASS
6	7151.01	40.62	15.86	56.48	88.20	31.72	48	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	219
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 0.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7134.39	29.20	15.83	45.03	68.20	23.17	0	Horizontal	PASS
2	7151.35	29.36	15.87	45.23	68.20	22.97	10	Horizontal	PASS
3	7179.19	29.22	15.98	45.20	68.20	23.00	0	Horizontal	PASS
4	7133.97	39.94	15.83	55.77	88.20	32.43	30	Horizontal	PASS
5	7146.45	39.99	15.85	55.84	88.20	32.36	0	Horizontal	PASS
6	7179.80	40.32	15.98	56.30	88.20	31.90	30	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	219
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 0.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7130.99	29.54	15.82	45.36	68.20	22.84	0	Vertical	PASS
2	7147.57	29.26	15.86	45.12	68.20	23.08	70	Vertical	PASS
3	7178.75	29.45	15.97	45.42	68.20	22.78	69	Vertical	PASS
4	7133.75	39.73	15.83	55.56	88.20	32.64	49	Vertical	PASS
5	7149.62	40.30	15.86	56.16	88.20	32.04	0	Vertical	PASS
6	7169.11	40.09	15.94	56.03	88.20	32.17	49	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7136.22	29.44	15.83	45.27	68.20	22.93	70	Horizontal	PASS
2	7184.69	29.87	16.00	45.87	68.20	22.33	10	Horizontal	PASS
3	7215.91	30.03	16.17	46.20	68.20	22.00	51	Horizontal	PASS
4	7135.86	40.46	15.83	56.29	88.20	31.91	21	Horizontal	PASS
5	7179.11	40.84	15.98	56.82	88.20	31.38	46	Horizontal	PASS
6	7206.08	41.13	16.10	57.23	88.20	30.97	31	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 4		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7132.87	29.74	15.83	45.57	68.20	22.63	8	Vertical	PASS
2	7166.04	29.52	15.92	45.44	68.20	22.76	64	Vertical	PASS
3	7198.48	29.27	16.05	45.32	68.20	22.88	3	Vertical	PASS
4	7130.28	40.63	15.82	56.45	88.20	31.75	69	Vertical	PASS
5	7168.20	40.99	15.93	56.92	88.20	31.28	59	Vertical	PASS
6	7202.51	40.49	16.08	56.57	88.20	31.63	54	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7124.96	29.84	15.81	45.65	-	-	0	Horizontal	NA
2	7170.11	29.89	15.94	45.83	68.20	22.37	57	Horizontal	PASS
3	7193.61	29.49	16.03	45.52	68.20	22.68	67	Horizontal	PASS
4	7131.62	40.75	15.82	56.57	88.20	31.63	32	Horizontal	PASS
5	7163.81	40.46	15.92	56.38	88.20	31.82	0	Horizontal	PASS
6	7184.72	40.66	16.00	56.66	88.20	31.54	32	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7137.70	29.86	15.84	45.70	68.20	22.50	0	Vertical	PASS
2	7179.36	29.79	15.98	45.77	68.20	22.43	49	Vertical	PASS
3	7216.34	30.16	16.18	46.34	68.20	21.86	54	Vertical	PASS
4	7140.10	40.72	15.84	56.56	88.20	31.64	4	Vertical	PASS
5	7173.12	40.88	15.95	56.83	88.20	31.37	54	Vertical	PASS
6	7208.28	40.89	16.12	57.01	88.20	31.19	4	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5855.41	30.74	14.22	44.96	68.20	23.24	70	Horizontal	PASS
2	5883.59	30.67	14.14	44.81	68.20	23.39	36	Horizontal	PASS
3	5908.23	30.81	14.07	44.88	68.20	23.32	0	Horizontal	PASS
4	5864.99	41.35	14.19	55.54	88.20	32.66	32	Horizontal	PASS
5	5886.89	41.89	14.13	56.02	88.20	32.18	0	Horizontal	PASS
6	5906.10	41.29	14.08	55.37	88.20	32.83	61	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X;Powersetting 3		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5852.95	30.89	14.22	45.11	68.20	23.09	60	Vertical	PASS
2	5887.28	30.74	14.13	44.87	68.20	23.33	21	Vertical	PASS
3	5908.12	30.47	14.07	44.54	68.20	23.66	64	Vertical	PASS
4	5858.10	41.66	14.21	55.87	88.20	32.33	16	Vertical	PASS
5	5894.01	41.19	14.12	55.31	88.20	32.89	64	Vertical	PASS
6	5919.15	41.51	14.03	55.54	88.20	32.66	69	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5854.13	30.88	14.22	45.10	68.20	23.10	70	Horizontal	PASS
2	5885.72	30.59	14.14	44.73	68.20	23.47	6	Horizontal	PASS
3	5897.53	31.04	14.11	45.15	68.20	23.05	70	Horizontal	PASS
4	5857.65	41.25	14.21	55.46	88.20	32.74	6	Horizontal	PASS
5	5889.64	42.26	14.13	56.39	88.20	31.81	43	Horizontal	PASS
6	5905.82	41.53	14.08	55.61	88.20	32.59	27	Horizontal	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 8.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	5836.31	30.71	14.27	44.98	68.20	23.22	0	Vertical	PASS
2	5867.85	30.72	14.18	44.90	68.20	23.30	69	Vertical	PASS
3	5920.78	30.91	14.03	44.94	68.20	23.26	70	Vertical	PASS
4	5841.58	40.84	14.25	55.09	88.20	33.11	64	Vertical	PASS
5	5869.36	41.17	14.18	55.35	88.20	32.85	49	Vertical	PASS
6	5918.65	41.61	14.03	55.64	88.20	32.56	64	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7129.85	29.22	15.82	45.04	68.20	23.16	46	Horizontal	PASS
2	7193.65	29.36	16.03	45.39	68.20	22.81	70	Horizontal	PASS
3	7221.40	29.67	16.22	45.89	68.20	22.31	46	Horizontal	PASS
4	7130.87	39.84	15.82	55.66	88.20	32.54	46	Horizontal	PASS
5	7196.23	40.26	16.04	56.30	88.20	31.90	36	Horizontal	PASS
6	7216.30	40.40	16.18	56.58	88.20	31.62	41	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7135.63	29.47	15.83	45.30	68.20	22.90	0	Vertical	PASS
2	7183.72	29.40	15.99	45.39	68.20	22.81	19	Vertical	PASS
3	7213.58	29.42	16.15	45.57	68.20	22.63	59	Vertical	PASS
4	7132.30	39.77	15.82	55.59	88.20	32.61	28	Vertical	PASS
5	7182.70	39.94	15.99	55.93	88.20	32.27	34	Vertical	PASS
6	7211.20	40.40	16.13	56.53	88.20	31.67	0	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7127.13	29.40	15.81	45.21	68.20	22.99	50	Horizontal	PASS
2	7168.76	29.30	15.94	45.24	68.20	22.96	0	Horizontal	PASS
3	7211.61	29.53	16.15	45.68	68.20	22.52	55	Horizontal	PASS
4	7125.30	40.12	15.81	55.93	88.20	32.27	45	Horizontal	PASS
5	7163.18	40.93	15.91	56.84	88.20	31.36	55	Horizontal	PASS
6	7202.22	40.72	16.08	56.80	88.20	31.40	40	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR111NHENGG00014	Engineer:	Oushuyan
Remark:	X; Powersetting 7.5		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Angle [°]	Polarity	Verdict
1	7132.23	29.51	15.82	45.33	68.20	22.87	70	Vertical	PASS
2	7162.77	29.46	15.91	45.37	68.20	22.83	8	Vertical	PASS
3	7214.26	29.58	16.16	45.74	68.20	22.46	3	Vertical	PASS
4	7135.50	40.09	15.83	55.92	88.20	32.28	70	Vertical	PASS
5	7168.42	40.71	15.93	56.64	88.20	31.56	13	Vertical	PASS
6	7206.98	40.23	16.11	56.34	88.20	31.86	8	Vertical	PASS

~The End~