






NTNV-11ax40MIMO-Ant1-6885




NTNV-11ax40MIMO-Ant2-6885




NTNV-11ax40MIMO-Ant1-6925




NTNV-11ax40MIMO-Ant2-6925




NTNV-11ax40MIMO-Ant1-6965




NTNV-11ax40MIMO-Ant2-6965




NTNV-11ax40MIMO-Ant1-7085




NTNV-11ax40MIMO-Ant2-7085




NTNV-11ax80MIMO-Ant1-5985




NTNV-11ax80MIMO-Ant2-5985




NTNV-11ax80MIMO-Ant1-6145




NTNV-11ax80MIMO-Ant2-6145




NTNV-11ax80MIMO-Ant1-6385




NTNV-11ax80MIMO-Ant2-6385




NTNV-11ax80MIMO-Ant1-6465




NTNV-11ax80MIMO-Ant2-6465




NTNV-11ax80MIMO-Ant1-6545



NTNV-11ax80MIMO-Ant2-6545




NTNV-11ax80MIMO-Ant1-6625




NTNV-11ax80MIMO-Ant2-6625




NTNV-11ax80MIMO-Ant1-6705




NTNV-11ax80MIMO-Ant2-6705




NTNV-11ax80MIMO-Ant1-6785



NTNV-11ax80MIMO-Ant2-6785



NTNV-11ax80MIMO-Ant1-6865




NTNV-11ax80MIMO-Ant2-6865




NTNV-11ax80MIMO-Ant1-6945




NTNV-11ax80MIMO-Ant2-6945




NTNV-11ax80MIMO-Ant1-7025




NTNV-11ax80MIMO-Ant2-7025




NTVN-11ax160MIMO-Ant1-6025




NTVN-11ax160MIMO-Ant2-6025




NTVN-11ax160MIMO-Ant1-6185




NTVN-11ax160MIMO-Ant2-6185




NTVN-11ax160MIMO-Ant1-6345



NTVN-11ax160MIMO-Ant2-6345




NTNV-11ax160MIMO-Ant1-6505



NTNV-11ax160MIMO-Ant2-6505




NTNV-11ax160MIMO-Ant1-6665




NTNV-11ax160MIMO-Ant2-6665



NTNV-11ax160MIMO-Ant1-6825



NTNV-11ax160MIMO-Ant2-6825



## Maximum e.i.r.p. Output Power Test Result

| Ant1 Gain:                  |                 | 1.84dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 1.81dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 1.84dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 5955            | 3.27           | 2.38           | 5.86             | 5.11                | 4.19                | 7.70                  | ≤24.00           | PASS    |
|                             | 6175            | 2.84           | 1.68           | 5.31             | 4.68                | 3.49                | 7.15                  | ≤24.00           | PASS    |
|                             | 6415            | 3.92           | 2.22           | 6.16             | 5.76                | 4.03                | 8.00                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 5965            | 6.33           | 4.91           | 8.69             | 8.17                | 6.72                | 10.53                 | ≤24.00           | PASS    |
|                             | 6165            | 5.88           | 4.32           | 8.18             | 7.72                | 6.13                | 10.02                 | ≤24.00           | PASS    |
|                             | 6405            | 5.63           | 5.31           | 8.48             | 7.47                | 7.12                | 10.32                 | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 5985            | 3.89           | 3.14           | 6.54             | 5.73                | 4.95                | 8.38                  | ≤24.00           | PASS    |
|                             | 6145            | 3.30           | 2.17           | 5.78             | 5.14                | 3.98                | 7.62                  | ≤24.00           | PASS    |
|                             | 6385            | 3.95           | 2.25           | 6.19             | 5.79                | 4.06                | 8.03                  | ≤24.00           | PASS    |
| 11ac160-MIMO                | 6025            | 3.64           | 3.13           | 6.40             | 5.48                | 4.94                | 8.24                  | ≤24.00           | PASS    |
|                             | 6185            | 3.91           | 2.01           | 6.07             | 5.75                | 3.82                | 7.91                  | ≤24.00           | PASS    |
|                             | 6345            | 3.39           | 2.05           | 5.78             | 5.23                | 3.86                | 7.62                  | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 5955            | 7.75           | 6.37           | 10.12            | 9.59                | 8.18                | 11.96                 | ≤24.00           | PASS    |
|                             | 6175            | 7.07           | 5.58           | 9.40             | 8.91                | 7.39                | 11.24                 | ≤24.00           | PASS    |
|                             | 6415            | 6.05           | 5.71           | 8.89             | 7.89                | 7.52                | 10.73                 | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 5965            | 8.57           | 8.98           | 11.79            | 10.41               | 10.79               | 13.63                 | ≤24.00           | PASS    |
|                             | 6165            | 8.66           | 8.58           | 11.63            | 10.50               | 10.39               | 13.47                 | ≤24.00           | PASS    |
|                             | 6405            | 8.87           | 8.08           | 11.50            | 10.71               | 9.89                | 13.34                 | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 5985            | 8.57           | 8.98           | 11.79            | 10.41               | 10.79               | 13.63                 | ≤24.00           | PASS    |
|                             | 6145            | 8.66           | 8.58           | 11.63            | 10.50               | 10.39               | 13.47                 | ≤24.00           | PASS    |
|                             | 6385            | 8.87           | 8.08           | 11.50            | 10.71               | 9.89                | 13.34                 | ≤24.00           | PASS    |
| 11ax160-MIMO                | 6025            | 8.25           | 8.80           | 11.54            | 10.09               | 10.61               | 13.38                 | ≤24.00           | PASS    |
|                             | 6185            | 8.46           | 8.52           | 11.50            | 10.30               | 10.33               | 13.34                 | ≤24.00           | PASS    |
|                             | 6345            | 8.84           | 8.07           | 11.48            | 10.68               | 9.88                | 13.32                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 0.33dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 2.16dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 2.16dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6435            | 4.89           | 1.99           | 6.69             | 5.22                | 4.15                | 8.85                  | ≤24.00           | PASS    |
|                             | 6475            | 2.48           | 1.41           | 4.99             | 2.81                | 3.57                | 7.15                  | ≤24.00           | PASS    |
|                             | 6515            | 2.44           | 1.05           | 4.81             | 2.77                | 3.21                | 6.97                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6445            | 5.77           | 5.82           | 8.81             | 6.10                | 7.98                | 10.97                 | ≤24.00           | PASS    |
|                             | 6485            | 5.62           | 5.68           | 8.66             | 5.95                | 7.84                | 10.82                 | ≤24.00           | PASS    |
|                             | 6525            | 3.88           | 3.19           | 6.56             | 4.21                | 5.35                | 8.72                  | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6465            | 8.87           | 9.33           | 12.12            | 9.20                | 11.49               | 14.28                 | ≤24.00           | PASS    |
| 11ac160-MIMO                | 6505            | 7.63           | 9.17           | 11.48            | 7.96                | 11.33               | 13.64                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6435            | 4.80           | 1.96           | 6.62             | 5.13                | 4.12                | 8.78                  | ≤24.00           | PASS    |
|                             | 6475            | 3.95           | 2.73           | 6.39             | 4.28                | 4.89                | 8.55                  | ≤24.00           | PASS    |
|                             | 6515            | 3.94           | 2.35           | 6.23             | 4.27                | 4.51                | 8.39                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6445            | 6.18           | 6.26           | 9.23             | 6.51                | 8.42                | 11.39                 | ≤24.00           | PASS    |
|                             | 6485            | 5.99           | 6.12           | 9.07             | 6.32                | 8.28                | 11.23                 | ≤24.00           | PASS    |
|                             | 6525            | 4.27           | 5.12           | 7.73             | 4.60                | 7.28                | 9.89                  | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6465            | 8.84           | 9.01           | 11.94            | 9.17                | 11.17               | 14.10                 | ≤24.00           | PASS    |
| 11ax160-MIMO                | 6505            | 8.10           | 8.65           | 11.39            | 8.43                | 10.81               | 13.55                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 3.77dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 3.16dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 3.77dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6535            | 0.88           | 1.54           | 4.23             | 4.65                | 4.70                | 8.00                  | ≤24.00           | PASS    |
|                             | 6695            | 0.58           | 2.24           | 4.50             | 4.35                | 5.40                | 8.27                  | ≤24.00           | PASS    |
|                             | 6855            | 0.11           | -0.32          | 2.91             | 3.88                | 2.84                | 6.68                  | ≤24.00           | PASS    |
|                             | 6875            | 0.03           | -0.25          | 2.90             | 3.80                | 2.91                | 6.67                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6565            | 3.49           | 4.37           | 6.96             | 7.26                | 7.53                | 10.73                 | ≤24.00           | PASS    |
|                             | 6685            | 3.23           | 5.11           | 7.28             | 7.00                | 8.27                | 11.05                 | ≤24.00           | PASS    |
|                             | 6845            | 3.59           | 4.18           | 6.91             | 7.36                | 7.34                | 10.68                 | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6545            | 6.57           | 7.68           | 10.17            | 10.34               | 10.84               | 13.94                 | ≤24.00           | PASS    |
|                             | 6625            | 6.72           | 8.59           | 10.77            | 10.49               | 11.75               | 14.54                 | ≤24.00           | PASS    |
|                             | 6705            | 6.43           | 8.79           | 10.78            | 10.20               | 11.95               | 14.55                 | ≤24.00           | PASS    |
|                             | 6785            | 6.05           | 7.36           | 9.76             | 9.82                | 10.52               | 13.53                 | ≤24.00           | PASS    |
|                             | 6865            | 5.71           | 6.28           | 9.01             | 9.48                | 9.44                | 12.78                 | ≤24.00           | PASS    |
| 11ac160-MIMO                | 6665            | 5.68           | 7.32           | 9.59             | 9.45                | 10.48               | 13.36                 | ≤24.00           | PASS    |
|                             | 6825            | 5.54           | 6.25           | 8.92             | 9.31                | 9.41                | 12.69                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6535            | 1.35           | 2.04           | 4.72             | 5.12                | 5.20                | 8.49                  | ≤24.00           | PASS    |
|                             | 6695            | 1.02           | 2.78           | 5.00             | 4.79                | 5.94                | 8.77                  | ≤24.00           | PASS    |
|                             | 6855            | 1.79           | 2.18           | 5.00             | 5.56                | 5.34                | 8.77                  | ≤24.00           | PASS    |
|                             | 6875            | 1.70           | 2.24           | 4.99             | 5.47                | 5.40                | 8.76                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6565            | 3.87           | 4.80           | 7.37             | 7.64                | 7.96                | 11.14                 | ≤24.00           | PASS    |
|                             | 6685            | 3.53           | 5.49           | 7.63             | 7.30                | 8.65                | 11.40                 | ≤24.00           | PASS    |
|                             | 6845            | 4.37           | 5.16           | 7.79             | 8.14                | 8.32                | 11.56                 | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6545            | 6.71           | 7.77           | 10.28            | 10.48               | 10.93               | 14.05                 | ≤24.00           | PASS    |
|                             | 6625            | 6.86           | 8.71           | 10.89            | 10.63               | 11.87               | 14.66                 | ≤24.00           | PASS    |
|                             | 6705            | 6.53           | 8.86           | 10.86            | 10.30               | 12.02               | 14.63                 | ≤24.00           | PASS    |
|                             | 6785            | 6.06           | 7.50           | 9.85             | 9.83                | 10.66               | 13.62                 | ≤24.00           | PASS    |
|                             | 6865            | 5.86           | 6.30           | 9.10             | 9.63                | 9.46                | 12.87                 | ≤24.00           | PASS    |
| 11ax160-MIMO                | 6665            | 5.42           | 6.20           | 8.84             | 9.19                | 9.36                | 12.61                 | ≤24.00           | PASS    |
|                             | 6825            | 5.49           | 6.37           | 8.96             | 9.26                | 9.53                | 12.73                 | ≤24.00           | PASS    |

| Ant1 Gain:                  |                 | 3.80dBi        |                |                  |                     |                     |                       |                  |         |
|-----------------------------|-----------------|----------------|----------------|------------------|---------------------|---------------------|-----------------------|------------------|---------|
| Ant2 Gain:                  |                 | 1.93dBi        |                |                  |                     |                     |                       |                  |         |
| Directional Gain For Power: |                 | 3.80dBi        |                |                  |                     |                     |                       |                  |         |
| Test Mode                   | Frequency [MHz] | Avg. Ant1(dBm) | Avg. Ant2(dBm) | Avg. Total (dBm) | EIRP Avg. Ant1(dBm) | EIRP Avg. Ant2(dBm) | EIRP Avg. Total (dBm) | EIRP Limit (dBm) | Verdict |
| 11ac20-MIMO                 | 6895            | 1.93           | 2.11           | 5.03             | 5.73                | 4.04                | 8.83                  | ≤24.00           | PASS    |
|                             | 6995            | 1.77           | 1.06           | 4.44             | 5.57                | 2.99                | 8.24                  | ≤24.00           | PASS    |
|                             | 7115            | 1.59           | 0.25           | 3.98             | 5.39                | 2.18                | 7.78                  | ≤24.00           | PASS    |
| 11ac40-MIMO                 | 6885            | 4.43           | 4.72           | 7.59             | 8.23                | 6.65                | 11.39                 | ≤24.00           | PASS    |
|                             | 6925            | 4.38           | 5.00           | 7.71             | 8.18                | 6.93                | 11.51                 | ≤24.00           | PASS    |
|                             | 6965            | 5.48           | 3.98           | 7.80             | 9.28                | 5.91                | 11.60                 | ≤24.00           | PASS    |
|                             | 7085            | 4.56           | 4.88           | 7.73             | 8.36                | 6.81                | 11.53                 | ≤24.00           | PASS    |
| 11ac80-MIMO                 | 6945            | 7.48           | 8.38           | 10.96            | 11.28               | 10.31               | 14.76                 | ≤24.00           | PASS    |
|                             | 7025            | 8.06           | 8.04           | 11.06            | 11.86               | 9.97                | 14.86                 | ≤24.00           | PASS    |
| 11ac160-MIMO                | 6985            | 7.35           | 8.01           | 10.70            | 11.15               | 9.94                | 14.50                 | ≤24.00           | PASS    |
| 11ax20-MIMO                 | 6895            | 2.43           | 2.70           | 5.58             | 6.23                | 4.63                | 9.38                  | ≤24.00           | PASS    |
|                             | 6995            | 2.31           | 1.55           | 4.96             | 6.11                | 3.48                | 8.76                  | ≤24.00           | PASS    |
|                             | 7115            | 1.99           | 0.77           | 4.43             | 5.79                | 2.70                | 8.23                  | ≤24.00           | PASS    |
| 11ax40-MIMO                 | 6885            | 4.15           | 4.56           | 7.37             | 7.95                | 6.49                | 11.17                 | ≤24.00           | PASS    |
|                             | 6925            | 4.47           | 4.76           | 7.63             | 8.27                | 6.69                | 11.43                 | ≤24.00           | PASS    |
|                             | 6965            | 4.09           | 4.81           | 7.48             | 7.89                | 6.74                | 11.28                 | ≤24.00           | PASS    |
|                             | 7085            | 4.42           | 4.78           | 7.61             | 8.22                | 6.71                | 11.41                 | ≤24.00           | PASS    |
| 11ax80-MIMO                 | 6945            | 7.16           | 7.97           | 10.59            | 10.96               | 9.90                | 14.39                 | ≤24.00           | PASS    |
|                             | 7025            | 7.63           | 7.60           | 10.63            | 11.43               | 9.53                | 14.43                 | ≤24.00           | PASS    |
| 11ax160-MIMO                | 6985            | 7.52           | 7.59           | 10.57            | 11.32               | 9.52                | 14.37                 | ≤24.00           | PASS    |

**Maximum power spectral density  
Test Result**


| Test Mode  | Antenna | Frequency [MHz] | Result [dBm/MHz] | Gain [dBi] | EIRP [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|------------|---------|-----------------|------------------|------------|----------------|-----------------|---------|
| 11ac20MIMO | Ant1    | 5955            | -8.71            | 1.84       | -6.87          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 5955            | -9.72            | 1.81       | -7.91          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 5955            | -6.18            | 4.84       | -1.34          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6175            | -9.42            | 1.84       | -7.58          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6175            | -10.83           | 1.81       | -9.02          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6175            | -7.06            | 4.84       | -2.22          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6415            | -8.15            | 1.84       | -6.31          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6415            | -9.81            | 1.81       | -8.00          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6415            | -5.89            | 4.84       | -1.05          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6435            | -7.03            | 0.33       | -6.70          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6435            | -10.36           | 2.16       | -8.20          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6435            | -5.37            | 4.30       | -1.07          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6475            | -9.81            | 0.33       | -9.48          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6475            | -10.81           | 2.16       | -8.65          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6475            | -7.27            | 4.30       | -2.97          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6515            | -9.54            | 0.33       | -9.21          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6515            | -11.40           | 2.16       | -9.24          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6515            | -7.36            | 4.30       | -3.06          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6535            | -11.13           | 3.77       | -7.36          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6535            | -10.65           | 3.16       | -7.49          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6535            | -7.87            | 6.48       | -1.39          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6695            | -11.50           | 3.77       | -7.73          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6695            | -9.93            | 3.16       | -6.77          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6695            | -7.63            | 6.48       | -1.15          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6855            | -12.23           | 3.77       | -8.46          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6855            | -12.97           | 3.16       | -9.81          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6855            | -9.57            | 6.48       | -3.09          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6875            | -12.03           | 3.77       | -8.26          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6875            | -12.63           | 3.16       | -9.47          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6875            | -9.31            | 6.48       | -2.83          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6895            | -10.34           | 3.80       | -6.54          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6895            | -10.18           | 1.93       | -8.25          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6895            | -7.25            | 5.93       | -1.32          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 6995            | -10.35           | 3.80       | -6.55          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 6995            | -11.05           | 1.93       | -9.12          | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 6995            | -7.68            | 5.93       | -1.75          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant1    | 7115            | -11.07           | 3.80       | -7.27          | ≤-1.00          | PASS    |
| 11ac20MIMO | Ant2    | 7115            | -12.23           | 1.93       | -10.30         | ≤-1.00          | PASS    |
| 11ac20MIMO | total   | 7115            | -8.60            | 5.93       | -2.67          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 5965            | -8.73            | 1.84       | -6.89          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 5965            | -10.09           | 1.81       | -8.28          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 5965            | -6.35            | 4.84       | -1.51          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6165            | -9.85            | 1.84       | -8.01          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6165            | -11.04           | 1.81       | -9.23          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6165            | -7.39            | 4.84       | -2.55          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6405            | -9.11            | 1.84       | -7.27          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6405            | -9.41            | 1.81       | -7.60          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6405            | -6.25            | 4.84       | -1.41          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6445            | -8.69            | 0.33       | -8.36          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6445            | -8.81            | 2.16       | -6.65          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6445            | -5.74            | 4.30       | -1.44          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6485            | -8.97            | 0.33       | -8.64          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6485            | -8.88            | 2.16       | -6.72          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6485            | -5.91            | 4.30       | -1.61          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6525            | -11.05           | 3.77       | -7.28          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6525            | -11.79           | 3.16       | -8.63          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6525            | -8.39            | 6.48       | -1.91          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6565            | -11.36           | 3.77       | -7.59          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6565            | -10.37           | 3.16       | -7.21          | ≤-1.00          | PASS    |
| 11ac40MIMO | total   | 6565            | -7.83            | 6.48       | -1.35          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant1    | 6685            | -11.94           | 3.77       | -8.17          | ≤-1.00          | PASS    |
| 11ac40MIMO | Ant2    | 6685            | -9.91            | 3.16       | -6.75          | ≤-1.00          | PASS    |


|             |       |      |        |      |        |        |      |
|-------------|-------|------|--------|------|--------|--------|------|
| 11ac40MIMO  | total | 6685 | -7.80  | 6.48 | -1.32  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant1  | 6845 | -11.83 | 3.77 | -8.06  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant2  | 6845 | -11.34 | 3.16 | -8.18  | ≤-1.00 | PASS |
| 11ac40MIMO  | total | 6845 | -8.57  | 6.48 | -2.09  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant1  | 6885 | -10.82 | 3.80 | -7.02  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant2  | 6885 | -10.24 | 1.93 | -8.31  | ≤-1.00 | PASS |
| 11ac40MIMO  | total | 6885 | -7.51  | 5.93 | -1.58  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant1  | 6925 | -10.56 | 3.80 | -6.76  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant2  | 6925 | -9.96  | 1.93 | -8.03  | ≤-1.00 | PASS |
| 11ac40MIMO  | total | 6925 | -7.24  | 5.93 | -1.31  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant1  | 6965 | -10.80 | 3.80 | -7.00  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant2  | 6965 | -9.99  | 1.93 | -8.06  | ≤-1.00 | PASS |
| 11ac40MIMO  | total | 6965 | -7.37  | 5.93 | -1.44  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant1  | 7085 | -10.20 | 3.80 | -6.40  | ≤-1.00 | PASS |
| 11ac40MIMO  | Ant2  | 7085 | -9.95  | 1.93 | -8.02  | ≤-1.00 | PASS |
| 11ac40MIMO  | total | 7085 | -7.06  | 5.93 | -1.13  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 5985 | -9.62  | 1.84 | -7.78  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 5985 | -9.68  | 1.81 | -7.87  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 5985 | -6.64  | 4.84 | -1.80  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6145 | -10.10 | 1.84 | -8.26  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6145 | -9.93  | 1.81 | -8.12  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6145 | -7.00  | 4.84 | -2.16  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6385 | -9.16  | 1.84 | -7.32  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6385 | -9.42  | 1.81 | -7.61  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6385 | -6.28  | 4.84 | -1.44  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6465 | -9.00  | 0.33 | -8.67  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6465 | -8.32  | 2.16 | -6.16  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6465 | -5.64  | 4.30 | -1.34  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6545 | -11.72 | 3.77 | -7.95  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6545 | -10.73 | 3.16 | -7.57  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6545 | -8.19  | 6.48 | -1.71  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6625 | -12.07 | 3.77 | -8.30  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6625 | -9.92  | 3.16 | -6.76  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6625 | -7.85  | 6.48 | -1.37  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6705 | -12.24 | 3.77 | -8.47  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6705 | -10.16 | 3.16 | -7.00  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6705 | -8.07  | 6.48 | -1.59  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6785 | -12.99 | 3.77 | -9.22  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6785 | -11.94 | 3.16 | -8.78  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6785 | -9.42  | 6.48 | -2.94  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6865 | -13.31 | 3.77 | -9.54  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6865 | -12.79 | 3.16 | -9.63  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6865 | -10.03 | 6.48 | -3.55  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 6945 | -11.03 | 3.80 | -7.23  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 6945 | -10.28 | 1.93 | -8.35  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 6945 | -7.63  | 5.93 | -1.70  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant1  | 7025 | -10.36 | 3.80 | -6.56  | ≤-1.00 | PASS |
| 11ac80MIMO  | Ant2  | 7025 | -10.53 | 1.93 | -8.60  | ≤-1.00 | PASS |
| 11ac80MIMO  | total | 7025 | -7.43  | 5.93 | -1.50  | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6025 | -18.46 | 1.84 | -16.62 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6025 | -18.62 | 1.81 | -16.81 | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6025 | -15.53 | 4.84 | -10.69 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6185 | -18.35 | 1.84 | -16.51 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6185 | -18.83 | 1.81 | -17.02 | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6185 | -15.57 | 4.84 | -10.73 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6345 | -17.99 | 1.84 | -16.15 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6345 | -19.34 | 1.81 | -17.53 | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6345 | -15.60 | 4.84 | -10.76 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6505 | -13.38 | 0.33 | -13.05 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6505 | -11.03 | 2.16 | -8.87  | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6505 | -9.04  | 4.30 | -4.74  | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6665 | -15.51 | 3.77 | -11.74 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6665 | -12.72 | 3.16 | -9.56  | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6665 | -10.88 | 6.48 | -4.40  | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6825 | -16.63 | 3.77 | -12.86 | ≤-1.00 | PASS |
| 11ac160MIMO | Ant2  | 6825 | -14.68 | 3.16 | -11.52 | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6825 | -12.54 | 6.48 | -6.06  | ≤-1.00 | PASS |
| 11ac160MIMO | Ant1  | 6985 | -14.57 | 3.80 | -10.77 | ≤-1.00 | PASS |


|             |       |      |        |      |        |        |      |
|-------------|-------|------|--------|------|--------|--------|------|
| 11ac160MIMO | Ant2  | 6985 | -12.99 | 1.93 | -11.06 | ≤-1.00 | PASS |
| 11ac160MIMO | total | 6985 | -10.70 | 5.93 | -4.77  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 5955 | -8.80  | 1.84 | -6.96  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 5955 | -9.89  | 1.81 | -8.08  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 5955 | -6.30  | 4.84 | -1.46  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6175 | -9.21  | 1.84 | -7.37  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6175 | -10.51 | 1.81 | -8.70  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6175 | -6.80  | 4.84 | -1.96  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6415 | -8.56  | 1.84 | -6.72  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6415 | -9.72  | 1.81 | -7.91  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6415 | -6.09  | 4.84 | -1.25  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6435 | -7.90  | 0.33 | -7.57  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6435 | -10.81 | 2.16 | -8.65  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6435 | -6.11  | 4.30 | -1.81  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6475 | -8.88  | 0.33 | -8.55  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6475 | -9.74  | 2.16 | -7.58  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6475 | -6.28  | 4.30 | -1.98  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6515 | -8.71  | 0.33 | -8.38  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6515 | -10.45 | 2.16 | -8.29  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6515 | -6.48  | 4.30 | -2.18  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6535 | -11.43 | 3.77 | -7.66  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6535 | -10.65 | 3.16 | -7.49  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6535 | -8.01  | 6.48 | -1.53  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6695 | -11.69 | 3.77 | -7.92  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6695 | -10.23 | 3.16 | -7.07  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6695 | -7.89  | 6.48 | -1.41  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6855 | -10.91 | 3.77 | -7.14  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6855 | -10.77 | 3.16 | -7.61  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6855 | -7.83  | 6.48 | -1.35  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6875 | -11.02 | 3.77 | -7.25  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6875 | -10.71 | 3.16 | -7.55  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6875 | -7.85  | 6.48 | -1.37  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6895 | -10.30 | 3.80 | -6.50  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6895 | -9.97  | 1.93 | -8.04  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6895 | -7.12  | 5.93 | -1.19  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 6995 | -10.48 | 3.80 | -6.68  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 6995 | -11.15 | 1.93 | -9.22  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 6995 | -7.79  | 5.93 | -1.86  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant1  | 7115 | -10.95 | 3.80 | -7.15  | ≤-1.00 | PASS |
| 11ax20MIMO  | Ant2  | 7115 | -11.90 | 1.93 | -9.97  | ≤-1.00 | PASS |
| 11ax20MIMO  | total | 7115 | -8.39  | 5.93 | -2.46  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 5965 | -8.24  | 1.84 | -6.40  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 5965 | -9.79  | 1.81 | -7.98  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 5965 | -5.94  | 4.84 | -1.10  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6165 | -8.86  | 1.84 | -7.02  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6165 | -10.22 | 1.81 | -8.41  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6165 | -6.48  | 4.84 | -1.64  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6405 | -9.46  | 1.84 | -7.62  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6405 | -9.47  | 1.81 | -7.66  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6405 | -6.45  | 4.84 | -1.61  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6445 | -9.37  | 0.33 | -9.04  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6445 | -9.15  | 2.16 | -6.99  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6445 | -6.25  | 4.30 | -1.95  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6485 | -9.35  | 0.33 | -9.02  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6485 | -9.15  | 2.16 | -6.99  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6485 | -6.24  | 4.30 | -1.94  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6525 | -11.26 | 0.33 | -10.93 | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6525 | -10.29 | 2.16 | -8.13  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6525 | -7.74  | 4.30 | -3.44  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6565 | -11.56 | 3.77 | -7.79  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6565 | -10.61 | 3.16 | -7.45  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6565 | -8.05  | 6.48 | -1.57  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6685 | -12.18 | 3.77 | -8.41  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6685 | -9.94  | 3.16 | -6.78  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6685 | -7.91  | 6.48 | -1.43  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6845 | -11.56 | 3.77 | -7.79  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6845 | -10.58 | 3.16 | -7.42  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6845 | -8.03  | 6.48 | -1.55  | ≤-1.00 | PASS |


|             |       |      |        |      |        |        |      |
|-------------|-------|------|--------|------|--------|--------|------|
| 11ax40MIMO  | Ant1  | 6885 | -11.61 | 3.77 | -7.84  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6885 | -11.21 | 3.16 | -8.05  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6885 | -8.40  | 6.48 | -1.92  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6925 | -11.24 | 3.80 | -7.44  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6925 | -10.66 | 1.93 | -8.73  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6925 | -7.93  | 5.93 | -2.00  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 6965 | -11.27 | 3.80 | -7.47  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 6965 | -10.76 | 1.93 | -8.83  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 6965 | -8.00  | 5.93 | -2.07  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant1  | 7085 | -10.78 | 3.80 | -6.98  | ≤-1.00 | PASS |
| 11ax40MIMO  | Ant2  | 7085 | -10.66 | 1.93 | -8.73  | ≤-1.00 | PASS |
| 11ax40MIMO  | total | 7085 | -7.71  | 5.93 | -1.78  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 5985 | -10.03 | 1.84 | -8.19  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 5985 | -9.69  | 1.81 | -7.88  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 5985 | -6.85  | 4.84 | -2.01  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6145 | -10.17 | 1.84 | -8.33  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6145 | -10.03 | 1.81 | -8.22  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6145 | -7.09  | 4.84 | -2.25  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6385 | -9.03  | 1.84 | -7.19  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6385 | -9.34  | 1.81 | -7.53  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6385 | -6.17  | 4.84 | -1.33  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6465 | -8.97  | 0.33 | -8.64  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6465 | -8.38  | 2.16 | -6.22  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6465 | -5.65  | 4.30 | -1.35  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6545 | -11.56 | 3.77 | -7.79  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6545 | -10.49 | 3.16 | -7.33  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6545 | -7.98  | 6.48 | -1.50  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6625 | -12.00 | 3.77 | -8.23  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6625 | -9.79  | 3.16 | -6.63  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6625 | -7.75  | 6.48 | -1.27  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6705 | -12.27 | 3.77 | -8.50  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6705 | -9.67  | 3.16 | -6.51  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6705 | -7.77  | 6.48 | -1.29  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6785 | -12.90 | 3.77 | -9.13  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6785 | -11.58 | 3.16 | -8.42  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6785 | -9.18  | 6.48 | -2.70  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6865 | -12.69 | 3.77 | -8.92  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6865 | -12.44 | 3.16 | -9.28  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6865 | -9.55  | 6.48 | -3.07  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 6945 | -11.46 | 3.80 | -7.66  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 6945 | -10.52 | 1.93 | -8.59  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 6945 | -7.95  | 5.93 | -2.02  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant1  | 7025 | -10.89 | 3.80 | -7.09  | ≤-1.00 | PASS |
| 11ax80MIMO  | Ant2  | 7025 | -10.77 | 1.93 | -8.84  | ≤-1.00 | PASS |
| 11ax80MIMO  | total | 7025 | -7.82  | 5.93 | -1.89  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6025 | -13.53 | 1.84 | -11.69 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6025 | -12.45 | 1.81 | -10.64 | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6025 | -9.95  | 4.84 | -5.11  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6185 | -13.94 | 1.84 | -12.10 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6185 | -12.90 | 1.81 | -11.09 | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6185 | -10.38 | 4.84 | -5.54  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6345 | -12.79 | 1.84 | -10.95 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6345 | -12.20 | 1.81 | -10.39 | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6345 | -9.47  | 4.84 | -4.63  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6505 | -12.93 | 0.33 | -12.6  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6505 | -10.97 | 2.16 | -8.81  | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6505 | -8.83  | 4.30 | -4.53  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6665 | -15.49 | 3.77 | -11.72 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6665 | -12.42 | 3.16 | -9.26  | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6665 | -10.68 | 6.48 | -4.20  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6825 | -16.38 | 3.77 | -12.61 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6825 | -14.48 | 3.16 | -11.32 | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6825 | -12.32 | 6.48 | -5.84  | ≤-1.00 | PASS |
| 11ax160MIMO | Ant1  | 6985 | -14.84 | 3.80 | -11.04 | ≤-1.00 | PASS |
| 11ax160MIMO | Ant2  | 6985 | -13.09 | 1.93 | -11.16 | ≤-1.00 | PASS |
| 11ax160MIMO | total | 6985 | -10.87 | 5.93 | -4.94  | ≤-1.00 | PASS |


## Test Graphs










































11ac80MIMO-Ant1-6545-PASS




11ac80MIMO-Ant2-6545-PASS




11ac80MIMO-Ant1-6625-PASS



11ac80MIMO-Ant2-6625-PASS



11ac80MIMO-Ant1-6705-PASS



11ac80MIMO-Ant2-6705-PASS

