



Project Information			
Mode:	802.11ax80	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7623.03	30.83	16.65	47.48	54.00	6.52	Vertical	PASS
2	12222.67	33.27	7.64	40.91	54.00	13.09	Vertical	PASS
3	17997.67	29.30	16.84	46.14	54.00	7.86	Vertical	PASS
4	6718.94	81.27	15.55	96.82	-	-	Vertical	NA
5	7513.13	39.44	17.26	56.70	74.00	17.30	Vertical	PASS
6	11619.33	41.83	6.54	48.37	74.00	25.63	Vertical	PASS
7	17966.00	37.32	16.60	53.92	74.00	20.08	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7460.97	30.58	17.16	47.74	54.00	6.26	Horizontal	PASS
2	11615.33	35.26	6.54	41.80	54.00	12.20	Horizontal	PASS
3	17979.67	29.19	16.71	45.90	54.00	8.10	Horizontal	PASS
4	6613.23	80.22	15.15	95.37	-	-	Horizontal	NA
5	7469.72	39.18	17.19	56.37	74.00	17.63	Horizontal	PASS
6	12219.67	40.65	7.64	48.29	74.00	25.71	Horizontal	PASS
7	17972.00	37.45	16.65	54.10	74.00	19.90	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 7		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7516.98	30.43	17.23	47.66	54.00	6.34	Vertical	PASS
2	12217.67	33.00	7.65	40.65	54.00	13.35	Vertical	PASS
3	17939.00	29.36	16.40	45.76	54.00	8.24	Vertical	PASS
4	6700.04	77.15	15.60	92.75	-	-	Vertical	NA
5	7619.88	39.33	16.65	55.98	74.00	18.02	Vertical	PASS
6	12896.33	40.78	7.72	48.50	68.20	19.70	Vertical	PASS
7	17995.00	37.78	16.82	54.60	74.00	19.40	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7658.73	30.95	16.75	47.70	54.00	6.30	Horizontal	PASS
2	12221.00	33.63	7.64	41.27	54.00	12.73	Horizontal	PASS
3	17917.67	30.08	16.23	46.31	54.00	7.69	Horizontal	PASS
4	6892.19	77.34	15.33	92.67	-	-	Horizontal	NA
5	7473.92	39.36	17.21	56.57	74.00	17.43	Horizontal	PASS
6	12404.33	40.79	7.62	48.41	74.00	25.59	Horizontal	PASS
7	17999.00	36.57	16.86	53.43	74.00	20.57	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7662.58	30.94	16.77	47.71	54.00	6.29	Vertical	PASS
2	12268.33	32.96	7.51	40.47	54.00	13.53	Vertical	PASS
3	17974.67	29.67	16.67	46.34	54.00	7.66	Vertical	PASS
4	6891.84	76.44	15.33	91.77	-	-	Vertical	NA
5	7885.54	38.77	17.34	56.11	68.20	12.09	Vertical	PASS
6	12262.67	41.43	7.53	48.96	74.00	25.04	Vertical	PASS
7	17904.33	38.05	16.14	54.19	74.00	19.81	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7493.17	30.40	17.31	47.71	54.00	6.29	Horizontal	PASS
2	12240.00	33.15	7.59	40.74	54.00	13.26	Horizontal	PASS
3	17930.33	30.09	16.33	46.42	54.00	7.58	Horizontal	PASS
4	6927.20	77.96	15.32	93.28	-	-	Horizontal	NA
5	7711.59	39.05	16.98	56.03	74.00	17.97	Horizontal	PASS
6	11696.00	42.00	6.46	48.46	74.00	25.54	Horizontal	PASS
7	17931.33	37.34	16.34	53.68	74.00	20.32	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR151NHENGGO00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7505.08	30.43	17.31	47.74	54.00	6.26	Vertical	PASS
2	12387.33	33.09	7.61	40.70	54.00	13.30	Vertical	PASS
3	17919.33	29.60	16.25	45.85	54.00	8.15	Vertical	PASS
4	6922.65	77.74	15.31	93.05	-	-	Vertical	NA
5	7514.53	39.03	17.25	56.28	74.00	17.72	Vertical	PASS
6	12187.67	41.64	7.55	49.19	74.00	24.81	Vertical	PASS
7	17990.00	37.05	16.78	53.83	74.00	20.17	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7504.38	30.44	17.31	47.75	54.00	6.25	Horizontal	PASS
2	12086.33	34.22	6.47	40.69	54.00	13.31	Horizontal	PASS
3	17912.33	30.74	16.19	46.93	54.00	7.07	Horizontal	PASS
4	6929.30	79.55	15.32	94.87	-	-	Horizontal	NA
5	7493.17	38.83	17.31	56.14	74.00	17.86	Horizontal	PASS
6	11405.67	42.49	6.20	48.69	74.00	25.31	Horizontal	PASS
7	17996.00	36.65	16.83	53.48	74.00	20.52	Horizontal	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7511.38	30.01	17.27	47.28	54.00	6.72	Vertical	PASS
2	11710.33	33.82	6.46	40.28	54.00	13.72	Vertical	PASS
3	17977.67	30.45	16.69	47.14	54.00	6.86	Vertical	PASS
4	6932.10	78.64	15.32	93.96	-	-	Vertical	NA
5	7563.53	38.90	16.91	55.81	74.00	18.19	Vertical	PASS
6	11552.00	42.14	6.54	48.68	74.00	25.32	Vertical	PASS
7	17930.67	37.58	16.33	53.91	74.00	20.09	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7739.24	30.35	17.13	47.48	54.00	6.52	Horizontal	PASS
2	11815.00	34.38	6.46	40.84	54.00	13.16	Horizontal	PASS
3	17967.00	29.57	16.61	46.18	54.00	7.82	Horizontal	PASS
4	7017.15	78.10	15.64	93.74	-	-	Horizontal	NA
5	7454.67	39.51	17.12	56.63	74.00	17.37	Horizontal	PASS
6	11528.33	41.84	6.53	48.37	74.00	25.63	Horizontal	PASS
7	17970.33	37.01	16.63	53.64	74.00	20.36	Horizontal	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7718.24	31.25	17.02	48.27	54.00	5.73	Vertical	PASS
2	12338.00	33.57	7.50	41.07	54.00	12.93	Vertical	PASS
3	17938.33	29.35	16.39	45.74	54.00	8.26	Vertical	PASS
4	6972.00	76.18	15.40	91.58	-	-	Vertical	NA
5	7935.60	39.51	17.36	56.87	68.20	11.33	Vertical	PASS
6	12277.67	40.90	7.48	48.38	74.00	25.62	Vertical	PASS
7	17882.33	37.59	16.01	53.60	74.00	20.40	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7530.98	30.79	17.14	47.93	54.00	6.07	Horizontal	PASS
2	12218.67	32.98	7.65	40.63	54.00	13.37	Horizontal	PASS
3	17973.33	29.33	16.65	45.98	54.00	8.02	Horizontal	PASS
4	6897.44	78.15	15.32	93.47	-	-	Horizontal	NA
5	7461.32	38.94	17.15	56.09	74.00	17.91	Horizontal	PASS
6	12223.33	41.23	7.64	48.87	74.00	25.13	Horizontal	PASS
7	17908.33	37.25	16.16	53.41	74.00	20.59	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	189
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7444.87	30.48	17.03	47.51	54.00	6.49	Vertical	PASS
2	12222.67	33.20	7.64	40.84	54.00	13.16	Vertical	PASS
3	17935.33	30.23	16.37	46.60	54.00	7.40	Vertical	PASS
4	6891.14	78.15	15.33	93.48	-	-	Vertical	NA
5	7732.59	39.30	17.10	56.40	74.00	17.60	Vertical	PASS
6	12226.00	41.00	7.62	48.62	74.00	25.38	Vertical	PASS
7	17953.33	37.49	16.50	53.99	74.00	20.01	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7717.54	30.74	17.02	47.76	54.00	6.24	Horizontal	PASS
2	12223.33	33.10	7.64	40.74	54.00	13.26	Horizontal	PASS
3	17714.33	30.61	15.57	46.18	54.00	7.82	Horizontal	PASS
4	6928.25	79.31	15.31	94.62	-	-	Horizontal	NA
5	7504.73	38.85	17.31	56.16	74.00	17.84	Horizontal	PASS
6	12231.67	41.84	7.61	49.45	74.00	24.55	Horizontal	PASS
7	17910.33	37.80	16.18	53.98	74.00	20.02	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	195
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7516.98	30.18	17.23	47.41	54.00	6.59	Vertical	PASS
2	12151.33	34.01	7.09	41.10	54.00	12.90	Vertical	PASS
3	17937.00	30.19	16.38	46.57	54.00	7.43	Vertical	PASS
4	6908.30	78.96	15.32	94.28	-	-	Vertical	NA
5	7466.57	39.10	17.18	56.28	74.00	17.72	Vertical	PASS
6	12287.67	41.78	7.45	49.23	74.00	24.77	Vertical	PASS
7	17719.00	37.13	15.57	52.70	74.00	21.30	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7620.58	30.85	16.65	47.50	54.00	6.50	Horizontal	PASS
2	12223.67	33.48	7.64	41.12	54.00	12.88	Horizontal	PASS
3	17987.33	29.14	16.76	45.90	54.00	8.10	Horizontal	PASS
4	6967.80	81.16	15.39	96.55	-	-	Horizontal	NA
5	7524.68	39.39	17.18	56.57	74.00	17.43	Horizontal	PASS
6	12505.33	40.71	7.23	47.94	74.00	26.06	Horizontal	PASS
7	17902.33	37.21	16.12	53.33	74.00	20.67	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.92	30.18	17.25	47.43	54.00	6.57	Vertical	PASS
2	12251.33	33.17	7.56	40.73	54.00	13.27	Vertical	PASS
3	17927.67	29.86	16.31	46.17	54.00	7.83	Vertical	PASS
4	6932.10	80.87	15.32	96.19	-	-	Vertical	NA
5	7780.89	39.61	17.23	56.84	68.20	11.36	Vertical	PASS
6	12400.67	42.24	7.64	49.88	74.00	24.12	Vertical	PASS
7	17929.00	37.58	16.32	53.90	74.00	20.10	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7576.83	30.67	16.81	47.48	54.00	6.52	Horizontal	PASS
2	11713.00	33.94	6.46	40.40	54.00	13.60	Horizontal	PASS
3	17997.33	29.23	16.84	46.07	54.00	7.93	Horizontal	PASS
4	6980.40	79.84	15.43	95.27	-	-	Horizontal	NA
5	7487.57	39.80	17.28	57.08	74.00	16.92	Horizontal	PASS
6	11539.67	42.41	6.54	48.95	74.00	25.05	Horizontal	PASS
7	17969.33	37.52	16.63	54.15	74.00	19.85	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7671.33	31.53	16.80	48.33	54.00	5.67	Vertical	PASS
2	12229.67	33.23	7.62	40.85	54.00	13.15	Vertical	PASS
3	17966.33	30.13	16.61	46.74	54.00	7.26	Vertical	PASS
4	6981.10	78.16	15.43	93.59	-	-	Vertical	NA
5	7998.60	39.19	17.31	56.50	68.20	11.70	Vertical	PASS
6	12319.33	40.80	7.46	48.26	74.00	25.74	Vertical	PASS
7	17941.00	37.45	16.41	53.86	74.00	20.14	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5875.55	31.11	14.16	45.27	68.20	22.93	Horizontal	PASS
2	5904.93	31.27	14.08	45.35	68.20	22.85	Horizontal	PASS
3	5921.31	30.91	14.03	44.94	68.20	23.26	Horizontal	PASS
4	5876.67	42.04	14.16	56.20	88.20	32.00	Horizontal	PASS
5	5896.61	42.04	14.11	56.15	88.20	32.05	Horizontal	PASS
6	5913.67	42.68	14.05	56.73	88.20	31.47	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5895.99	30.89	14.11	45.00	68.20	23.20	Vertical	PASS
2	5910.87	30.85	14.06	44.91	68.20	23.29	Vertical	PASS
3	5921.87	30.99	14.03	45.02	68.20	23.18	Vertical	PASS
4	5896.08	41.81	14.11	55.92	88.20	32.28	Vertical	PASS
5	5907.31	42.33	14.08	56.41	88.20	31.79	Vertical	PASS
6	5923.86	41.70	14.02	55.72	88.20	32.48	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5892.82	31.09	14.12	45.21	68.20	22.99	Horizontal	PASS
2	5897.30	30.96	14.11	45.07	68.20	23.13	Horizontal	PASS
3	5919.55	30.64	14.03	44.67	68.20	23.53	Horizontal	PASS
4	5891.41	41.56	14.12	55.68	88.20	32.52	Horizontal	PASS
5	5901.98	41.77	14.10	55.87	88.20	32.33	Horizontal	PASS
6	5919.42	41.05	14.03	55.08	88.20	33.12	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR151NHENG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5893.72	30.89	14.12	45.01	68.20	23.19	Vertical	PASS
2	5907.77	31.18	14.07	45.25	68.20	22.95	Vertical	PASS
3	5920.76	30.61	14.03	44.64	68.20	23.56	Vertical	PASS
4	5897.37	42.18	14.11	56.29	88.20	31.91	Vertical	PASS
5	5906.33	41.42	14.08	55.50	88.20	32.70	Vertical	PASS
6	5918.84	41.30	14.03	55.33	88.20	32.87	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5871.77	31.13	14.17	45.30	68.20	22.90	Horizontal	PASS
2	5905.54	30.76	14.08	44.84	68.20	23.36	Horizontal	PASS
3	5920.02	30.74	14.03	44.77	68.20	23.43	Horizontal	PASS
4	5875.89	41.73	14.16	55.89	88.20	32.31	Horizontal	PASS
5	5901.10	41.38	14.10	55.48	88.20	32.72	Horizontal	PASS
6	5912.42	42.59	14.06	56.65	88.20	31.55	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5903.70	30.71	14.08	44.79	68.20	23.41	Vertical	PASS
2	5915.90	30.56	14.05	44.61	68.20	23.59	Vertical	PASS
3	5922.10	30.48	14.03	44.51	68.20	23.69	Vertical	PASS
4	5900.50	42.05	14.10	56.15	88.20	32.05	Vertical	PASS
5	5916.50	41.72	14.05	55.77	88.20	32.43	Vertical	PASS
6	5924.42	41.74	14.02	55.76	88.20	32.44	Vertical	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5900.67	30.75	14.10	44.85	68.20	23.35	Horizontal	PASS
2	5912.32	30.56	14.06	44.62	68.20	23.58	Horizontal	PASS
3	5923.36	30.70	14.02	44.72	68.20	23.48	Horizontal	PASS
4	5907.17	41.51	14.08	55.59	88.20	32.61	Horizontal	PASS
5	5917.81	41.74	14.04	55.78	88.20	32.42	Horizontal	PASS
6	5924.87	41.45	14.02	55.47	88.20	32.73	Horizontal	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5904.31	30.80	14.08	44.88	68.20	23.32	Vertical	PASS
2	5914.34	30.66	14.05	44.71	68.20	23.49	Vertical	PASS
3	5924.08	30.65	14.02	44.67	68.20	23.53	Vertical	PASS
4	5900.90	41.31	14.10	55.41	88.20	32.79	Vertical	PASS
5	5911.03	41.13	14.06	55.19	88.20	33.01	Vertical	PASS
6	5923.24	41.44	14.02	55.46	88.20	32.74	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting -1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5901.01	30.92	14.10	45.02	68.20	23.18	Horizontal	PASS
2	5914.48	30.49	14.05	44.54	68.20	23.66	Horizontal	PASS
3	5923.61	30.85	14.02	44.87	68.20	23.33	Horizontal	PASS
4	5909.63	41.57	14.07	55.64	88.20	32.56	Horizontal	PASS
5	5916.61	41.02	14.05	55.07	88.20	33.13	Horizontal	PASS
6	5923.36	41.09	14.02	55.11	88.20	33.09	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-5
Bandwidth	20MHz	Channel	1
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting -1		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5904.59	30.70	14.08	44.78	68.20	23.42	Vertical	PASS
2	5917.05	30.57	14.05	44.62	68.20	23.58	Vertical	PASS
3	5922.01	30.71	14.03	44.74	68.20	23.46	Vertical	PASS
4	5904.56	41.97	14.08	56.05	88.20	32.15	Vertical	PASS
5	5912.99	40.99	14.05	55.04	88.20	33.16	Vertical	PASS
6	5922.40	41.52	14.03	55.55	88.20	32.65	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5901.88	30.62	14.10	44.72	68.20	23.48	Horizontal	PASS
2	5915.07	30.69	14.05	44.74	68.20	23.46	Horizontal	PASS
3	5924.96	30.50	14.02	44.52	68.20	23.68	Horizontal	PASS
4	5901.08	40.99	14.10	55.09	88.20	33.11	Horizontal	PASS
5	5913.37	41.16	14.05	55.21	88.20	32.99	Horizontal	PASS
6	5920.38	41.02	14.03	55.05	88.20	33.15	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 3.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5892.76	30.78	14.12	44.90	68.20	23.30	Vertical	PASS
2	5908.41	30.71	14.07	44.78	68.20	23.42	Vertical	PASS
3	5920.32	30.40	14.03	44.43	68.20	23.77	Vertical	PASS
4	5893.01	41.64	14.12	55.76	88.20	32.44	Vertical	PASS
5	5907.77	42.52	14.07	56.59	88.20	31.61	Vertical	PASS
6	5921.37	41.36	14.03	55.39	88.20	32.81	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5905.14	31.01	14.08	45.09	68.20	23.11	Horizontal	PASS
2	5908.38	30.71	14.07	44.78	68.20	23.42	Horizontal	PASS
3	5917.94	30.51	14.03	44.54	68.20	23.66	Horizontal	PASS
4	5904.62	42.43	14.08	56.51	88.20	31.69	Horizontal	PASS
5	5908.90	41.47	14.07	55.54	88.20	32.66	Horizontal	PASS
6	5920.42	40.97	14.03	55.00	88.20	33.20	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5899.73	30.76	14.10	44.86	68.20	23.34	Vertical	PASS
2	5909.42	30.72	14.07	44.79	68.20	23.41	Vertical	PASS
3	5921.86	30.86	14.03	44.89	68.20	23.31	Vertical	PASS
4	5897.53	42.23	14.11	56.34	88.20	31.86	Vertical	PASS
5	5907.70	41.56	14.07	55.63	88.20	32.57	Vertical	PASS
6	5918.14	41.44	14.03	55.47	88.20	32.73	Vertical	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5911.26	30.56	14.06	44.62	68.20	23.58	Horizontal	PASS
2	5916.75	30.74	14.05	44.79	68.20	23.41	Horizontal	PASS
3	5922.52	30.65	14.02	44.67	68.20	23.53	Horizontal	PASS
4	5911.15	41.66	14.06	55.72	88.20	32.48	Horizontal	PASS
5	5913.22	42.10	14.05	56.15	88.20	32.05	Horizontal	PASS
6	5917.64	41.85	14.04	55.89	88.20	32.31	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5897.93	30.72	14.11	44.83	68.20	23.37	Vertical	PASS
2	5912.66	30.75	14.05	44.80	68.20	23.40	Vertical	PASS
3	5921.68	31.01	14.03	45.04	68.20	23.16	Vertical	PASS
4	5902.69	41.70	14.09	55.79	88.20	32.41	Vertical	PASS
5	5910.59	42.24	14.07	56.31	88.20	31.89	Vertical	PASS
6	5923.58	41.60	14.02	55.62	88.20	32.58	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.08	38.40	15.81	54.21	68.20	13.99	Horizontal	PASS
2	7125.70	34.73	15.81	50.54	68.20	17.66	Horizontal	PASS
3	7126.54	31.63	15.81	47.44	68.20	20.76	Horizontal	PASS
4	7125.14	55.16	15.81	70.97	88.20	17.23	Horizontal	PASS
5	7125.86	49.48	15.81	65.29	88.20	22.91	Horizontal	PASS
6	7127.52	42.70	15.82	58.52	88.20	29.68	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting -1		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.19	37.67	15.81	53.48	68.20	14.72	Vertical	PASS
2	7126.06	33.46	15.81	49.27	68.20	18.93	Vertical	PASS
3	7131.05	29.76	15.82	45.58	68.20	22.62	Vertical	PASS
4	7125.16	55.16	15.81	70.97	88.20	17.23	Vertical	PASS
5	7134.60	41.01	15.83	56.84	88.20	31.36	Vertical	PASS
6	7140.37	40.14	15.84	55.98	88.20	32.22	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7129.60	29.42	15.82	45.24	68.20	22.96	Horizontal	PASS
2	7132.23	29.55	15.82	45.37	68.20	22.83	Horizontal	PASS
3	7149.33	29.52	15.86	45.38	68.20	22.82	Horizontal	PASS
4	7130.46	39.84	15.82	55.66	88.20	32.54	Horizontal	PASS
5	7132.05	40.67	15.82	56.49	88.20	31.71	Horizontal	PASS
6	7146.88	39.80	15.85	55.65	88.20	32.55	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 3.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7129.20	29.61	15.82	45.43	68.20	22.77	Vertical	PASS
2	7136.51	29.62	15.83	45.45	68.20	22.75	Vertical	PASS
3	7143.53	29.34	15.85	45.19	68.20	23.01	Vertical	PASS
4	7127.76	40.37	15.82	56.19	88.20	32.01	Vertical	PASS
5	7137.77	39.88	15.84	55.72	88.20	32.48	Vertical	PASS
6	7141.26	40.71	15.84	56.55	88.20	31.65	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7128.65	29.35	15.82	45.17	68.20	23.03	Horizontal	PASS
2	7141.29	29.61	15.84	45.45	68.20	22.75	Horizontal	PASS
3	7148.88	29.44	15.86	45.30	68.20	22.90	Horizontal	PASS
4	7127.35	39.63	15.81	55.44	88.20	32.76	Horizontal	PASS
5	7135.00	39.70	15.83	55.53	88.20	32.67	Horizontal	PASS
6	7144.15	40.73	15.85	56.58	88.20	31.62	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.36	29.49	15.82	45.31	68.20	22.89	Vertical	PASS
2	7137.03	29.59	15.83	45.42	68.20	22.78	Vertical	PASS
3	7149.25	29.60	15.86	45.46	68.20	22.74	Vertical	PASS
4	7128.65	40.91	15.82	56.73	88.20	31.47	Vertical	PASS
5	7143.11	40.03	15.85	55.88	88.20	32.32	Vertical	PASS
6	7155.91	39.84	15.88	55.72	88.20	32.48	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7136.93	29.90	15.83	45.73	68.20	22.47	Horizontal	PASS
2	7168.35	29.90	15.93	45.83	68.20	22.37	Horizontal	PASS
3	7190.59	29.40	16.02	45.42	68.20	22.78	Horizontal	PASS
4	7134.48	40.42	15.83	56.25	88.20	31.95	Horizontal	PASS
5	7174.06	40.71	15.96	56.67	88.20	31.53	Horizontal	PASS
6	7188.96	40.75	16.02	56.77	88.20	31.43	Horizontal	PASS


Project Information			
Mode:	802.11ac160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z;Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.35	29.49	15.82	45.31	68.20	22.89	Vertical	PASS
2	7168.82	29.59	15.94	45.53	68.20	22.67	Vertical	PASS
3	7201.61	29.48	16.07	45.55	68.20	22.65	Vertical	PASS
4	7128.49	41.08	15.82	56.90	88.20	31.30	Vertical	PASS
5	7164.95	40.45	15.92	56.37	88.20	31.83	Vertical	PASS
6	7201.06	40.75	16.06	56.81	88.20	31.39	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7129.01	29.46	15.82	45.28	68.20	22.92	Horizontal	PASS
2	7148.69	29.49	15.86	45.35	68.20	22.85	Horizontal	PASS
3	7181.92	29.80	15.99	45.79	68.20	22.41	Horizontal	PASS
4	7124.91	40.20	15.81	56.01	-	-	Horizontal	NA
5	7149.49	40.63	15.86	56.49	88.20	31.71	Horizontal	PASS
6	7182.75	40.69	15.99	56.68	88.20	31.52	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	229
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -1		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7131.70	29.47	15.82	45.29	68.20	22.91	Vertical	PASS
2	7151.70	29.44	15.87	45.31	68.20	22.89	Vertical	PASS
3	7174.27	29.58	15.96	45.54	68.20	22.66	Vertical	PASS
4	7129.65	40.66	15.82	56.48	88.20	31.72	Vertical	PASS
5	7148.82	40.68	15.86	56.54	88.20	31.66	Vertical	PASS
6	7174.65	40.27	15.96	56.23	88.20	31.97	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -7		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.02	50.87	15.81	66.68	68.20	1.52	Horizontal	PASS
2	7125.05	50.18	15.81	65.99	68.20	2.21	Horizontal	PASS
3	7125.53	33.95	15.81	49.76	68.20	18.44	Horizontal	PASS
4	7126.40	30.79	15.81	46.60	68.20	21.60	Horizontal	PASS
5	7125.30	60.53	15.81	76.34	88.20	11.86	Horizontal	PASS
6	7125.67	51.84	15.81	67.65	88.20	20.55	Horizontal	PASS
7	7126.20	48.72	15.81	64.53	88.20	23.67	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
SN:	NMR151NHENGG00013	Engineer:	Oushuyan
Remark:	Z; Powersetting -7		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.05	46.47	15.81	62.28	68.20	5.92	Vertical	PASS
2	7125.75	31.13	15.81	46.94	68.20	21.26	Vertical	PASS
3	7126.93	29.81	15.81	45.62	68.20	22.58	Vertical	PASS
4	7125.16	57.33	15.81	73.14	88.20	15.06	Vertical	PASS
5	7125.84	49.08	15.81	64.89	88.20	23.31	Vertical	PASS
6	7126.34	44.70	15.81	60.51	88.20	27.69	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.89	29.36	15.81	45.17	68.20	23.03	Horizontal	PASS
2	7130.07	29.56	15.82	45.38	68.20	22.82	Horizontal	PASS
3	7133.49	29.56	15.83	45.39	68.20	22.81	Horizontal	PASS
4	7126.54	40.02	15.81	55.83	88.20	32.37	Horizontal	PASS
5	7130.53	40.66	15.82	56.48	88.20	31.72	Horizontal	PASS
6	7133.77	40.63	15.83	56.46	88.20	31.74	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 3.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7127.26	29.79	15.81	45.60	68.20	22.60	Vertical	PASS
2	7134.13	29.66	15.83	45.49	68.20	22.71	Vertical	PASS
3	7140.87	29.31	15.84	45.15	68.20	23.05	Vertical	PASS
4	7127.62	40.13	15.82	55.95	88.20	32.25	Vertical	PASS
5	7135.68	40.19	15.83	56.02	88.20	32.18	Vertical	PASS
6	7137.99	40.05	15.84	55.89	88.20	32.31	Vertical	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7128.86	29.23	15.82	45.05	68.20	23.15	Horizontal	PASS
2	7134.58	29.47	15.83	45.30	68.20	22.90	Horizontal	PASS
3	7144.78	29.41	15.85	45.26	68.20	22.94	Horizontal	PASS
4	7126.00	39.69	15.81	55.50	88.20	32.70	Horizontal	PASS
5	7133.70	41.67	15.83	57.50	88.20	30.70	Horizontal	PASS
6	7141.86	39.95	15.84	55.79	88.20	32.41	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7128.86	29.32	15.82	45.14	68.20	23.06	Vertical	PASS
2	7138.12	29.85	15.84	45.69	68.20	22.51	Vertical	PASS
3	7141.03	29.49	15.84	45.33	68.20	22.87	Vertical	PASS
4	7127.09	40.23	15.81	56.04	88.20	32.16	Vertical	PASS
5	7134.27	40.72	15.83	56.55	88.20	31.65	Vertical	PASS
6	7140.20	40.51	15.84	56.35	88.20	31.85	Vertical	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z;Powersetting 8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7129.85	29.59	15.82	45.41	68.20	22.79	Horizontal	PASS
2	7139.37	30.03	15.84	45.87	68.20	22.33	Horizontal	PASS
3	7147.60	29.58	15.86	45.44	68.20	22.76	Horizontal	PASS
4	7125.77	40.79	15.81	56.60	88.20	31.60	Horizontal	PASS
5	7132.30	40.55	15.82	56.37	88.20	31.83	Horizontal	PASS
6	7147.47	40.04	15.85	55.89	88.20	32.31	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
SN:	NMR151NHENGG00013	Engineer:	Tian shuo
Remark:	Z; Powersetting 8		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7130.94	29.50	15.82	45.32	68.20	22.88	Vertical	PASS
2	7148.69	29.31	15.86	45.17	68.20	23.03	Vertical	PASS
3	7164.47	29.45	15.92	45.37	68.20	22.83	Vertical	PASS
4	7129.58	40.25	15.82	56.07	88.20	32.13	Vertical	PASS
5	7147.81	40.51	15.86	56.37	88.20	31.83	Vertical	PASS
6	7174.27	40.53	15.96	56.49	88.20	31.71	Vertical	PASS

~The End~