Appendix A
RF Test Data for BT V5.0(DSS) (Conducted Measurement)
Product Name: Bluetooth Cassette player converter
Trade Mark: Tonivent
Test Model: TON007B

Environmental Conditions

Temperature:	22.3 ° C
Relative Humidity:	53.0%
ATM Pressure:	100.0 kPa
Test Engineer:	Kay Hu
Supervised by:	Li Huan

A.1 Maxmum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-0.049	21	PASS
	MCH	-1.272	21	PASS
	HCH	-2.608	21	PASS
π/4DQPSK	LCH	2.064	21	PASS
	MCH	0.868	21	PASS
	HCH	-0.366	21	PASS
8DPSK	LCH	**2.691**	21	PASS
	MCH	1.578	21	PASS
	HCH	0.282	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH		
π/4DQPSK/LCH		

π/4DQPSK/MCH		
π/4DQPSK/HCH		

8DPSK/LCH		
8DPSK/MCH		

8DPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
10:32:12 AM Dec 15, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr1 2.479 991 25 GHz
0.282 dBm
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9504	Not Specified	PASS
	MCH	0.9508	Not Specified	PASS
	HCH	0.9490	Not Specified	PASS
π/4DQPSK	LCH	1.312	Not Specified	PASS
	MCH	1.313	Not Specified	PASS
	HCH	1.312	Not Specified	PASS
8DPSK	LCH	1.294	Not Specified	PASS
	MCH	1.296	Not Specified	PASS
	HCH	1.296	Not Specified	PASS

Test Graphs		
GFSK/LCH		

GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH		
8DPSK/LCH		

8DPSK/MCH		
8DPSK/HCH		

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.006	0.634	PASS
	MCH	0.996	0.634	PASS
	HCH	1.006	0.633	PASS
π/4DQPSK	LCH	1.282	0.875	PASS
	MCH	1.000	0.875	PASS
	HCH	1.004	0.875	PASS
8DPSK	LCH	1.004	0.863	PASS
	MCH	0.998	0.864	PASS
	HCH	0.998	0.864	PASS

Test Graphs	
GFSK/LCH	

GFSK/MCH



GFSK/HCH



π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH



8DPSK/MCH		
8DPSK/HCH		

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs		
GFSK/Hop		
π/4DQPSK/Hop		

8DPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
10:26:14 AM Dec 15, 2020
Ref Offset 8.05 dB
10 dB/div Ref 20.00 dBm
ΔMkr1 77.999 MHz
-2.740 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 77.999 MHz (Δ) -2.740 dB
2 F f 2.402 213 GHz -0.453 dBm
Frequency
Auto Tune
Center Freq 2.441750000 GHz
Start Freq 2.400000000 GHz
Stop Freq 2.483500000 GHz
CF Step 8.350000 MHz
Auto Man
Freq Offset 0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
π/4DQPSK	2DH5	LCH	2.9	106.7	0.309	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS
8DPSK	3DH5	LCH	2.9	106.7	0.309	0.4	PASS
	3DH5	MCH	2.9	106.7	0.309	0.4	PASS
	3DH5	HCH	2.9	106.7	0.309	0.4	PASS

Test Graphs	
GFSK_DH5/LCH	

GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-0.308	-37.528	-20.308	PASS
	MCH	-1.543	-38.169	-21.543	PASS
	HCH	-2.916	-37.665	-22.916	PASS
π/4DQPSK	LCH	-0.533	-37.532	-20.533	PASS
	MCH	-1.813	-36.354	-21.813	PASS
	HCH	-3.207	-48.342	-23.207	PASS
8DPSK	LCH	-0.384	-36.238	-20.384	PASS
	MCH	-1.462	-37.299	-21.462	PASS
	HCH	-2.746	-37.549	-22.746	PASS

GFSK_LCH_Graphs	
Pref	

Puw		

Agilent Spectrum Analyzer - Swept SA
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 2/10
09:03:57 AM Dec 15, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr2 24.838 GHz
-37.528 dBm
-20.31 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz

GFSK_MCH_Graphs			
Pref			
Puw			

GFSK_HCH_Graphs			
Pref			
Puw			

π/4DQPSK_LCH_Graphs			
Pref			
Puw			

π/4DQPSK_MCH_Graphs			
Pref			
Puw			

π/4DQPSK_HCH_Graphs			
Pref			
Puw			

8DPSK_LCH_Graphs			
Pref			
Puw			

8DPSK_MCH_Graphs			
Pref			
Puw			

8DPSK_HCH_Graphs		
Pref		
Puw		

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-0.303	Off	-50.129	-20.3	PASS
			-0.262	On	-49.025	-20.26	PASS
	HCH	2480	-2.885	Off	-49.742	-22.89	PASS
			-2.218	On	-48.222	-22.22	PASS
π/4DQPSK	LCH	2402	-0.389	Off	-49.835	-20.39	PASS
			-0.343	On	-48.866	-20.34	PASS
	HCH	2480	-2.977	Off	-48.812	-22.98	PASS
			-2.222	On	-48.658	-22.22	PASS
8DPSK	LCH	2402	-0.253	Off	-49.453	-20.25	PASS
			-0.177	On	-48.295	-20.18	PASS
	HCH	2480	-2.702	Off	-48.964	-22.7	PASS
			-2.033	On	-48.427	-22.03	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-44.46	2.0	0	52.77	PEAK	74	PASS
	Off	2310.0	-53.75	2.0	0	43.48	AV	54	PASS
	Off	2390.0	-43.23	2.0	0	54.00	PEAK	74	PASS
	Off	2390.0	-53.38	2.0	0	43.85	AV	54	PASS
	Off	2483.5	-42.98	2.0	0	54.25	PEAK	74	PASS
	Off	2483.5	-52.77	2.0	0	44.46	AV	54	PASS
	Off	2500.0	-41.74	2.0	0	55.49	PEAK	74	PASS
	Off	2500.0	-52.63	2.0	0	44.60	AV	54	PASS
π/4DQPSK	Off	2310.0	-43.48	2.0	0	53.75	PEAK	74	PASS
	Off	2310.0	-53.54	2.0	0	43.69	AV	54	PASS
	Off	2390.0	-41.58	2.0	0	55.65	PEAK	74	PASS
	Off	2390.0	-53.34	2.0	0	43.89	AV	54	PASS
	Off	2483.5	-42.28	2.0	0	54.95	PEAK	74	PASS
	Off	2483.5	-52.68	2.0	0	44.55	AV	54	PASS
	Off	2500.0	-41.94	2.0	0	55.29	PEAK	74	PASS
	Off	2500.0	-52.44	2.0	0	44.79	AV	54	PASS
8DPSK	Off	2310.0	-42.68	2.0	0	54.55	PEAK	74	PASS
	Off	2310.0	-53.41	2.0	0	43.82	AV	54	PASS
	Off	2390.0	-43.34	2.0	0	53.89	PEAK	74	PASS
	Off	2390.0	-53.14	2.0	0	44.09	AV	54	PASS
	Off	2483.5	-42.83	2.0	0	54.40	PEAK	74	PASS
	Off	2483.5	-52.58	2.0	0	44.65	AV	54	PASS
	Off	2500.0	-40.50	2.0	0	56.73	PEAK	74	PASS
	Off	2500.0	-52.42	2.0	0	44.81	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)