









Appendix F: Band edge and Spurious Emissions (conducted)




Test Item:	Bandedge	Type:	802.11 b																																																
CH01	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max  Start 2.31 GHz 691 pts Stop 2.422 GHz <table><tr><th>Marker</th><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td></td><td>1</td><td>2.41106 GHz</td><td>4.46 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td></td><td>1</td><td>2.4 GHz</td><td>-42.73 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td></td><td>1</td><td>2.39 GHz</td><td>-59.03 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td></td><td>1</td><td>2.31 GHz</td><td>-59.79 dBm</td><td></td><td></td></tr><tr><td>M5</td><td></td><td></td><td>1</td><td>2.399113 GHz</td><td>-39.77 dBm</td><td></td><td></td></tr></table> Date: 22 AUG 2024 14:34:54			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1			1	2.41106 GHz	4.46 dBm			M2			1	2.4 GHz	-42.73 dBm			M3			1	2.39 GHz	-59.03 dBm			M4			1	2.31 GHz	-59.79 dBm			M5			1	2.399113 GHz	-39.77 dBm		
	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																											
M1			1	2.41106 GHz	4.46 dBm																																														
M2			1	2.4 GHz	-42.73 dBm																																														
M3			1	2.39 GHz	-59.03 dBm																																														
M4			1	2.31 GHz	-59.79 dBm																																														
M5			1	2.399113 GHz	-39.77 dBm																																														
CH11	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max  Start 2.452 GHz 691 pts Stop 2.5 GHz <table><tr><th>Marker</th><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td></td><td></td><td>1</td><td>2.462524 GHz</td><td>-4.79 dBm</td><td></td><td></td></tr><tr><td>M2</td><td></td><td></td><td>1</td><td>2.4835 GHz</td><td>-56.77 dBm</td><td></td><td></td></tr><tr><td>M3</td><td></td><td></td><td>1</td><td>2.5 GHz</td><td>-59.34 dBm</td><td></td><td></td></tr><tr><td>M4</td><td></td><td></td><td>1</td><td>2.4845565 GHz</td><td>-55.18 dBm</td><td></td><td></td></tr></table> Date: 22 AUG 2024 14:39:49			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1			1	2.462524 GHz	-4.79 dBm			M2			1	2.4835 GHz	-56.77 dBm			M3			1	2.5 GHz	-59.34 dBm			M4			1	2.4845565 GHz	-55.18 dBm										
	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																											
M1			1	2.462524 GHz	-4.79 dBm																																														
M2			1	2.4835 GHz	-56.77 dBm																																														
M3			1	2.5 GHz	-59.34 dBm																																														
M4			1	2.4845565 GHz	-55.18 dBm																																														




Test Item:	Bandedge	Type:	802.11 g																																										
CH01	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 0.50 dB RBW 100 kHz SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 M5 -3.39 dBm 2.419490 GHz -39.76 dBm 2.400000 GHz D1 -23.390 dBm Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41949 GHz</td><td>-3.39 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-39.76 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-51.10 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.74 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.3996 GHz</td><td>-37.78 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:20:12			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41949 GHz	-3.39 dBm			M2	1		2.4 GHz	-39.76 dBm			M3	1		2.39 GHz	-51.10 dBm			M4	1		2.31 GHz	-59.74 dBm			M5	1		2.3996 GHz	-37.78 dBm		
	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.41949 GHz	-3.39 dBm																																									
M2	1		2.4 GHz	-39.76 dBm																																									
M3	1		2.39 GHz	-51.10 dBm																																									
M4	1		2.31 GHz	-59.74 dBm																																									
M5	1		2.3996 GHz	-37.78 dBm																																									
CH11	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 0.50 dB RBW 100 kHz SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 -0.69 dBm 2.4669700 GHz -54.62 dBm 2.4835000 GHz D1 -20.690 dBm Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.46697 GHz</td><td>-0.69 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-54.62 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.81 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4870609 GHz</td><td>-50.94 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:23:42			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.46697 GHz	-0.69 dBm			M2	1		2.4835 GHz	-54.62 dBm			M3	1		2.5 GHz	-59.81 dBm			M4	1		2.4870609 GHz	-50.94 dBm									
	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.46697 GHz	-0.69 dBm																																									
M2	1		2.4835 GHz	-54.62 dBm																																									
M3	1		2.5 GHz	-59.81 dBm																																									
M4	1		2.4870609 GHz	-50.94 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 0.50 dB RBW 100 kHz SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3[1] M4[1] M5[1] -0.63 dBm 2.419490 GHz -36.99 dBm 2.400000 GHz -59.98 dBm 2.397652 GHz -37.80 dBm Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41949 GHz</td><td>-0.63 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-36.99 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-50.59 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.98 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.397652 GHz</td><td>-37.80 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:25:42			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41949 GHz	-0.63 dBm			M2	1		2.4 GHz	-36.99 dBm			M3	1		2.39 GHz	-50.59 dBm			M4	1		2.31 GHz	-59.98 dBm			M5	1		2.397652 GHz	-37.80 dBm		
	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.41949 GHz	-0.63 dBm																																									
M2	1		2.4 GHz	-36.99 dBm																																									
M3	1		2.39 GHz	-50.59 dBm																																									
M4	1		2.31 GHz	-59.98 dBm																																									
M5	1		2.397652 GHz	-37.80 dBm																																									
CH11	Spectrum Ref Level 20.00 dBm Att 30 dB Offset 0.50 dB RBW 100 kHz SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3[1] M4[1] -1.05 dBm 2.4694700 GHz -50.62 dBm 2.4835000 GHz -59.30 dBm 2.5 GHz -49.81 dBm 2.4836522 GHz Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.46947 GHz</td><td>-1.05 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-50.62 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.30 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4836522 GHz</td><td>-49.81 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:29:18			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.46947 GHz	-1.05 dBm			M2	1		2.4835 GHz	-50.62 dBm			M3	1		2.5 GHz	-59.30 dBm			M4	1		2.4836522 GHz	-49.81 dBm									
	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																						
M1	1		2.46947 GHz	-1.05 dBm																																									
M2	1		2.4835 GHz	-50.62 dBm																																									
M3	1		2.5 GHz	-59.30 dBm																																									
M4	1		2.4836522 GHz	-49.81 dBm																																									




Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 263/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 M5 -2.61 dBm 2.427000 GHz -42.47 dBm 2.430000 GHz -22.610 dBm Start 2.31 GHz 691 pts Stop 2.442 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.427 GHz</td><td>-2.61 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.47 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-48.21 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.97 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.396087 GHz</td><td>-38.01 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:31:20			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.427 GHz	-2.61 dBm			M2	1		2.4 GHz	-42.47 dBm			M3	1		2.39 GHz	-48.21 dBm			M4	1		2.31 GHz	-60.97 dBm			M5	1		2.396087 GHz	-38.01 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.427 GHz	-2.61 dBm																																									
M2	1		2.4 GHz	-42.47 dBm																																									
M3	1		2.39 GHz	-48.21 dBm																																									
M4	1		2.31 GHz	-60.97 dBm																																									
M5	1		2.396087 GHz	-38.01 dBm																																									
CH09	Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 -4.75 dBm 2.4645240 GHz -49.05 dBm 2.4835000 GHz -24.750 dBm Start 2.432 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.464524 GHz</td><td>-4.75 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-49.05 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-54.94 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4852174 GHz</td><td>-45.40 dBm</td><td></td><td></td></tr></table> Date: 30 SEP 2024 10:34:36			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.464524 GHz	-4.75 dBm			M2	1		2.4835 GHz	-49.05 dBm			M3	1		2.5 GHz	-54.94 dBm			M4	1		2.4852174 GHz	-45.40 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.464524 GHz	-4.75 dBm																																									
M2	1		2.4835 GHz	-49.05 dBm																																									
M3	1		2.5 GHz	-54.94 dBm																																									
M4	1		2.4852174 GHz	-45.40 dBm																																									




Test Item:	SE	Type:	802.11b
CH01 Reference level	Spectrum Ref Level 20.50 dBm Att 30 dB Count 100/100 Offset 0.50 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] 5.25 dBm 2.4129990 GHz  CF 2.412 GHz691 ptsSpan 30.0 MHz Date: 22 AUG 2024 14:35:00		
CH01 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 30.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -52.14 dBm 722.5730 MHz D1 -14.750 dBm  Start 30.0 MHz30001 ptsStop 1.0 GHz Date: 22 AUG 2024 14:35:15		
CH01 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 250 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -43.23 dBm 15.898333 GHz D1 -14.750 dBm  Start 1.0 GHz30001 ptsStop 26.0 GHz Date: 22 AUG 2024 14:35:30		

CH06 Reference level	 5.53 dBm 2.4375210 GHz CF 2.437 GHz 691 pts Span 30.0 MHz Date: 22 AUG 2024 14:27:29
CH06 30MHz~1000MHz	 -51.93 dBm 876.7010 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 22 AUG 2024 14:27:44
CH06 1GHz~26GHz	 -43.80 dBm 15.650833 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 22 AUG 2024 14:28:00

CH11 Reference level	 Date: 22 AUG 2024 14:39:55
CH11 30MHz~1000MHz	 Date: 22 AUG 2024 14:40:10
CH11 1GHz~26GHz	 Date: 22 AUG 2024 14:40:25


Test Item:	SE	Type:	802.11g
CH01 Reference level	Spectrum Ref Level 20.50 dBm Att 30 dB Count 100/100 Offset 0.50 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] -1.42 dBm 2.4070070 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.412 GHz 691 pts Span 30.0 MHz Date: 30.SEP.2024 10:20:19		
CH01 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 30.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -52.06 dBm 776.1150 MHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:20:34		
CH01 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 250 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -42.94 dBm 15.891667 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:20:50		

CH06 Reference level	 Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPk Max M1[1] -0.07 dBm 2.4320070 GHz CF 2.437 GHz 691 pts Span 30.0 MHz Date: 30.SEP.2024 10:22:03
CH06 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -52.56 dBm 790.8590 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:22:18
CH06 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -44.27 dBm 19.376667 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:22:33


CH11 Reference level	 Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPk Max M1[1] -1.05 dBm 2.4669930 GHz CF 2.462 GHz 691 pts Span 30.0 MHz Date: 30.SEP.2024 10:23:48
CH11 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -51.38 dBm 856.5900 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:24:03
CH11 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -44.13 dBm 16.455839 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:24:18

Test Item:	SE	Type:	802.11n(HT20)
CH01 Reference level	Spectrum Ref Level 20.50 dBm Att 30 dB Count 100/100 Offset 0.50 dB SWT 75.9 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] -1.11 dBm 2.4169930 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.412 GHz 691 pts Span 30.0 MHz Date: 30.SEP.2024 10:25:18		
CH01 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 30.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -51.90 dBm 854.3270 MHz M1 -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:26:03		
CH01 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 250 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -43.78 dBm 15.149167 GHz M1 -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:26:18		


CH06
Reference level






CH06
30MHz~1000MHz









CH06
1GHz~26GHz



CH11 Reference level	
CH11 30MHz~1000MHz	
CH11 1GHz~26GHz	

Test Item:	SE	Type:	802.11n(HT40)
CH03 Reference level	Spectrum Ref Level 20.50 dBm Att 30 dB Count 100/100 Offset 0.50 dB SWT 132.7 μs RBW 100 kHz VBW 300 kHz Mode Auto FFT 1Pk Max M1[1] -3.07 dBm 2.4270360 GHz CF 2.422 GHz 691 pts Span 60.0 MHz Date: 30.SEP.2024 10:31:26		
CH03 30MHz~1000MHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 30.1 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -51.68 dBm 923.0330 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:31:41		
CH03 1GHz~26GHz	Spectrum Ref Level 20.00 dBm Att 30 dB Count 10/10 Offset 0.50 dB SWT 250 ms RBW 100 kHz VBW 300 kHz Mode Auto Sweep 1Pk Max M1[1] -42.94 dBm 15.534167 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:31:56		

CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	

CH09 Reference level	 Spectrum Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPk Max M1[1] -4.73 dBm 2.4670220 GHz CF 2.452 GHz 691 pts Span 60.0 MHz Date: 30.SEP.2024 10:34:11
CH09 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -51.75 dBm 977.4480 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 30.SEP.2024 10:34:56
CH09 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -43.59 dBm 25.840839 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 30.SEP.2024 10:35:12

-----End of Report-----