
















11AC20SISO Ant1 5720 UNII-2C




11AC20SISO Ant1 5720 UNII-3





11AC20SISO\_Ant1\_5745





11AC20SISO\_Ant1\_5785

















11AC80SISO Ant1 5690 UNII-2C



11AC80SISO Ant1 5690 UNII-3



11AC80SISO\_Ant1\_5775



-

-

## 6. APPENDIX F: BAND EDGE MEASUREMENTS

### 6.1 TEST RESULT B1/2/3


| TestMode   | Antenna | ChName | Frequency[MHz] | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|----------------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180           | -50.47      | $\leq -27$ | PASS    |
|            |         | High   | 5300           | -50.12      | $\leq -27$ | PASS    |
|            |         |        | 5320           | -49.2       | $\leq -27$ | PASS    |
|            |         | Low    | 5500           | -48.46      | $\leq -27$ | PASS    |
|            |         |        | 5520           | -50.04      | $\leq -27$ | PASS    |
|            |         | High   | 5680           | -50.32      | $\leq -27$ | PASS    |
|            |         |        | 5700           | -44.95      | $\leq -27$ | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180           | -50.84      | $\leq -27$ | PASS    |
|            |         | High   | 5300           | -49.25      | $\leq -27$ | PASS    |
|            |         |        | 5320           | -49.47      | $\leq -27$ | PASS    |
|            |         | Low    | 5500           | -51.22      | $\leq -27$ | PASS    |
|            |         |        | 5520           | -49.17      | $\leq -27$ | PASS    |
|            |         | High   | 5680           | -50.3       | $\leq -27$ | PASS    |
|            |         |        | 5700           | -52.08      | $\leq -27$ | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190           | -51.26      | $\leq -27$ | PASS    |
|            |         | High   | 5310           | -50.96      | $\leq -27$ | PASS    |
|            |         | Low    | 5510           | -49.29      | $\leq -27$ | PASS    |
|            |         | High   | 5630           | -51.31      | $\leq -27$ | PASS    |
|            |         |        | 5670           | -47.78      | $\leq -27$ | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180           | -50.52      | $\leq -27$ | PASS    |
|            |         | High   | 5300           | -47.14      | $\leq -27$ | PASS    |
|            |         |        | 5320           | -48.62      | $\leq -27$ | PASS    |
|            |         | Low    | 5500           | -51.43      | $\leq -27$ | PASS    |
|            |         |        | 5520           | -49.96      | $\leq -27$ | PASS    |
|            |         | High   | 5680           | -51         | $\leq -27$ | PASS    |
|            |         |        | 5700           | -51.73      | $\leq -27$ | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190           | -50.43      | $\leq -27$ | PASS    |
|            |         | High   | 5310           | -50.86      | $\leq -27$ | PASS    |
|            |         | Low    | 5510           | -49.5       | $\leq -27$ | PASS    |
|            |         | High   | 5630           | -51.69      | $\leq -27$ | PASS    |
|            |         |        | 5670           | -49.9       | $\leq -27$ | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210           | -50.12      | $\leq -27$ | PASS    |
|            |         | High   | 5290           | -48.91      | $\leq -27$ | PASS    |
|            |         | Low    | 5530           | -50.47      | $\leq -27$ | PASS    |
|            |         | High   | 5610           | -51.61      | $\leq -27$ | PASS    |

## 6.2 TEST RESULT B4

| TestMode   | Antenna | ChName | Frequency [MHz] | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|--------|-----------------|-----------------|--------------|-------------|---------|
| 11A        | Ant1    | Low    | 5745            | 5650~5700       | -50.12       | ≤8.11       | PASS    |
|            |         |        |                 | 5700~5720       | -40.07       | ≤15.24      | PASS    |
|            |         |        |                 | 5720~5725       | -33.41       | ≤24.21      | PASS    |
|            |         |        |                 | 5760~5650       | -52.32       | ≤-27        | PASS    |
|            |         | High   | 5825            | 5850~5855       | -45.37       | ≤18.26      | PASS    |
|            |         |        |                 | 5855~5875       | -46.2        | ≤10.02      | PASS    |
|            |         |        |                 | 5875~5925       | -50.87       | ≤-21.56     | PASS    |
|            |         |        |                 | 5925~5935       | -51.51       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745            | 5650~5700       | -49.58       | ≤1.98       | PASS    |
|            |         |        |                 | 5700~5720       | -40.12       | ≤15.43      | PASS    |
|            |         |        |                 | 5720~5725       | -32.49       | ≤26.30      | PASS    |
|            |         |        |                 | 5760~5650       | -52.69       | ≤-27        | PASS    |
|            |         | High   | 5825            | 5850~5855       | -44.79       | ≤16.41      | PASS    |
|            |         |        |                 | 5855~5875       | -46.65       | ≤14.97      | PASS    |
|            |         |        |                 | 5875~5925       | -49.77       | ≤-25.66     | PASS    |
|            |         |        |                 | 5925~5935       | -52.92       | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755            | 5650~5700       | -46.79       | ≤8.16       | PASS    |
|            |         |        |                 | 5700~5720       | -28.74       | ≤14.90      | PASS    |
|            |         |        |                 | 5720~5725       | -27.21       | ≤24.05      | PASS    |
|            |         |        |                 | 5780~5650       | -53.06       | ≤-27        | PASS    |
|            |         | High   | 5795            | 5850~5855       | -43.48       | ≤21.30      | PASS    |
|            |         |        |                 | 5855~5875       | -49.17       | ≤10.73      | PASS    |
|            |         |        |                 | 5875~5925       | -50.34       | ≤-20.45     | PASS    |
|            |         |        |                 | 5925~5935       | -53.28       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745            | 5650~5700       | -50.73       | ≤5.55       | PASS    |
|            |         |        |                 | 5700~5720       | -42.27       | ≤15.59      | PASS    |
|            |         |        |                 | 5720~5725       | -32.61       | ≤25.52      | PASS    |
|            |         |        |                 | 5760~5650       | -52.45       | ≤-27        | PASS    |
|            |         | High   | 5825            | 5850~5855       | -44.08       | ≤17.95      | PASS    |
|            |         |        |                 | 5855~5875       | -48.94       | ≤10.89      | PASS    |
|            |         |        |                 | 5875~5925       | -49.7        | ≤-26.86     | PASS    |
|            |         |        |                 | 5925~5935       | -53.31       | ≤-27        | PASS    |



| TestMode   | Antenna | ChName | Frequency<br>[MHz] | FreqRange<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|------------|---------|--------|--------------------|--------------------|-----------------|----------------|---------|
| 11AC40SISO | Ant1    | Low    | 5755               | 5650~5700          | -45.88          | ≤8.16          | PASS    |
|            |         |        |                    | 5700~5720          | -29.06          | ≤14.90         | PASS    |
|            |         |        |                    | 5720~5725          | -28.09          | ≤24.05         | PASS    |
|            |         |        |                    | 5780~5650          | -52.73          | ≤-27           | PASS    |
|            |         | High   | 5795               | 5850~5855          | -44.13          | ≤21.30         | PASS    |
|            |         |        |                    | 5855~5875          | -49.9           | ≤13.50         | PASS    |
|            |         |        |                    | 5875~5925          | -50.78          | ≤-26.80        | PASS    |
|            |         |        |                    | 5925~5935          | -53.07          | ≤-27           | PASS    |
| 11AC80SISO | Ant1    | Low    | 5775               | 5650~5700          | -36.74          | ≤9.90          | PASS    |
|            |         |        |                    | 5700~5720          | -28.71          | ≤15.26         | PASS    |
|            |         |        |                    | 5720~5725          | -28.49          | ≤15.65         | PASS    |
|            |         |        |                    | 5800~5650          | -52.4           | ≤-27           | PASS    |
|            |         | High   | 5775               | 5850~5855          | -38.28          | ≤18.32         | PASS    |
|            |         |        |                    | 5855~5875          | -42.46          | ≤13.49         | PASS    |
|            |         |        |                    | 5875~5925          | -46.79          | ≤-26.54        | PASS    |
|            |         |        |                    | 5925~5935          | -53.24          | ≤-27           | PASS    |

## 6.3 TEST GRAPHS B1/2/3




11A\_Ant1\_Low\_5520

11A\_Ant1\_High\_5680




11A\_Ant1\_High\_5700



11N20SISO Ant1 Low 5180




11N20SISO Ant1 High 5300




11N20SISO Ant1 High 5320




11N20SISO Ant1 Low 5500




11N20SISO Ant1 Low 5520



11N20SISO Ant1 High 5680




11N20SISO Ant1 High 5700




11N40SISO Ant1 Low 5190




11N40SISO Ant1 High 5310




11N40SISO Ant1 Low 5510





11N40SISO Ant1 High 5630







11AC20SISO Ant1 Low 5180

11AC20SISO Ant1 High 5300





11AC20SISO\_Ant1\_High\_5320

11AC20SISO\_Ant1\_Low\_5500




11AC20SISO Ant1 Low 5520

11AC20SISO Ant1 High 5680




11AC20SISO Ant1 High 5700


11AC40SISO Ant1 Low 5190




11AC40SISO Ant1 High 5310




11AC40SISO Ant1 Low 5510



11AC40SISO Ant1 High 5630





11AC40SISO Ant1 High 5670





11AC80SISO Ant1 Low 5210

11AC80SISO Ant1 High 5290





11AC80SISO Ant1 Low 5530


11AC80SISO Ant1 High 5610





## 6.4 TEST GRAPHS B4














## 7. APPENDIX G: CONDUCTED SPURIOUS EMISSION

### 7.1 TEST RESULT

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|------------------|-------------|---------|
| 11A      | Ant1    | 5180           | 30~5140         | 5126.8         | -42.89           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39533          | -39.28           | ≤-27        | PASS    |
|          |         | 5200           | 30~5140         | 5131.91        | -42.2            | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39500.6        | -39.12           | ≤-27        | PASS    |
|          |         | 5240           | 30~5140         | 540.73         | -47.51           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39575.7        | -39.21           | ≤-27        | PASS    |
|          |         | 5260           | 30~5140         | 549.58         | -47.17           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39557.2        | -37.52           | ≤-27        | PASS    |
|          |         | 5280           | 30~5140         | 539.36         | -48.68           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39648.4        | -38.52           | ≤-27        | PASS    |
|          |         | 5300           | 30~5140         | 549.93         | -47.36           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39606.8        | -38.72           | ≤-27        | PASS    |
|          |         | 5320           | 30~5140         | 552.14         | -47.74           | ≤-27        | PASS    |
|          |         |                | 5360~40000      | 39589.5        | -39.17           | ≤-27        | PASS    |
|          |         | 5500           | 30~5460         | 5450.86        | -44.91           | ≤-27        | PASS    |
|          |         |                | 5735~40000      | 39560.9        | -38.57           | ≤-27        | PASS    |
|          |         | 5520           | 30~5460         | 5456.83        | -39.84           | ≤-27        | PASS    |
|          |         |                | 5735~40000      | 39570          | -39.11           | ≤-27        | PASS    |
|          |         | 5580           | 30~5460         | 539.95         | -49.06           | ≤-27        | PASS    |
|          |         |                | 5735~40000      | 39347.3        | -38.82           | ≤-27        | PASS    |
|          |         | 5680           | 30~5460         | 545.02         | -48.55           | ≤-27        | PASS    |
|          |         |                | 5735~40000      | 39659.1        | -38.88           | ≤-27        | PASS    |
|          |         | 5700           | 30~5460         | 537.6          | -48.75           | ≤-27        | PASS    |
|          |         |                | 5735~40000      | 39583.7        | -38.81           | ≤-27        | PASS    |
|          |         | 5720           | 30~5460         | 547.91         | -48.25           | ≤-27        | PASS    |
|          |         |                | 5925~40000      | 39681.4        | -39.16           | ≤-27        | PASS    |
|          |         | 5745           | 30~5650         | 5636.04        | -46.7            | ≤-27        | PASS    |
|          |         |                | 5925~40000      | 39226          | -38.64           | ≤-27        | PASS    |
|          |         | 5785           | 30~5650         | 523.89         | -47.74           | ≤-27        | PASS    |
|          |         |                | 5925~40000      | 39659.8        | -38.53           | ≤-27        | PASS    |
|          |         | 5825           | 30~5650         | 550.86         | -48.32           | ≤-27        | PASS    |
|          |         |                | 5925~40000      | 39350.9        | -38.87           | ≤-27        | PASS    |


| TestMode  | Antenna | Frequency[MHz] | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|-----------------|----------------|------------------|-------------|---------|
| 11N20SISO | Ant1    | 5180           | 30~5140         | 5138.21        | -40.9            | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39664.6        | -39.34           | ≤-27        | PASS    |
|           |         | 5200           | 30~5140         | 5138.21        | -45.91           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39452.1        | -39.83           | ≤-27        | PASS    |
|           |         | 5240           | 30~5140         | 552.14         | -47.93           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39568.7        | -38.72           | ≤-27        | PASS    |
|           |         | 5260           | 30~5140         | 2876.94        | -48.52           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39240.8        | -38.76           | ≤-27        | PASS    |
|           |         | 5280           | 30~5140         | 524.89         | -47.92           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39636.9        | -38.29           | ≤-27        | PASS    |
|           |         | 5300           | 30~5140         | 550.61         | -48.51           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39266.2        | -39.38           | ≤-27        | PASS    |
|           |         | 5320           | 30~5140         | 550.78         | -47.86           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39304.3        | -39.01           | ≤-27        | PASS    |
|           |         | 5500           | 30~5460         | 5452.49        | -44.13           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39621.4        | -38.64           | ≤-27        | PASS    |
|           |         | 5520           | 30~5460         | 5442.35        | -43.21           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39637.4        | -39.43           | ≤-27        | PASS    |
|           |         | 5580           | 30~5460         | 547.73         | -48.53           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39594          | -38.74           | ≤-27        | PASS    |
|           |         | 5680           | 30~5460         | 547.73         | -48.54           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39681.9        | -39.1            | ≤-27        | PASS    |
|           |         | 5700           | 30~5460         | 510.27         | -47.95           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39615.7        | -38.54           | ≤-27        | PASS    |
|           |         | 5720           | 30~5460         | 564.2          | -48.33           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39540.6        | -38.82           | ≤-27        | PASS    |
|           |         | 5745           | 30~5650         | 5630.61        | -46.41           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39480.4        | -38.82           | ≤-27        | PASS    |
|           |         | 5785           | 30~5650         | 551.8          | -47.59           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39231.6        | -39.17           | ≤-27        | PASS    |
|           |         | 5825           | 30~5650         | 539.81         | -48.47           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39319.1        | -39.31           | ≤-27        | PASS    |


| TestMode  | Antenna | Frequency[MHz] | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|-----------------|----------------|------------------|-------------|---------|
| 11N40SISO | Ant1    | 5190           | 30~5140         | 5131.91        | -44.42           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39669.2        | -39.17           | ≤-27        | PASS    |
|           |         | 5230           | 30~5140         | 5138.55        | -46.55           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39624.2        | -39.23           | ≤-27        | PASS    |
|           |         | 5270           | 30~5140         | 551.46         | -48.37           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39470.6        | -38.67           | ≤-27        | PASS    |
|           |         | 5310           | 30~5140         | 537.15         | -48.65           | ≤-27        | PASS    |
|           |         |                | 5360~40000      | 39300.9        | -39.05           | ≤-27        | PASS    |
|           |         | 5510           | 30~5460         | 5455.2         | -46.46           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39588.3        | -39.16           | ≤-27        | PASS    |
|           |         | 5550           | 30~5460         | 5459.91        | -46.76           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39656.8        | -38.43           | ≤-27        | PASS    |
|           |         | 5630           | 30~5460         | 552.08         | -47.84           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39626          | -38.52           | ≤-27        | PASS    |
|           |         | 5670           | 30~5460         | 549.72         | -47.58           | ≤-27        | PASS    |
|           |         |                | 5735~40000      | 39747          | -39.16           | ≤-27        | PASS    |
|           |         | 5710           | 30~5460         | 531.99         | -47.49           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39407.7        | -39.01           | ≤-27        | PASS    |
|           |         | 5755           | 30~5650         | 5649.91        | -47.05           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39658.7        | -38.51           | ≤-27        | PASS    |
|           |         | 5795           | 30~5650         | 539.25         | -47.92           | ≤-27        | PASS    |
|           |         |                | 5925~40000      | 39714.3        | -38.75           | ≤-27        | PASS    |


| TestMode   | Antenna | Frequency[MHz] | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|----------------|-----------------|----------------|------------------|-------------|---------|
| 11AC20SISO | Ant1    | 5180           | 30~5140         | 5127.82        | -42.35           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39374.8        | -39.19           | ≤-27        | PASS    |
|            |         | 5200           | 30~5140         | 5130.55        | -44.68           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39645          | -39              | ≤-27        | PASS    |
|            |         | 5240           | 30~5140         | 556.91         | -48.07           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39224.7        | -38.48           | ≤-27        | PASS    |
|            |         | 5260           | 30~5140         | 540.39         | -48.55           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39292.8        | -39.1            | ≤-27        | PASS    |
|            |         | 5280           | 30~5140         | 548.9          | -48.48           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39579.1        | -38.72           | ≤-27        | PASS    |
|            |         | 5300           | 30~5140         | 550.61         | -49              | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39657.7        | -39.12           | ≤-27        | PASS    |
|            |         | 5320           | 30~5140         | 654.68         | -48.13           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 5361.7         | -38.03           | ≤-27        | PASS    |
|            |         | 5500           | 30~5460         | 5446.7         | -45.29           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39388.4        | -39.39           | ≤-27        | PASS    |
|            |         | 5520           | 30~5460         | 5456.83        | -42.93           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39613.4        | -39.22           | ≤-27        | PASS    |
|            |         | 5580           | 30~5460         | 542.3          | -48.52           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39557.4        | -38.6            | ≤-27        | PASS    |
|            |         | 5680           | 30~5460         | 539.95         | -48.49           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39201.1        | -38.09           | ≤-27        | PASS    |
|            |         | 5700           | 30~5460         | 545.38         | -48.35           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39549.4        | -38.69           | ≤-27        | PASS    |
|            |         | 5720           | 30~5460         | 486.01         | -48.11           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39550.8        | -37.91           | ≤-27        | PASS    |
|            |         | 5745           | 30~5650         | 548.62         | -46.57           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39243          | -39.18           | ≤-27        | PASS    |
|            |         | 5785           | 30~5650         | 698.1          | -48.16           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39688.2        | -39.58           | ≤-27        | PASS    |
|            |         | 5825           | 30~5650         | 530.82         | -47.99           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39189.6        | -39.6            | ≤-27        | PASS    |

| TestMode   | Antenna | Frequency[MHz] | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|----------------|-----------------|----------------|------------------|-------------|---------|
| 11AC40SISO | Ant1    | 5190           | 30~5140         | 5131.91        | -42.1            | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39605.7        | -39.01           | ≤-27        | PASS    |
|            |         | 5230           | 30~5140         | 5135.32        | -47.52           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39672.7        | -39.16           | ≤-27        | PASS    |
|            |         | 5270           | 30~5140         | 634.41         | -48.54           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39389.8        | -39.18           | ≤-27        | PASS    |
|            |         | 5310           | 30~5140         | 566.28         | -47.86           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39223.5        | -39.19           | ≤-27        | PASS    |
|            |         | 5510           | 30~5460         | 5459.19        | -46.24           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39632.8        | -39.08           | ≤-27        | PASS    |
|            |         | 5550           | 30~5460         | 5459.73        | -46.77           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39653.4        | -39              | ≤-27        | PASS    |
|            |         | 5630           | 30~5460         | 573.43         | -48.78           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39582.6        | -39.01           | ≤-27        | PASS    |
|            |         | 5670           | 30~5460         | 535.97         | -47.93           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39676.2        | -38.26           | ≤-27        | PASS    |
|            |         | 5710           | 30~5460         | 532.35         | -48.16           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39659.8        | -38.55           | ≤-27        | PASS    |
|            |         | 5755           | 30~5650         | 5649.16        | -47.7            | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39494          | -38.86           | ≤-27        | PASS    |
|            |         | 5795           | 30~5650         | 552.36         | -47.45           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39655.3        | -38.75           | ≤-27        | PASS    |
| 11AC80SISO | Ant1    | 5210           | 30~5140         | 5137.7         | -46.46           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39543.3        | -39.36           | ≤-27        | PASS    |
|            |         | 5290           | 30~5140         | 727.58         | -48.57           | ≤-27        | PASS    |
|            |         |                | 5360~40000      | 39280.1        | -38.73           | ≤-27        | PASS    |
|            |         | 5530           | 30~5460         | 5459           | -43.03           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39630.5        | -39.16           | ≤-27        | PASS    |
|            |         | 5610           | 30~5460         | 777.05         | -48.06           | ≤-27        | PASS    |
|            |         |                | 5735~40000      | 39408.9        | -38.27           | ≤-27        | PASS    |
|            |         | 5690           | 30~5460         | 544.48         | -47.3            | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39244.1        | -38.79           | ≤-27        | PASS    |
|            |         | 5775           | 30~5650         | 568.1          | -48.33           | ≤-27        | PASS    |
|            |         |                | 5925~40000      | 39320.2        | -39.41           | ≤-27        | PASS    |


## 7.2 TEST GRAPHS









11A\_Ant1\_5320\_30~5140



11A\_Ant1\_5320\_30~5140



11A\_Ant1\_5500\_30~5460



11A\_Ant1\_5500\_5735~40000

