




11N20SISO_Ant2_High_5825




11N40SISO_Ant1_Low_5755




11N40SISO_Ant2_Low_5755




11N40SISO_Ant1_High_5795




11N40SISO_Ant2_High_5795




11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant2_Low_5745




11AC20SISO_Ant1_High_5825




11AC20SISO_Ant2_High_5825




11AC40SISO_Ant1_Low_5755



11AC40SISO_Ant2_Low_5755




11AC40SISO_Ant1_High_5795




11AC40SISO_Ant2_High_5795




11AC80SISO_Ant1_Low_5775




11AC80SISO_Ant1_High_5775




11AC80SISO_Ant2_Low_5775




11AC80SISO_Ant2_High_5775




11AX20SISO_Ant1_Low_5745




11AX20SISO_Ant2_Low_5745



11AX20SISO_Ant1_High_5825




11AX20SISO_Ant2_High_5825




11AX40SISO_Ant1_Low_5755




11AX40SISO_Ant2_Low_5755




11AX40SISO_Ant1_High_5795




11AX40SISO_Ant2_High_5795



11AX80SISO_Ant1_Low_5775




11AX80SISO_Ant1_High_5775



11AX80SISO_Ant2_Low_5775




11AX80SISO_Ant2_High_5775




11A-CDD_Ant1_Low_5745




11A-CDD_Ant2_Low_5745




11A-CDD_Ant1_High_5825




11A-CDD_Ant2_High_5825




11N20MIMO_Ant1_Low_5745




11N20MIMO_Ant2_Low_5745




11N20MIMO_Ant1_High_5825




11N20MIMO_Ant2_High_5825




11N40MIMO_Ant1_Low_5755




11N40MIMO_Ant2_Low_5755




11N40MIMO_Ant1_High_5795




11N40MIMO_Ant2_High_5795




11AC20MIMO_Ant1_Low_5745




11AC20MIMO_Ant2_Low_5745




11AC20MIMO_Ant1_High_5825



11AC20MIMO_Ant2_High_5825




11AC40MIMO_Ant1_Low_5755




11AC40MIMO_Ant2_Low_5755



11AC40MIMO_Ant1_High_5795




11AC40MIMO_Ant2_High_5795




11AC80MIMO_Ant1_Low_5775




11AC80MIMO_Ant1_High_5775




11AC80MIMO_Ant2_Low_5775




11AC80MIMO_Ant2_High_5775




11AX20MIMO_Ant1_Low_5745




11AX20MIMO_Ant2_Low_5745



11AX20MIMO_Ant1_High_5825




11AX20MIMO_Ant2_High_5825




11AX40MIMO_Ant1_Low_5755




11AX40MIMO_Ant2_Low_5755



11AX40MIMO_Ant1_High_5795




11AX40MIMO_Ant2_High_5795




11AX80MIMO_Ant1_Low_5775




11AX80MIMO_Ant1_High_5775



11AX80MIMO_Ant2_Low_5775



11AX80MIMO_Ant2_High_5775



7 Appendix G: Conducted Spurious Emission

7.1 Test Result

7.1.1 Full RU for 11AX mode

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5138.55	-45.18	≤-27	PASS
			5360~40000	39171.6	-36.96	≤-27	PASS
	Ant2	5180	30~5140	5004.85	-48.6	≤-27	PASS
			5360~40000	39188.9	-43.03	≤-27	PASS
	Ant1	5200	30~5140	5040.78	-45.67	≤-27	PASS
			5360~40000	39198.1	-36.91	≤-27	PASS
	Ant2	5200	30~5140	5037.89	-47.77	≤-27	PASS
			5360~40000	39433.7	-41.92	≤-27	PASS
	Ant1	5220	30~5140	549.41	-45.7	≤-27	PASS
			5360~40000	39369	-37.31	≤-27	PASS
	Ant2	5220	30~5140	5062.08	-47.23	≤-27	PASS
			5360~40000	39319.3	-41.91	≤-27	PASS
	Ant1	5240	30~5140	546.35	-45.42	≤-27	PASS
			5360~40000	39415.2	-37.29	≤-27	PASS
	Ant2	5240	30~5140	5074	-48.14	≤-27	PASS
			5360~40000	39334.4	-42.47	≤-27	PASS
	Ant1	5260	30~5140	5102.61	-45.88	≤-27	PASS
			5360~40000	39380.5	-36.89	≤-27	PASS
	Ant2	5260	30~5140	5127.48	-48.11	≤-27	PASS
			5360~40000	39381.7	-42.27	≤-27	PASS
	Ant1	5300	30~5140	2788.54	-45.76	≤-27	PASS
			5360~40000	39269.7	-36.7	≤-27	PASS
	Ant2	5300	30~5140	5102.44	-48.12	≤-27	PASS
			5360~40000	39374.8	-42.17	≤-27	PASS
	Ant1	5320	30~5140	2749.88	-45.89	≤-27	PASS
			5360~40000	39339	-36.47	≤-27	PASS
	Ant2	5320	30~5140	5138.21	-47.67	≤-27	PASS
			5360~40000	39358.6	-42.33	≤-27	PASS
	Ant1	5500	30~5460	5459	-41.47	≤-27	PASS
			5735~40000	39391.8	-37.08	≤-27	PASS
	Ant2	5500	30~5460	5458.64	-47.32	≤-27	PASS
			5735~40000	39453.5	-41.81	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5520	30~5460	543.57	-44.6	≤-27	PASS
			5735~40000	39359.8	-36.49	≤-27	PASS
	Ant2	5520	30~5460	5344.8	-47.64	≤-27	PASS
			5735~40000	39389.5	-42.1	≤-27	PASS
	Ant1	5580	30~5460	5427.51	-45.67	≤-27	PASS
			5735~40000	39422.7	-37.33	≤-27	PASS
	Ant2	5580	30~5460	5378.46	-48.05	≤-27	PASS
			5735~40000	39351.8	-42.63	≤-27	PASS
	Ant1	5680	30~5460	2839.12	-45.78	≤-27	PASS
			5735~40000	39332.4	-37.5	≤-27	PASS
	Ant2	5680	30~5460	5454.12	-50.57	≤-27	PASS
			5735~40000	39462.6	-42.07	≤-27	PASS
	Ant1	5700	30~5460	2861.38	-46.22	≤-27	PASS
			5735~40000	39420.4	-36.65	≤-27	PASS
	Ant2	5700	30~5460	540.49	-45.72	≤-27	PASS
			5735~40000	39385	-37.38	≤-27	PASS
	Ant1	5720	30~5460	541.58	-45.94	≤-27	PASS
			5925~40000	39348.6	-37.22	≤-27	PASS
	Ant2	5720	30~5460	2752.42	-45.42	≤-27	PASS
			5925~40000	39215.7	-37.29	≤-27	PASS
	Ant1	5745	30~5650	517.52	-45.62	≤-27	PASS
			5925~40000	39346.3	-35.82	≤-27	PASS
	Ant2	5745	30~5650	552.17	-46.05	≤-27	PASS
			5925~40000	39348.6	-37.92	≤-27	PASS
	Ant1	5785	30~5650	2647.99	-45.74	≤-27	PASS
			5925~40000	39394.1	-37.06	≤-27	PASS
	Ant2	5785	30~5650	2717.11	-45.64	≤-27	PASS
			5925~40000	39358.8	-36.58	≤-27	PASS
	Ant1	5825	30~5650	2734.72	-45.78	≤-27	PASS
			5925~40000	39197.6	-37.3	≤-27	PASS
	Ant2	5825	30~5650	2763.01	-45.76	≤-27	PASS
			5925~40000	39107.8	-37.81	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	2730.8	-45.88	≤-27	PASS
			5360~40000	39431.3	-37.39	≤-27	PASS
	Ant2	5180	30~5140	2743.23	-45.43	≤-27	PASS
			5360~40000	39399	-36.87	≤-27	PASS
	Ant1	5200	30~5140	545.5	-45.87	≤-27	PASS
			5360~40000	39139.2	-36.59	≤-27	PASS
	Ant2	5200	30~5140	655.02	-45.51	≤-27	PASS
			5360~40000	39282.4	-36.43	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5220	30~5140	547.54	-45.5	≤-27	PASS
			5360~40000	39364.4	-37.05	≤-27	PASS
	Ant2	5220	30~5140	519.1	-45.7	≤-27	PASS
			5360~40000	39263.9	-36.94	≤-27	PASS
	Ant1	5240	30~5140	2778.32	-45.31	≤-27	PASS
			5360~40000	39384	-36.62	≤-27	PASS
	Ant2	5240	30~5140	551.12	-46.21	≤-27	PASS
			5360~40000	39427.9	-36.9	≤-27	PASS
	Ant1	5260	30~5140	2812.05	-45.4	≤-27	PASS
			5360~40000	39596.5	-37.34	≤-27	PASS
	Ant2	5260	30~5140	2785.99	-45.24	≤-27	PASS
			5360~40000	39396.7	-37.4	≤-27	PASS
	Ant1	5300	30~5140	2783.26	-45.71	≤-27	PASS
			5360~40000	39229.3	-37.61	≤-27	PASS
	Ant2	5300	30~5140	538.51	-45.98	≤-27	PASS
			5360~40000	39359.8	-36.82	≤-27	PASS
	Ant1	5320	30~5140	550.1	-44.8	≤-27	PASS
			5360~40000	39369	-37.53	≤-27	PASS
	Ant2	5320	30~5140	2824.82	-45.49	≤-27	PASS
			5360~40000	39484.5	-36.09	≤-27	PASS
	Ant1	5500	30~5460	2818.85	-45.9	≤-27	PASS
			5735~40000	39440.9	-36.78	≤-27	PASS
	Ant2	5500	30~5460	530.9	-46.34	≤-27	PASS
			5735~40000	39323.3	-37.11	≤-27	PASS
	Ant1	5520	30~5460	2806.9	-45.76	≤-27	PASS
			5735~40000	39388.4	-36.91	≤-27	PASS
	Ant2	5520	30~5460	546.83	-45.37	≤-27	PASS
			5735~40000	39266.2	-37.21	≤-27	PASS
	Ant1	5580	30~5460	2782.65	-44.92	≤-27	PASS
			5735~40000	39369	-36.84	≤-27	PASS
	Ant2	5580	30~5460	5394.75	-45.68	≤-27	PASS
			5735~40000	39359.8	-37.56	≤-27	PASS
	Ant1	5680	30~5460	552.26	-45.86	≤-27	PASS
			5735~40000	39347.3	-37.23	≤-27	PASS
	Ant2	5680	30~5460	2773.78	-45.23	≤-27	PASS
			5735~40000	39358.7	-37.59	≤-27	PASS
	Ant1	5700	30~5460	550.63	-45.89	≤-27	PASS
			5735~40000	39357.6	-37.04	≤-27	PASS
	Ant2	5700	30~5460	2770.88	-45.59	≤-27	PASS
			5735~40000	39378.1	-37.1	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5720	30~5460	2807.62	-46.14	≤-27	PASS
			5925~40000	39374.7	-37.02	≤-27	PASS
	Ant2	5720	30~5460	548.1	-45.44	≤-27	PASS
			5925~40000	39370.2	-36.9	≤-27	PASS
	Ant1	5745	30~5650	2808.15	-45.65	≤-27	PASS
			5925~40000	39413.4	-37.37	≤-27	PASS
	Ant2	5745	30~5650	2740.15	-45.9	≤-27	PASS
			5925~40000	39325.9	-37.15	≤-27	PASS
	Ant1	5785	30~5650	550.49	-44.74	≤-27	PASS
			5925~40000	39030.6	-36.71	≤-27	PASS
	Ant2	5785	30~5650	2818.46	-45.27	≤-27	PASS
			5925~40000	39340.7	-38.01	≤-27	PASS
	Ant1	5825	30~5650	490.92	-45.16	≤-27	PASS
			5925~40000	39377	-37.28	≤-27	PASS
	Ant2	5825	30~5650	548.99	-44.13	≤-27	PASS
			5925~40000	39366.8	-37.94	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	617.72	-45.31	≤-27	PASS
			5360~40000	39291.6	-37.19	≤-27	PASS
	Ant2	5190	30~5140	610.73	-45.96	≤-27	PASS
			5360~40000	39366.7	-36.93	≤-27	PASS
	Ant1	5230	30~5140	531.02	-45	≤-27	PASS
			5360~40000	39758.1	-36.51	≤-27	PASS
	Ant2	5230	30~5140	550.27	-45.58	≤-27	PASS
			5360~40000	39355.1	-37.09	≤-27	PASS
	Ant1	5270	30~5140	2744.6	-45.78	≤-27	PASS
			5360~40000	39396.7	-36.07	≤-27	PASS
	Ant2	5270	30~5140	2773.04	-46.07	≤-27	PASS
			5360~40000	39379.4	-37.27	≤-27	PASS
	Ant1	5310	30~5140	2868.43	-45.75	≤-27	PASS
			5360~40000	39605.7	-36.91	≤-27	PASS
	Ant2	5310	30~5140	2739.49	-44.52	≤-27	PASS
			5360~40000	39344.7	-36.66	≤-27	PASS
	Ant1	5510	30~5460	2755.86	-45.91	≤-27	PASS
			5735~40000	39386.1	-36.9	≤-27	PASS
	Ant2	5510	30~5460	650.54	-45.52	≤-27	PASS
			5735~40000	39654.5	-37.6	≤-27	PASS
	Ant1	5550	30~5460	2882.19	-45.39	≤-27	PASS
			5735~40000	39527.7	-36.81	≤-27	PASS
	Ant2	5550	30~5460	2820.66	-44.01	≤-27	PASS
			5735~40000	39496.9	-37.57	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant1	5630	30~5460	2821.92	-44.77	≤-27	PASS
			5735~40000	39345	-36.99	≤-27	PASS
	Ant2	5630	30~5460	2832.06	-45.72	≤-27	PASS
			5735~40000	39343.8	-36.82	≤-27	PASS
	Ant1	5670	30~5460	2724.19	-45.26	≤-27	PASS
			5735~40000	39654.5	-36.84	≤-27	PASS
	Ant2	5670	30~5460	542.3	-46.13	≤-27	PASS
			5735~40000	39363.3	-37.52	≤-27	PASS
	Ant1	5710	30~5460	2832.24	-46.45	≤-27	PASS
			5925~40000	39299.8	-37.33	≤-27	PASS
	Ant2	5710	30~5460	545.56	-44.98	≤-27	PASS
			5925~40000	39290.7	-37.4	≤-27	PASS
	Ant1	5755	30~5650	2740.53	-44.9	≤-27	PASS
			5925~40000	39362.3	-37.14	≤-27	PASS
	Ant2	5755	30~5650	543	-44.98	≤-27	PASS
			5925~40000	39450.8	-37.81	≤-27	PASS
	Ant1	5795	30~5650	544.87	-45.25	≤-27	PASS
			5925~40000	39195.3	-36.6	≤-27	PASS
	Ant2	5795	30~5650	551.61	-45.17	≤-27	PASS
			5925~40000	39422.4	-36.98	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	531.19	-44.98	≤-27	PASS
			5360~40000	39419.8	-37.26	≤-27	PASS
	Ant2	5180	30~5140	4985.43	-45.55	≤-27	PASS
			5360~40000	39325.1	-37.22	≤-27	PASS
	Ant1	5200	30~5140	2840.15	-45.05	≤-27	PASS
			5360~40000	39385.2	-37.58	≤-27	PASS
	Ant2	5200	30~5140	2725.01	-45.9	≤-27	PASS
			5360~40000	39367.8	-37.77	≤-27	PASS
	Ant1	5220	30~5140	548.05	-45.14	≤-27	PASS
			5360~40000	39387.5	-36.7	≤-27	PASS
	Ant2	5220	30~5140	456.24	-45.96	≤-27	PASS
			5360~40000	39397.9	-37.23	≤-27	PASS
	Ant1	5240	30~5140	552.31	-45.83	≤-27	PASS
			5360~40000	39272	-37.02	≤-27	PASS
	Ant2	5240	30~5140	2848.5	-45.93	≤-27	PASS
			5360~40000	39314.7	-37.77	≤-27	PASS
	Ant1	5260	30~5140	2739.83	-45.79	≤-27	PASS
			5360~40000	39340.1	-36.43	≤-27	PASS
	Ant2	5260	30~5140	550.44	-45.77	≤-27	PASS
			5360~40000	39206.2	-37	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5300	30~5140	552.31	-45.85	≤-27	PASS
			5360~40000	39373.6	-37.15	≤-27	PASS
	Ant2	5300	30~5140	2723.65	-45.99	≤-27	PASS
			5360~40000	39168.1	-37.66	≤-27	PASS
	Ant1	5320	30~5140	2748.17	-45.88	≤-27	PASS
			5360~40000	39355.1	-37.51	≤-27	PASS
	Ant2	5320	30~5140	2780.71	-45.15	≤-27	PASS
			5360~40000	39342.4	-36.56	≤-27	PASS
	Ant1	5500	30~5460	551.9	-45.89	≤-27	PASS
			5735~40000	39985.7	-36.97	≤-27	PASS
	Ant2	5500	30~5460	2744.64	-45.81	≤-27	PASS
			5735~40000	39653.4	-37.14	≤-27	PASS
	Ant1	5520	30~5460	497.05	-46.16	≤-27	PASS
			5735~40000	39407.8	-37.19	≤-27	PASS
	Ant2	5520	30~5460	488.73	-44.41	≤-27	PASS
			5735~40000	39385	-37.36	≤-27	PASS
	Ant1	5580	30~5460	552.08	-45.14	≤-27	PASS
			5735~40000	39345	-37.24	≤-27	PASS
	Ant2	5580	30~5460	2837.13	-46.16	≤-27	PASS
			5735~40000	39370.1	-37	≤-27	PASS
	Ant1	5680	30~5460	2771.43	-45.71	≤-27	PASS
			5735~40000	39619.1	-36.99	≤-27	PASS
	Ant2	5680	30~5460	552.26	-44.6	≤-27	PASS
			5735~40000	39415.8	-37.58	≤-27	PASS
	Ant1	5700	30~5460	2789.52	-44.77	≤-27	PASS
			5735~40000	39349.6	-37.54	≤-27	PASS
	Ant2	5700	30~5460	541.22	-45.07	≤-27	PASS
			5735~40000	39302.7	-37.78	≤-27	PASS
	Ant1	5720	30~5460	550.81	-44.52	≤-27	PASS
			5925~40000	39355.4	-37.1	≤-27	PASS
	Ant2	5720	30~5460	2842.74	-45.83	≤-27	PASS
			5925~40000	39463.3	-37.1	≤-27	PASS
	Ant1	5745	30~5650	2804.22	-45.44	≤-27	PASS
			5925~40000	39214.6	-37.02	≤-27	PASS
	Ant2	5745	30~5650	2741.47	-44.97	≤-27	PASS
			5925~40000	39421.3	-36.96	≤-27	PASS
	Ant1	5785	30~5650	527.45	-45.63	≤-27	PASS
			5925~40000	39385	-37.64	≤-27	PASS
	Ant2	5785	30~5650	538.87	-45.46	≤-27	PASS
			5925~40000	39273.7	-37.68	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5825	30~5650	621.86	-45.72	≤-27	PASS
			5925~40000	39408.8	-36.71	≤-27	PASS
	Ant2	5825	30~5650	2806.84	-45.65	≤-27	PASS
			5925~40000	39295.2	-37.56	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	2760.1	-45.35	≤-27	PASS
			5360~40000	39355.1	-36.75	≤-27	PASS
	Ant2	5190	30~5140	620.95	-45.71	≤-27	PASS
			5360~40000	39343.6	-37.48	≤-27	PASS
	Ant1	5230	30~5140	546.86	-45.64	≤-27	PASS
			5360~40000	39389.8	-37.42	≤-27	PASS
	Ant2	5230	30~5140	2822.1	-46.08	≤-27	PASS
			5360~40000	39339	-37.61	≤-27	PASS
	Ant1	5270	30~5140	2771.17	-45.62	≤-27	PASS
			5360~40000	39365.5	-37.39	≤-27	PASS
	Ant2	5270	30~5140	549.75	-45.63	≤-27	PASS
			5360~40000	39339	-37.16	≤-27	PASS
	Ant1	5310	30~5140	541.24	-45.72	≤-27	PASS
			5360~40000	39350.5	-36.09	≤-27	PASS
	Ant2	5310	30~5140	2783.43	-45.55	≤-27	PASS
			5360~40000	39366.7	-36.81	≤-27	PASS
	Ant1	5510	30~5460	2779.21	-45.97	≤-27	PASS
			5735~40000	39390.7	-37.01	≤-27	PASS
	Ant2	5510	30~5460	2764.55	-45.65	≤-27	PASS
			5735~40000	39415.8	-36.86	≤-27	PASS
	Ant1	5550	30~5460	652.17	-45.74	≤-27	PASS
			5735~40000	39326.7	-37.47	≤-27	PASS
	Ant2	5550	30~5460	540.49	-45.33	≤-27	PASS
			5735~40000	39381.5	-36.85	≤-27	PASS
	Ant1	5630	30~5460	538.68	-45.03	≤-27	PASS
			5735~40000	39173.7	-37.59	≤-27	PASS
	Ant2	5630	30~5460	2773.42	-45.74	≤-27	PASS
			5735~40000	39370.1	-37.3	≤-27	PASS
	Ant1	5670	30~5460	2804.55	-46.07	≤-27	PASS
			5735~40000	39321	-37.15	≤-27	PASS
	Ant2	5670	30~5460	543.21	-45.97	≤-27	PASS
			5735~40000	39313	-37.38	≤-27	PASS
	Ant1	5710	30~5460	443.48	-45.55	≤-27	PASS
			5925~40000	39381.6	-37.97	≤-27	PASS
	Ant2	5710	30~5460	2768.35	-45.77	≤-27	PASS
			5925~40000	39447.4	-37.56	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	5755	30~5650	2795.79	-45.24	≤-27	PASS
			5925~40000	39336.1	-36.72	≤-27	PASS
	Ant2	5755	30~5650	659.89	-45.87	≤-27	PASS
			5925~40000	39417.9	-37.48	≤-27	PASS
	Ant1	5795	30~5650	550.49	-45.33	≤-27	PASS
			5925~40000	39325.9	-36.39	≤-27	PASS
	Ant2	5795	30~5650	2701.57	-45.63	≤-27	PASS
			5925~40000	39532.6	-36.51	≤-27	PASS
11AC80SISO	Ant1	5210	30~5140	593.53	-45.49	≤-27	PASS
			5360~40000	39384	-37.25	≤-27	PASS
	Ant2	5210	30~5140	544.47	-45.97	≤-27	PASS
			5360~40000	39444	-37.28	≤-27	PASS
	Ant1	5290	30~5140	542.6	-46.03	≤-27	PASS
			5360~40000	39526	-37.44	≤-27	PASS
	Ant2	5290	30~5140	2761.29	-45.68	≤-27	PASS
			5360~40000	39369	-36.81	≤-27	PASS
	Ant1	5530	30~5460	550.99	-45.9	≤-27	PASS
			5735~40000	39402.1	-37.43	≤-27	PASS
	Ant2	5530	30~5460	551.9	-44.87	≤-27	PASS
			5735~40000	39281	-37.26	≤-27	PASS
	Ant1	5610	30~5460	2794.41	-45.53	≤-27	PASS
			5735~40000	39514	-36.42	≤-27	PASS
	Ant2	5610	30~5460	2820.84	-45.89	≤-27	PASS
			5735~40000	39343.8	-36.74	≤-27	PASS
	Ant1	5690	30~5460	546.47	-45.12	≤-27	PASS
			5925~40000	39183.9	-36.59	≤-27	PASS
	Ant2	5690	30~5460	2794.77	-45.5	≤-27	PASS
			5925~40000	39342.9	-37.31	≤-27	PASS
	Ant1	5775	30~5650	5647.85	-42.21	≤-27	PASS
			5925~40000	39410	-37.47	≤-27	PASS
	Ant2	5775	30~5650	5649.16	-42.11	≤-27	PASS
			5925~40000	39370.2	-36.64	≤-27	PASS
11AC160SISO	Ant1	5250	30~5140	5111.3	-44.09	≤-27	PASS
			5360~40000	39387.5	-37.12	≤-27	PASS
	Ant2	5250	30~5140	5115.9	-43.84	≤-27	PASS
			5360~40000	39329.7	-37.75	≤-27	PASS
	Ant1	5570	30~5460	5434.39	-41.64	≤-27	PASS
			5735~40000	39321	-37.51	≤-27	PASS
	Ant2	5570	30~5460	5449.23	-41.2	≤-27	PASS
			5735~40000	39373.5	-37.43	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5180	30~5140	454.2	-45.37	≤-27	PASS
			5360~40000	39356.3	-37.33	≤-27	PASS
	Ant2	5180	30~5140	452.16	-45.28	≤-27	PASS
			5360~40000	39379.4	-37.02	≤-27	PASS
	Ant1	5200	30~5140	2847.13	-45.81	≤-27	PASS
			5360~40000	39222.4	-37.27	≤-27	PASS
	Ant2	5200	30~5140	615.67	-45.6	≤-27	PASS
			5360~40000	39409.4	-36.56	≤-27	PASS
	Ant1	5220	30~5140	2744.09	-45.82	≤-27	PASS
			5360~40000	39407.1	-37.23	≤-27	PASS
	Ant2	5220	30~5140	2723.48	-46.04	≤-27	PASS
			5360~40000	39456.7	-37.64	≤-27	PASS
	Ant1	5240	30~5140	2829.42	-45.84	≤-27	PASS
			5360~40000	39287	-37.25	≤-27	PASS
	Ant2	5240	30~5140	2749.71	-46.18	≤-27	PASS
			5360~40000	39333.2	-37.01	≤-27	PASS
	Ant1	5260	30~5140	555.03	-45.71	≤-27	PASS
			5360~40000	39198.1	-37.39	≤-27	PASS
	Ant2	5260	30~5140	2785.13	-45.07	≤-27	PASS
			5360~40000	39377.1	-36.55	≤-27	PASS
	Ant1	5300	30~5140	537.49	-44.82	≤-27	PASS
			5360~40000	39681.9	-37.5	≤-27	PASS
	Ant2	5300	30~5140	537.49	-45.3	≤-27	PASS
			5360~40000	39342.4	-36.74	≤-27	PASS
	Ant1	5320	30~5140	549.58	-44.96	≤-27	PASS
			5360~40000	39126.5	-36.6	≤-27	PASS
	Ant2	5320	30~5140	2794.84	-45.82	≤-27	PASS
			5360~40000	39324	-37.2	≤-27	PASS
	Ant1	5500	30~5460	551.53	-45.63	≤-27	PASS
			5735~40000	39410.1	-36.98	≤-27	PASS
	Ant2	5500	30~5460	658.14	-45.54	≤-27	PASS
			5735~40000	39331.3	-36.28	≤-27	PASS
	Ant1	5520	30~5460	5366.52	-45.96	≤-27	PASS
			5735~40000	39405.5	-36.39	≤-27	PASS
	Ant2	5520	30~5460	2747.9	-45.45	≤-27	PASS
			5735~40000	39347.3	-36.57	≤-27	PASS
	Ant1	5580	30~5460	548.82	-45.67	≤-27	PASS
			5735~40000	39112	-37.62	≤-27	PASS
	Ant2	5580	30~5460	304.66	-45.7	≤-27	PASS
			5735~40000	39343.8	-36.71	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5680	30~5460	2729.43	-46.23	≤-27	PASS
			5735~40000	39455.8	-37.34	≤-27	PASS
	Ant2	5680	30~5460	549.18	-46.13	≤-27	PASS
			5735~40000	39403.2	-37.15	≤-27	PASS
	Ant1	5700	30~5460	2769.62	-45.22	≤-27	PASS
			5735~40000	39350.7	-36.27	≤-27	PASS
	Ant2	5700	30~5460	2816.31	-45.04	≤-27	PASS
			5735~40000	39423.8	-36.89	≤-27	PASS
	Ant1	5720	30~5460	547.73	-45.25	≤-27	PASS
			5925~40000	39392.9	-36.74	≤-27	PASS
	Ant2	5720	30~5460	2765.09	-46.12	≤-27	PASS
			5925~40000	39405.4	-36.81	≤-27	PASS
	Ant1	5745	30~5650	545.81	-46	≤-27	PASS
			5925~40000	39288.4	-37.49	≤-27	PASS
	Ant2	5745	30~5650	550.86	-45.34	≤-27	PASS
			5925~40000	39684.8	-37.8	≤-27	PASS
	Ant1	5785	30~5650	5629.68	-46.26	≤-27	PASS
			5925~40000	39112.4	-36.58	≤-27	PASS
	Ant2	5785	30~5650	2769.75	-45.47	≤-27	PASS
			5925~40000	39377	-37.14	≤-27	PASS
	Ant1	5825	30~5650	2769	-45.67	≤-27	PASS
			5925~40000	39318	-36.23	≤-27	PASS
	Ant2	5825	30~5650	2780.06	-45.91	≤-27	PASS
			5925~40000	39422.4	-36.55	≤-27	PASS
11AX40SISO	Ant1	5190	30~5140	5134.29	-42.07	≤-27	PASS
			5360~40000	39694.6	-37.4	≤-27	PASS
	Ant2	5190	30~5140	544.13	-45.04	≤-27	PASS
			5360~40000	39042.2	-37.8	≤-27	PASS
	Ant1	5230	30~5140	2728.42	-45.78	≤-27	PASS
			5360~40000	39343.6	-36.63	≤-27	PASS
	Ant2	5230	30~5140	2747.83	-45.74	≤-27	PASS
			5360~40000	39477.5	-37.4	≤-27	PASS
	Ant1	5270	30~5140	2777.98	-45.92	≤-27	PASS
			5360~40000	39396.7	-36.89	≤-27	PASS
	Ant2	5270	30~5140	2776.96	-45.75	≤-27	PASS
			5360~40000	39404.8	-36.62	≤-27	PASS
	Ant1	5310	30~5140	2732.67	-44.87	≤-27	PASS
			5360~40000	39359.8	-37.44	≤-27	PASS
	Ant2	5310	30~5140	550.95	-45.84	≤-27	PASS
			5360~40000	39380.5	-37.46	≤-27	PASS

7.1.2 Partial RU for 11AX mode

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5180	26Tone	RU0	30~5140	550.95	-45.55	≤-27	PASS
				RU0	5360~40000	39512.2	-36.35	≤-27	PASS
			52Tone	RU37	30~5140	5018.47	-44.91	≤-27	PASS
				RU37	5360~40000	39596.5	-35.83	≤-27	PASS
			106Tone	RU53	30~5140	4976.57	-46.18	≤-27	PASS
				RU53	5360~40000	39542.2	-36.79	≤-27	PASS
	Ant2	5180	26Tone	RU0	30~5140	540.56	-46.16	≤-27	PASS
				RU0	5360~40000	39260.5	-37.1	≤-27	PASS
			52Tone	RU37	30~5140	5006.55	-45.8	≤-27	PASS
				RU37	5360~40000	39195.8	-36.14	≤-27	PASS
			106Tone	RU53	30~5140	540.56	-44.97	≤-27	PASS
				RU53	5360~40000	39255.8	-37.15	≤-27	PASS
	Ant1	5220	26Tone	RU0	30~5140	5005.53	-45.91	≤-27	PASS
				RU0	5360~40000	39574.5	-36.31	≤-27	PASS
			52Tone	RU37	30~5140	5058.84	-45.39	≤-27	PASS
				RU37	5360~40000	39535.3	-37.18	≤-27	PASS
			106Tone	RU53	30~5140	5026.65	-44.68	≤-27	PASS
				RU53	5360~40000	39309	-36.74	≤-27	PASS
	Ant2	5220	26Tone	RU0	30~5140	4998.03	-45.96	≤-27	PASS
				RU0	5360~40000	39380.5	-36.88	≤-27	PASS
			52Tone	RU37	30~5140	548.05	-45.47	≤-27	PASS
				RU37	5360~40000	39467.1	-37.49	≤-27	PASS
			106Tone	RU53	30~5140	5006.89	-45.4	≤-27	PASS
				RU53	5360~40000	39573.4	-37.01	≤-27	PASS
	Ant1	5240	26Tone	RU8	30~5140	5094.44	-45.2	≤-27	PASS
				RU8	5360~40000	39371.3	-37	≤-27	PASS
			52Tone	RU40	30~5140	5094.27	-45.05	≤-27	PASS
				RU40	5360~40000	39648.4	-36.47	≤-27	PASS
			106Tone	RU54	30~5140	5092.56	-44.11	≤-27	PASS
				RU54	5360~40000	39623	-36.79	≤-27	PASS
	Ant2	5240	26Tone	RU8	30~5140	5067.7	-45.3	≤-27	PASS
				RU8	5360~40000	39378.2	-36.99	≤-27	PASS
			52Tone	RU40	30~5140	668.81	-46.1	≤-27	PASS
				RU40	5360~40000	39371.3	-36.77	≤-27	PASS
			106Tone	RU54	30~5140	549.41	-46.13	≤-27	PASS
				RU54	5360~40000	39691.1	-37.06	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5260	26Tone	RU0	30~5140	550.95	-45.48	≤-27	PASS
				RU0	5360~40000	39662.3	-36.63	≤-27	PASS
			52Tone	RU37	30~5140	5099.38	-44.75	≤-27	PASS
				RU37	5360~40000	39646.1	-36.53	≤-27	PASS
			106Tone	RU53	30~5140	5097.5	-43.85	≤-27	PASS
				RU53	5360~40000	39620.7	-36.92	≤-27	PASS
	Ant2	5260	26Tone	RU0	30~5140	598.47	-45.95	≤-27	PASS
				RU0	5360~40000	39614.9	-36.66	≤-27	PASS
			52Tone	RU37	30~5140	5047.77	-46.43	≤-27	PASS
				RU37	5360~40000	39721.2	-35.98	≤-27	PASS
			106Tone	RU53	30~5140	5066.33	-45.38	≤-27	PASS
				RU53	5360~40000	39173.9	-36.7	≤-27	PASS
	Ant1	5300	26Tone	RU8	30~5140	561	-45.97	≤-27	PASS
				RU8	5360~40000	39258.2	-36.63	≤-27	PASS
			52Tone	RU40	30~5140	5136.17	-45.99	≤-27	PASS
				RU40	5360~40000	39730.4	-36.65	≤-27	PASS
			106Tone	RU54	30~5140	551.97	-44.66	≤-27	PASS
				RU54	5360~40000	39237.4	-37.36	≤-27	PASS
	Ant2	5300	26Tone	RU8	30~5140	528.29	-46.54	≤-27	PASS
				RU8	5360~40000	39653	-36.94	≤-27	PASS
			52Tone	RU40	30~5140	5103.64	-46.64	≤-27	PASS
				RU40	5360~40000	39590.7	-36.87	≤-27	PASS
			106Tone	RU54	30~5140	534.6	-45.82	≤-27	PASS
				RU54	5360~40000	39378.2	-36.19	≤-27	PASS
	Ant1	5320	26Tone	RU8	30~5140	537.32	-45.32	≤-27	PASS
				RU8	5360~40000	39641.5	-37.1	≤-27	PASS
			52Tone	RU40	30~5140	5137.36	-45.92	≤-27	PASS
				RU40	5360~40000	39728.1	-36.79	≤-27	PASS
			106Tone	RU54	30~5140	547.71	-46.1	≤-27	PASS
				RU54	5360~40000	39599.9	-36.53	≤-27	PASS
	Ant2	5320	26Tone	RU8	30~5140	642.75	-46	≤-27	PASS
				RU8	5360~40000	39247.8	-36.98	≤-27	PASS
			52Tone	RU40	30~5140	548.05	-46.04	≤-27	PASS
				RU40	5360~40000	39616.1	-36.81	≤-27	PASS
			106Tone	RU54	30~5140	549.24	-45.43	≤-27	PASS
				RU54	5360~40000	39677.3	-36.71	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5500	26Tone	RU0	30~5460	5311.86	-45.33	≤-27	PASS
				RU0	5735~40000	39633.9	-37.17	≤-27	PASS
			52Tone	RU37	30~5460	5338.64	-44.36	≤-27	PASS
				RU37	5735~40000	39551.7	-36.74	≤-27	PASS
			106Tone	RU53	30~5460	5337.56	-45.65	≤-27	PASS
				RU53	5735~40000	39623.7	-36.95	≤-27	PASS
	Ant2	5500	26Tone	RU0	30~5460	538.86	-45.76	≤-27	PASS
				RU0	5735~40000	39688.8	-37.34	≤-27	PASS
			52Tone	RU37	30~5460	5268.24	-45.21	≤-27	PASS
				RU37	5735~40000	39590.5	-37.21	≤-27	PASS
			106Tone	RU53	30~5460	547.19	-47.01	≤-27	PASS
				RU53	5735~40000	39590.5	-37.04	≤-27	PASS
	Ant1	5580	26Tone	RU0	30~5460	5264.07	-44.98	≤-27	PASS
				RU0	5735~40000	39600.8	-37.37	≤-27	PASS
			52Tone	RU37	30~5460	5418.46	-44.85	≤-27	PASS
				RU37	5735~40000	39723	-36.99	≤-27	PASS
			106Tone	RU53	30~5460	5419.37	-44.52	≤-27	PASS
				RU53	5735~40000	39603.1	-36.91	≤-27	PASS
	Ant2	5580	26Tone	RU0	30~5460	544.84	-45.61	≤-27	PASS
				RU0	5735~40000	39590.5	-37.17	≤-27	PASS
			52Tone	RU37	30~5460	5409.96	-46.16	≤-27	PASS
				RU37	5735~40000	39606.5	-36.75	≤-27	PASS
			106Tone	RU53	30~5460	5393.67	-45.33	≤-27	PASS
				RU53	5735~40000	39579.1	-36.98	≤-27	PASS
	Ant1	5700	26Tone	RU8	30~5460	5401.63	-45.61	≤-27	PASS
				RU8	5735~40000	39622.5	-36.42	≤-27	PASS
			52Tone	RU40	30~5460	5401.45	-45.36	≤-27	PASS
				RU40	5735~40000	39699	-36.07	≤-27	PASS
			106Tone	RU54	30~5460	546.29	-46.02	≤-27	PASS
				RU54	5735~40000	39206.8	-36.75	≤-27	PASS
	Ant2	5700	26Tone	RU8	30~5460	551.72	-45.94	≤-27	PASS
				RU8	5735~40000	39637.4	-36.15	≤-27	PASS
			52Tone	RU40	30~5460	729.45	-45.47	≤-27	PASS
				RU40	5735~40000	39614.5	-36.82	≤-27	PASS
			106Tone	RU54	30~5460	537.96	-46.26	≤-27	PASS
				RU54	5735~40000	39542.6	-36.95	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5720	26Tone	RU0	30~5460	549.91	-46.24	≤-27	PASS
				RU0	5925~40000	39350.9	-36.4	≤-27	PASS
			52Tone	RU37	30~5460	5405.25	-45.96	≤-27	PASS
				RU37	5925~40000	39575.8	-36.77	≤-27	PASS
			106Tone	RU53	30~5460	5408.51	-46.13	≤-27	PASS
				RU53	5925~40000	39519	-36.34	≤-27	PASS
	Ant2	5720	26Tone	RU0	30~5460	563.84	-45.53	≤-27	PASS
				RU0	5925~40000	39672.3	-36.7	≤-27	PASS
			106Tone	RU53	30~5460	551.72	-45.69	≤-27	PASS
				RU53	5925~40000	39603	-35.84	≤-27	PASS
	Ant1	5745	26Tone	RU0	30~5650	5583.03	-44.57	≤-27	PASS
				RU0	5925~40000	39515.6	-36.69	≤-27	PASS
			52Tone	RU37	30~5650	5583.03	-44.53	≤-27	PASS
				RU37	5925~40000	39629.2	-37.26	≤-27	PASS
			106Tone	RU53	30~5650	5583.78	-43.93	≤-27	PASS
				RU53	5925~40000	39531.5	-37	≤-27	PASS
	Ant2	5745	26Tone	RU0	30~5650	5533.95	-45.24	≤-27	PASS
				RU0	5925~40000	39231.6	-37.29	≤-27	PASS
			52Tone	RU37	30~5650	5546.31	-45.38	≤-27	PASS
				RU37	5925~40000	39182.8	-35.61	≤-27	PASS
			106Tone	RU53	30~5650	551.24	-45.44	≤-27	PASS
				RU53	5925~40000	39628	-37.14	≤-27	PASS
	Ant1	5785	26Tone	RU0	30~5650	5623.12	-44.88	≤-27	PASS
				RU0	5925~40000	39549.7	-37.38	≤-27	PASS
			52Tone	RU37	30~5650	625.98	-45.79	≤-27	PASS
				RU37	5925~40000	39639.4	-37.12	≤-27	PASS
			106Tone	RU53	30~5650	5622.93	-45.18	≤-27	PASS
				RU53	5925~40000	39630.3	-37.3	≤-27	PASS
	Ant2	5785	26Tone	RU0	30~5650	5577.22	-45.75	≤-27	PASS
				RU0	5925~40000	39632.6	-36.71	≤-27	PASS
			52Tone	RU37	30~5650	5589.77	-45.69	≤-27	PASS
				RU37	5925~40000	39658.7	-36.52	≤-27	PASS
			106Tone	RU53	30~5650	5556.99	-45.83	≤-27	PASS
				RU53	5925~40000	39672.3	-35.98	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5825	26Tone	RU8	30~5650	543.18	-46.54	≤-27	PASS
				RU8	5925~40000	39562.2	-36.55	≤-27	PASS
			52Tone	RU40	30~5650	552.36	-46.02	≤-27	PASS
				RU40	5925~40000	39604.2	-35.7	≤-27	PASS
			106Tone	RU54	30~5650	546.74	-45.67	≤-27	PASS
				RU54	5925~40000	39278.2	-37.26	≤-27	PASS
	Ant2	5825	26Tone	RU8	30~5650	545.43	-46.12	≤-27	PASS
				RU8	5925~40000	39193	-37.03	≤-27	PASS
			52Tone	RU40	30~5650	5633.8	-46.01	≤-27	PASS
				RU40	5925~40000	39679.1	-37.4	≤-27	PASS
			106Tone	RU54	30~5650	543.18	-46.23	≤-27	PASS
				RU54	5925~40000	39584.9	-35.91	≤-27	PASS
11AX40SISO	Ant1	5190	242Tone	RU61	30~5140	5137.87	-40.71	≤-27	PASS
				RU61	5360~40000	39233.9	-36.83	≤-27	PASS
	Ant2	5190	242Tone	RU61	30~5140	5137.87	-39.72	≤-27	PASS
				RU61	5360~40000	39574.5	-37.27	≤-27	PASS
	Ant1	5230	242Tone	RU62	30~5140	550.78	-45.27	≤-27	PASS
				RU62	5360~40000	39524.9	-36.94	≤-27	PASS
	Ant2	5230	242Tone	RU62	30~5140	547.71	-45.09	≤-27	PASS
				RU62	5360~40000	39677.3	-36.83	≤-27	PASS
	Ant1	5270	242Tone	RU61	30~5140	5103.98	-44.81	≤-27	PASS
				RU61	5360~40000	39672.7	-36.18	≤-27	PASS
	Ant2	5270	242Tone	RU61	30~5140	5064.97	-45.62	≤-27	PASS
				RU61	5360~40000	39258.2	-36.99	≤-27	PASS
	Ant1	5310	242Tone	RU62	30~5140	546.52	-46.37	≤-27	PASS
				RU62	5360~40000	39533	-36.94	≤-27	PASS
	Ant2	5310	242Tone	RU62	30~5140	5093.42	-46.24	≤-27	PASS
				RU62	5360~40000	39629.9	-37.22	≤-27	PASS
	Ant1	5510	242Tone	RU61	30~5460	5459	-41.41	≤-27	PASS
				RU61	5735~40000	39564.3	-36.92	≤-27	PASS
	Ant2	5510	242Tone	RU61	30~5460	5451.4	-43.13	≤-27	PASS
				RU61	5735~40000	39619.1	-37.17	≤-27	PASS
	Ant1	5550	242Tone	RU61	30~5460	5327.78	-45.36	≤-27	PASS
				RU61	5735~40000	39727.6	-36.9	≤-27	PASS
	Ant2	5550	242Tone	RU61	30~5460	551.35	-44.77	≤-27	PASS
				RU61	5735~40000	39600.8	-36.78	≤-27	PASS
	Ant1	5670	242Tone	RU62	30~5460	538.5	-46.08	≤-27	PASS
				RU62	5735~40000	39251.3	-36.54	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX40SISO	Ant2	5670	242Tone	RU62	30~5460	671.53	-46.42	≤-27	PASS
				RU62	5735~40000	39599.7	-35.96	≤-27	PASS
	Ant1	5710	242Tone	RU61	30~5460	659.59	-46.1	≤-27	PASS
				RU61	5925~40000	39661	-35.92	≤-27	PASS
	Ant2	5710	242Tone	RU61	30~5460	538.86	-45.36	≤-27	PASS
				RU61	5925~40000	39662.1	-36.73	≤-27	PASS
	Ant1	5755	242Tone	RU61	30~5650	5599.52	-45.39	≤-27	PASS
				RU61	5925~40000	39287.3	-36.09	≤-27	PASS
	Ant2	5755	242Tone	RU61	30~5650	671.69	-46.22	≤-27	PASS
				RU61	5925~40000	39252.1	-35.89	≤-27	PASS
	Ant1	5795	242Tone	RU62	30~5650	5643.16	-45.15	≤-27	PASS
				RU62	5925~40000	39670.1	-36.79	≤-27	PASS
	Ant2	5795	242Tone	RU62	30~5650	546.18	-45.47	≤-27	PASS
				RU62	5925~40000	39546.2	-36.92	≤-27	PASS
11AX80SISO	Ant1	5210	484Tone	RU65	30~5140	5129.7	-39.25	≤-27	PASS
				RU65	5360~40000	39277.8	-36.79	≤-27	PASS
	Ant2	5210	484Tone	RU65	30~5140	5109.43	-40.61	≤-27	PASS
				RU65	5360~40000	39605.7	-37.19	≤-27	PASS
	Ant1	5290	484Tone	RU66	30~5140	541.24	-46.09	≤-27	PASS
				RU66	5360~40000	39566.4	-36.72	≤-27	PASS
	Ant2	5290	484Tone	RU66	30~5140	548.39	-46.68	≤-27	PASS
				RU66	5360~40000	5384.8	-32.24	≤-27	PASS
	Ant1	5530	484Tone	RU65	30~5460	5458.1	-39.49	≤-27	PASS
				RU65	5735~40000	39696.8	-36.6	≤-27	PASS
	Ant2	5530	484Tone	RU65	30~5460	5421.18	-40.59	≤-27	PASS
				RU65	5735~40000	39724.2	-37.18	≤-27	PASS
	Ant1	5610	484Tone	RU66	30~5460	5456.65	-44.02	≤-27	PASS
				RU66	5735~40000	39591.7	-36.44	≤-27	PASS
	Ant2	5610	484Tone	RU66	30~5460	5454.12	-44.14	≤-27	PASS
				RU66	5735~40000	39692.2	-36.12	≤-27	PASS
	Ant1	5690	484Tone	RU65	30~5460	550.63	-46.28	≤-27	PASS
				RU65	5925~40000	39632.6	-36.53	≤-27	PASS
	Ant2	5690	484Tone	RU65	30~5460	2800.57	-45.97	≤-27	PASS
				RU65	5925~40000	39710.9	-36.62	≤-27	PASS
	Ant1	5775	484Tone	RU65	30~5650	5621.62	-37.39	≤-27	PASS
				RU65	5925~40000	39573.5	-36.96	≤-27	PASS
	Ant2	5775	484Tone	RU65	30~5650	5621.06	-39.17	≤-27	PASS
				RU65	5925~40000	39614.4	-36.73	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX160SISO	Ant1	5250	996Tone	RU67	30~5140	5126.8	-38.14	≤-27	PASS
				RU67	5360~40000	5401	-36.45	≤-27	PASS
	Ant2	5250	996Tone	RU67	30~5140	5120.84	-32.41	≤-27	PASS
				RU67	5360~40000	5395.2	-27.69	≤-27	PASS
	Ant1	5570	996Tone	RU67	30~5460	5445.79	-29.37	≤-27	PASS
				RU67	5735~40000	39646.5	-35.99	≤-27	PASS
	Ant2	5570	996Tone	RU67	30~5460	5449.05	-30.86	≤-27	PASS
				RU67	5735~40000	39285.6	-36.87	≤-27	PASS
11AX20MIMO	Ant1	5180	26Tone	RU0	30~5140	4994.8	-46.07	≤-27	PASS
				RU0	5360~40000	39696.9	-37.11	≤-27	PASS
			52Tone	RU37	30~5140	5020.34	-44.5	≤-27	PASS
				RU37	5360~40000	39429	-36.39	≤-27	PASS
			106Tone	RU53	30~5140	5022.56	-45.42	≤-27	PASS
				RU53	5360~40000	39545.7	-36.25	≤-27	PASS
	Ant2	5180	26Tone	RU0	30~5140	529.83	-46.49	≤-27	PASS
				RU0	5360~40000	39641.5	-36.8	≤-27	PASS
			52Tone	RU37	30~5140	5016.6	-45.11	≤-27	PASS
				RU37	5360~40000	39565.3	-36.61	≤-27	PASS
			106Tone	RU53	30~5140	2868.77	-46.71	≤-27	PASS
				RU53	5360~40000	39571.1	-36.86	≤-27	PASS
	Ant1	5220	26Tone	RU0	30~5140	5057.48	-45.33	≤-27	PASS
				RU0	5360~40000	39661.1	-37.16	≤-27	PASS
			52Tone	RU37	30~5140	5058.5	-44.42	≤-27	PASS
				RU37	5360~40000	39317	-36.56	≤-27	PASS
			106Tone	RU53	30~5140	538.34	-44.29	≤-27	PASS
				RU53	5360~40000	39578	-36.5	≤-27	PASS
	Ant2	5220	26Tone	RU0	30~5140	636.62	-46.56	≤-27	PASS
				RU0	5360~40000	39154.2	-36.84	≤-27	PASS
			52Tone	RU37	30~5140	549.93	-46.43	≤-27	PASS
				RU37	5360~40000	39262.8	-35.99	≤-27	PASS
			106Tone	RU53	30~5140	552.14	-46.13	≤-27	PASS
				RU53	5360~40000	39614.9	-36.56	≤-27	PASS
	Ant1	5240	26Tone	RU8	30~5140	5094.44	-44.57	≤-27	PASS
				RU8	5360~40000	39287	-37.01	≤-27	PASS
			52Tone	RU40	30~5140	5093.59	-44.79	≤-27	PASS
				RU40	5360~40000	39678.4	-37.14	≤-27	PASS
			106Tone	RU54	30~5140	5092.9	-44.59	≤-27	PASS
				RU54	5360~40000	39640.3	-36.67	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5240	26Tone	RU8	30~5140	659.62	-46.49	≤-27	PASS
				RU8	5360~40000	39586.1	-36.91	≤-27	PASS
			52Tone	RU40	30~5140	5095.46	-45.44	≤-27	PASS
				RU40	5360~40000	39672.7	-35.97	≤-27	PASS
			106Tone	RU54	30~5140	549.75	-46.36	≤-27	PASS
				RU54	5360~40000	39392.1	-37.04	≤-27	PASS
	Ant1	5260	26Tone	RU0	30~5140	5097.33	-44.44	≤-27	PASS
				RU0	5360~40000	39554.9	-36.31	≤-27	PASS
			52Tone	RU37	30~5140	5099.72	-44.86	≤-27	PASS
				RU37	5360~40000	39578	-36.12	≤-27	PASS
			106Tone	RU53	30~5140	5100.57	-44.04	≤-27	PASS
				RU53	5360~40000	39596.5	-37.13	≤-27	PASS
	Ant2	5260	26Tone	RU0	30~5140	544.99	-45.95	≤-27	PASS
				RU0	5360~40000	39566.4	-36.23	≤-27	PASS
			52Tone	RU37	30~5140	527.95	-46.14	≤-27	PASS
				RU37	5360~40000	39502.9	-37.03	≤-27	PASS
			106Tone	RU53	30~5140	5107.38	-46.22	≤-27	PASS
				RU53	5360~40000	39242	-36.22	≤-27	PASS
	Ant1	5300	26Tone	RU0	30~5140	5138.38	-44.15	≤-27	PASS
				RU0	5360~40000	39340.1	-37.08	≤-27	PASS
			52Tone	RU37	30~5140	5139.74	-43.4	≤-27	PASS
				RU37	5360~40000	39223.5	-36.7	≤-27	PASS
			106Tone	RU53	30~5140	5138.38	-44.61	≤-27	PASS
				RU53	5360~40000	39506.4	-37.13	≤-27	PASS
	Ant2	5300	26Tone	RU0	30~5140	544.65	-45.61	≤-27	PASS
				RU0	5360~40000	39486.8	-36.69	≤-27	PASS
			52Tone	RU37	30~5140	530.34	-46.6	≤-27	PASS
				RU37	5360~40000	39571.1	-36.85	≤-27	PASS
			106Tone	RU53	30~5140	550.44	-46.09	≤-27	PASS
				RU53	5360~40000	39255.8	-36.88	≤-27	PASS
	Ant1	5320	26Tone	RU8	30~5140	693.51	-46.61	≤-27	PASS
				RU8	5360~40000	39505.2	-36.87	≤-27	PASS
			52Tone	RU40	30~5140	551.12	-46.77	≤-27	PASS
				RU40	5360~40000	39297.4	-37.1	≤-27	PASS
			106Tone	RU54	30~5140	548.05	-45.99	≤-27	PASS
				RU54	5360~40000	39479.8	-37.11	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5320	26Tone	RU8	30~5140	542.77	-45.37	≤-27	PASS
				RU8	5360~40000	39702.7	-37	≤-27	PASS
			52Tone	RU40	30~5140	552.31	-45.83	≤-27	PASS
				RU40	5360~40000	39694.6	-36.43	≤-27	PASS
			106Tone	RU54	30~5140	657.91	-46.32	≤-27	PASS
				RU54	5360~40000	39324	-37.14	≤-27	PASS
	Ant1	5500	26Tone	RU0	30~5460	5338.28	-45.68	≤-27	PASS
				RU0	5735~40000	39568.8	-37.15	≤-27	PASS
			52Tone	RU37	30~5460	5338.28	-43.93	≤-27	PASS
				RU37	5735~40000	39680.8	-36.68	≤-27	PASS
			106Tone	RU53	30~5460	5340.45	-45.16	≤-27	PASS
				RU53	5735~40000	39724.2	-36.79	≤-27	PASS
	Ant2	5500	26Tone	RU0	30~5460	756.24	-46.69	≤-27	PASS
				RU0	5735~40000	39629.4	-36.69	≤-27	PASS
			52Tone	RU37	30~5460	552.26	-46.11	≤-27	PASS
				RU37	5735~40000	39686.5	-36.87	≤-27	PASS
			106Tone	RU53	30~5460	550.27	-46.56	≤-27	PASS
				RU53	5735~40000	39676.2	-36.85	≤-27	PASS
	Ant1	5580	26Tone	RU0	30~5460	5417.38	-45.86	≤-27	PASS
				RU0	5735~40000	39358.7	-36.8	≤-27	PASS
			52Tone	RU37	30~5460	5418.28	-45.12	≤-27	PASS
				RU37	5735~40000	39424.9	-37.11	≤-27	PASS
			106Tone	RU53	30~5460	5423.35	-44.58	≤-27	PASS
				RU53	5735~40000	39546	-35.96	≤-27	PASS
	Ant2	5580	26Tone	RU0	30~5460	544.11	-45.68	≤-27	PASS
				RU0	5735~40000	39523.2	-36.15	≤-27	PASS
			52Tone	RU37	30~5460	617.05	-46.62	≤-27	PASS
				RU37	5735~40000	39277.6	-36.76	≤-27	PASS
			106Tone	RU53	30~5460	554.07	-45.87	≤-27	PASS
				RU53	5735~40000	39621.4	-36.15	≤-27	PASS
	Ant1	5700	26Tone	RU8	30~5460	522.58	-46	≤-27	PASS
				RU8	5735~40000	39691.1	-36.74	≤-27	PASS
			52Tone	RU40	30~5460	551.9	-45.72	≤-27	PASS
				RU40	5735~40000	39564.3	-36.47	≤-27	PASS
			106Tone	RU54	30~5460	536.69	-45.6	≤-27	PASS
				RU54	5735~40000	39590.5	-35.91	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5700	26Tone	RU8	30~5460	538.32	-45.31	≤-27	PASS
				RU8	5735~40000	39246.8	-35.9	≤-27	PASS
			52Tone	RU40	30~5460	550.27	-46.54	≤-27	PASS
				RU40	5735~40000	39676.2	-35.67	≤-27	PASS
			106Tone	RU54	30~5460	2847.08	-46.07	≤-27	PASS
				RU54	5735~40000	39623.7	-36.56	≤-27	PASS
	Ant1	5720	26Tone	RU0	30~5460	551.35	-46.38	≤-27	PASS
				RU0	5925~40000	39289.6	-36.75	≤-27	PASS
			52Tone	RU37	30~5460	588.64	-45.85	≤-27	PASS
				RU37	5925~40000	39348.6	-36.15	≤-27	PASS
			106Tone	RU53	30~5460	548.28	-45.83	≤-27	PASS
				RU53	5925~40000	39667.8	-36.63	≤-27	PASS
	Ant2	5720	26Tone	RU0	30~5460	548.46	-44.22	≤-27	PASS
				RU0	5925~40000	39573.5	-36.39	≤-27	PASS
			52Tone	RU37	30~5460	547.91	-45.38	≤-27	PASS
				RU37	5925~40000	39574.6	-36.19	≤-27	PASS
			106Tone	RU53	30~5460	549	-45.75	≤-27	PASS
				RU53	5925~40000	39365.7	-36.64	≤-27	PASS
	Ant1	5745	26Tone	RU0	30~5650	5582.28	-46.16	≤-27	PASS
				RU0	5925~40000	39236.2	-36.93	≤-27	PASS
			52Tone	RU37	30~5650	5585.84	-45.38	≤-27	PASS
				RU37	5925~40000	39542.8	-36.73	≤-27	PASS
			106Tone	RU53	30~5650	5584.34	-44.67	≤-27	PASS
				RU53	5925~40000	39077.2	-36.81	≤-27	PASS
	Ant2	5745	26Tone	RU0	30~5650	600.32	-45.82	≤-27	PASS
				RU0	5925~40000	39696.2	-36.7	≤-27	PASS
			52Tone	RU37	30~5650	623.92	-46.5	≤-27	PASS
				RU37	5925~40000	39252.1	-36.69	≤-27	PASS
			106Tone	RU53	30~5650	541.31	-46.82	≤-27	PASS
				RU53	5925~40000	39621.2	-36.85	≤-27	PASS
	Ant1	5785	26Tone	RU0	30~5650	5624.06	-45.89	≤-27	PASS
				RU0	5925~40000	39558.7	-37.08	≤-27	PASS
			52Tone	RU37	30~5650	5625.18	-44.14	≤-27	PASS
				RU37	5925~40000	39758.6	-36.94	≤-27	PASS
			106Tone	RU53	30~5650	5622.93	-45.18	≤-27	PASS
				RU53	5925~40000	39531.5	-36.37	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5785	26Tone	RU0	30~5650	661.76	-46.51	≤-27	PASS
				RU0	5925~40000	39633.7	-36.18	≤-27	PASS
			52Tone	RU37	30~5650	679.74	-46.44	≤-27	PASS
				RU37	5925~40000	39596.2	-36.77	≤-27	PASS
			106Tone	RU53	30~5650	559.85	-46.24	≤-27	PASS
				RU53	5925~40000	39710.9	-36.61	≤-27	PASS
	Ant1	5825	26Tone	RU8	30~5650	539.62	-46.15	≤-27	PASS
				RU8	5925~40000	39499.7	-36.71	≤-27	PASS
			52Tone	RU40	30~5650	547.68	-45.62	≤-27	PASS
				RU40	5925~40000	39658.7	-36.52	≤-27	PASS
			106Tone	RU54	30~5650	549.93	-46.5	≤-27	PASS
				RU54	5925~40000	39551.9	-35.6	≤-27	PASS
	Ant2	5825	26Tone	RU8	30~5650	541.31	-46.24	≤-27	PASS
				RU8	5925~40000	39757.5	-36.92	≤-27	PASS
			52Tone	RU40	30~5650	551.05	-45.95	≤-27	PASS
				RU40	5925~40000	39645.1	-36.41	≤-27	PASS
			106Tone	RU54	30~5650	670.75	-46.35	≤-27	PASS
				RU54	5925~40000	39563.3	-35.87	≤-27	PASS
11AX40MIMO	Ant1	5190	242Tone	RU61	30~5140	5138.72	-37.23	≤-27	PASS
				RU61	5360~40000	39696.9	-36.48	≤-27	PASS
	Ant2	5190	242Tone	RU61	30~5140	5135.15	-39.28	≤-27	PASS
				RU61	5360~40000	39589.5	-36.76	≤-27	PASS
	Ant1	5230	242Tone	RU62	30~5140	5077.06	-45.08	≤-27	PASS
				RU62	5360~40000	39273.2	-36.47	≤-27	PASS
	Ant2	5230	242Tone	RU62	30~5140	550.27	-45.72	≤-27	PASS
				RU62	5360~40000	39650.7	-37.05	≤-27	PASS
	Ant1	5270	242Tone	RU61	30~5140	5107.38	-44.74	≤-27	PASS
				RU61	5360~40000	39597.6	-36.79	≤-27	PASS
	Ant2	5270	242Tone	RU61	30~5140	781.06	-45.89	≤-27	PASS
				RU61	5360~40000	39277.8	-35.71	≤-27	PASS
	Ant1	5310	242Tone	RU62	30~5140	551.29	-45.31	≤-27	PASS
				RU62	5360~40000	39142.7	-36.63	≤-27	PASS
	Ant2	5310	242Tone	RU62	30~5140	521.48	-46.73	≤-27	PASS
				RU62	5360~40000	39728.1	-36.31	≤-27	PASS
	Ant1	5510	242Tone	RU61	30~5460	5451.76	-41.43	≤-27	PASS
				RU61	5735~40000	39631.7	-36.39	≤-27	PASS
	Ant2	5510	242Tone	RU61	30~5460	5458.1	-36.27	≤-27	PASS
				RU61	5735~40000	39589.4	-36.24	≤-27	PASS


Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX40MIMO	Ant1	5550	242Tone	RU61	30~5460	5388.6	-45.88	≤-27	PASS
				RU61	5735~40000	39693.3	-36.72	≤-27	PASS
	Ant2	5550	242Tone	RU61	30~5460	5392.4	-46.54	≤-27	PASS
				RU61	5735~40000	39648.8	-36.12	≤-27	PASS
	Ant1	5670	242Tone	RU62	30~5460	618.5	-45.84	≤-27	PASS
				RU62	5735~40000	39528.9	-36.77	≤-27	PASS
	Ant2	5670	242Tone	RU62	30~5460	547.37	-44.84	≤-27	PASS
				RU62	5735~40000	39605.4	-36.25	≤-27	PASS
	Ant1	5710	242Tone	RU61	30~5460	618.5	-46.15	≤-27	PASS
				RU61	5925~40000	39477	-35.94	≤-27	PASS
	Ant2	5710	242Tone	RU61	30~5460	551.9	-45.37	≤-27	PASS
				RU61	5925~40000	39534.9	-35.85	≤-27	PASS
	Ant1	5755	242Tone	RU61	30~5650	5584.9	-45.29	≤-27	PASS
				RU61	5925~40000	39640.5	-34.95	≤-27	PASS
	Ant2	5755	242Tone	RU61	30~5650	545.06	-46.28	≤-27	PASS
				RU61	5925~40000	39609.9	-37.2	≤-27	PASS
	Ant1	5795	242Tone	RU62	30~5650	5642.79	-45.23	≤-27	PASS
				RU62	5925~40000	39651.9	-36.2	≤-27	PASS
	Ant2	5795	242Tone	RU62	30~5650	635.16	-46.28	≤-27	PASS
				RU62	5925~40000	39591.7	-36.58	≤-27	PASS
11AX80MIMO	Ant1	5210	484Tone	RU65	30~5140	5138.89	-33.85	≤-27	PASS
				RU65	5360~40000	39541	-36.9	≤-27	PASS
	Ant2	5210	484Tone	RU65	30~5140	5139.06	-38.1	≤-27	PASS
				RU65	5360~40000	39545.7	-36.75	≤-27	PASS
	Ant1	5290	484Tone	RU66	30~5140	636.96	-46.65	≤-27	PASS
				RU66	5360~40000	39541	-37.01	≤-27	PASS
	Ant2	5290	484Tone	RU66	30~5140	605.62	-45.73	≤-27	PASS
				RU66	5360~40000	39635.7	-35.39	≤-27	PASS
	Ant1	5530	484Tone	RU65	30~5460	5448.69	-40.15	≤-27	PASS
				RU65	5735~40000	39219.4	-37.35	≤-27	PASS
	Ant2	5530	484Tone	RU65	30~5460	5432.94	-38.45	≤-27	PASS
				RU65	5735~40000	39740.2	-36.66	≤-27	PASS
	Ant1	5610	484Tone	RU66	30~5460	5455.38	-38.22	≤-27	PASS
				RU66	5735~40000	39525.4	-36.77	≤-27	PASS
	Ant2	5610	484Tone	RU66	30~5460	5454.84	-41.08	≤-27	PASS
				RU66	5735~40000	39595.1	-35.74	≤-27	PASS
	Ant1	5690	484Tone	RU65	30~5460	550.45	-46.05	≤-27	PASS
				RU65	5925~40000	39487.2	-36.17	≤-27	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX80MIMO	Ant2	5690	484Tone	RU65	30~5460	542.85	-45.81	≤-27	PASS
				RU65	5925~40000	39289.6	-35.74	≤-27	PASS
	Ant1	5775	484Tone	RU65	30~5650	5623.49	-38.36	≤-27	PASS
				RU65	5925~40000	39588.3	-36.33	≤-27	PASS
	Ant2	5775	484Tone	RU65	30~5650	5647.28	-41.26	≤-27	PASS
				RU65	5925~40000	39327	-36.48	≤-27	PASS
11AX160MIMO	Ant1	5250	996Tone	RU67	30~5140	5124.42	-32.47	≤-27	PASS
				RU67	5360~40000	5398.7	-30.65	≤-27	PASS
	Ant2	5250	996Tone	RU67	30~5140	5126.63	-35.4	≤-27	PASS
				RU67	5360~40000	5401	-30.51	≤-27	PASS
	Ant1	5570	996Tone	RU67	30~5460	5448.51	-27.99	≤-27	PASS
				RU67	5735~40000	39315.3	-36.65	≤-27	PASS
	Ant2	5570	996Tone	RU67	30~5460	5445.97	-27.32	≤-27	PASS
				RU67	5735~40000	39284.5	-36.64	≤-27	PASS


7.2 Test Graphs

7.2.1 Full RU for 11AX mode


11A_Ant1_5180_30~5140




11A_Ant1_5180_5360~40000




11A_Ant2_5180_30~5140




11A_Ant2_5180_5360~40000




11A_Ant1_5200_30~5140



11A_Ant1_5200_5360~40000



11A_Ant2_5200_30~5140



The screenshot shows the GNU Radio GUI with the 'Spectrum' tab selected. The main plot area displays a spectrum plot with a blue line representing the signal. The y-axis is labeled 'dBm' and ranges from -20 to 120. The x-axis is labeled 'Frequency (GHz)' and ranges from 5.36 to 5.46. A red horizontal line is drawn at -10 dBm. The plot shows a noisy signal centered around -10 dBm. The top status bar shows 'MultiView' and 'Spectrum' tabs, and the bottom status bar shows '300001 pts' and '5.46 GHz'. The bottom status bar also shows '16.10.2022 18:44:20.722' and 'Processing' status.

Multiview Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 MHz
 Att 25.0 dB SWF 25.1 ms WVF 1 MHz Mode Sweep

Frequency Span

Const 50.000
 10.500
 M1[1]
 -45.70 dBm
 949.410 MHz

30.0 MHz 30001 pts 511.0 MHz 5.14 dBm

10.17 GHz 18.66 MHz

MultView Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 Hz

AM 20 dB BW 100 ms VBW 1 Hz Mode Sweep

Frequency Sweep

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

1.95 GHz

30000 pts

3.46 GHz

40.0 GHz

Count 10/10

0.1% Span

M[1]

-37.23 dBm

28.56/100 dB

20:19:39 18.04.2022

The screenshot shows the MultiView Spectra software interface. The main plot is a frequency sweep showing a noisy signal with a peak at 30.0 MHz. The y-axis is labeled 'dBm' and ranges from -80 to 10. The x-axis is labeled 'MHz' and ranges from 29.9 to 30.1. The plot title is 'Frequency Sweep'. The status bar at the bottom shows '30.00 MHz', '30000 pch', 'S11.0 MHz', and 'S-14 DPO'.

HubView Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 MHz

Alt 20 dB SWF 170 ms VSW 1.00x Mode Sweep

Count 10/10

F1 (Hz)	F2 (Hz)
5.361920 GHz	5.461920 GHz

Frequency Scope

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

-80 dBm

-90 dBm

-100 dBm

5.36 GHz

300001 pts

5.46 GHz

40.0 GHz

Processing

MultiView Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 MHz
 Att 25 dB SWF 25.1 ms WVF 2 MHz Mode Sweep

Frequency Span

Count 50/200 10. Scale

M[1] -45.42 dBm 9.46.250 MHz

-120 dBm
 -80 dBm
 -40 dBm
 0 dBm
 40 dBm
 80 dBm
 120 dBm

-120 dBm
 -80 dBm
 -40 dBm
 0 dBm
 40 dBm
 80 dBm
 120 dBm

30.0 MHz 30001 pts 511.0 MHz S14 DPO

10.19.25 18.66 2022

MultiView Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 Hz

Att 25 dB SWF 10 ns BW 1 Hz Mode Sweep

Frequency Span


Count 10/10 0.10 Span

M[1] -37.29 dBm 39.41020 GHz


5.56 GHz 30001 pts 5.60 GHz/ 40.0 GHz

10.18.13 10.46 1072


11A_Ant2_5240_5360~40000




11A_Ant1_5260_30~5140



11A_Ant1_5260_5360~40000



11A_Ant2_5260_30~5140



Multiview Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 MHz
 Att 25.0 dB SWT 25.1 ms WWT 2 MHz Mode Sweep

Frequency Sweep

Const 50.000
 10.500

M1 1 -45.76 dBm
 2.760 S-40 GHz

-41.07 dBm

30.0 MHz 3000i GHz M1 0.000 S14 dBm

10.11.14 18.44.3072

Multiview • Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 3.1Hz
 AM 20 dB BW 100 ms VBW 1 Hz Mode Sweep

Frequency Sweep

Start 1.96 GHz Stop 40.8 GHz Span 38.84 GHz
 Center 20.42 GHz Res 3.1 Hz

Grid On

dBm Scale: -70, -60, -50, -40, -30, -20, -10, 0

Trace 1: M[1] (Blue)

Peak List:

Freq (GHz)	Power (dBm)
1.96	-60.00
2.00	-60.00
2.04	-60.00
2.08	-60.00
2.12	-60.00
2.16	-60.00
2.20	-60.00
2.24	-60.00
2.28	-60.00
2.32	-60.00
2.36	-60.00
2.40	-60.00
2.44	-60.00
2.48	-60.00
2.52	-60.00
2.56	-60.00
2.60	-60.00
2.64	-60.00
2.68	-60.00
2.72	-60.00
2.76	-60.00
2.80	-60.00
2.84	-60.00
2.88	-60.00
2.92	-60.00
2.96	-60.00
3.00	-60.00
3.04	-60.00
3.08	-60.00
3.12	-60.00
3.16	-60.00
3.20	-60.00
3.24	-60.00
3.28	-60.00
3.32	-60.00
3.36	-60.00
3.40	-60.00
3.44	-60.00
3.48	-60.00
3.52	-60.00
3.56	-60.00
3.60	-60.00
3.64	-60.00
3.68	-60.00
3.72	-60.00
3.76	-60.00
3.80	-60.00
3.84	-60.00
3.88	-60.00
3.92	-60.00
3.96	-60.00
4.00	-60.00
4.04	-60.00
4.08	-60.00
4.12	-60.00
4.16	-60.00
4.20	-60.00
4.24	-60.00
4.28	-60.00
4.32	-60.00
4.36	-60.00
4.40	-60.00
4.44	-60.00
4.48	-60.00
4.52	-60.00
4.56	-60.00
4.60	-60.00
4.64	-60.00
4.68	-60.00
4.72	-60.00
4.76	-60.00
4.80	-60.00
4.84	-60.00
4.88	-60.00
4.92	-60.00
4.96	-60.00
5.00	-60.00
5.04	-60.00
5.08	-60.00
5.12	-60.00
5.16	-60.00
5.20	-60.00
5.24	-60.00
5.28	-60.00
5.32	-60.00
5.36	-60.00
5.40	-60.00
5.44	-60.00
5.48	-60.00
5.52	-60.00
5.56	-60.00
5.60	-60.00
5.64	-60.00
5.68	-60.00
5.72	-60.00
5.76	-60.00
5.80	-60.00
5.84	-60.00
5.88	-60.00
5.92	-60.00
5.96	-60.00
6.00	-60.00
6.04	-60.00
6.08	-60.00
6.12	-60.00
6.16	-60.00
6.20	-60.00
6.24	-60.00
6.28	-60.00
6.32	-60.00
6.36	-60.00
6.40	-60.00
6.44	-60.00
6.48	-60.00
6.52	-60.00
6.56	-60.00
6.60	-60.00
6.64	-60.00
6.68	-60.00
6.72	-60.00
6.76	-60.00
6.80	-60.00
6.84	-60.00
6.88	-60.00
6.92	-60.00
6.96	-60.00
7.00	-60.00
7.04	-60.00
7.08	-60.00
7.12	-60.00
7.16	-60.00
7.20	-60.00
7.24	-60.00
7.28	-60.00
7.32	-

Multiview Spectrum

Ref Level 0.00 dBm Offset 0.00 dB BW 1 MHz

Att 20 dB SWF 30.1 mW NWR 1 dBm Mode Sleep

Frequency Sweep

Count 50/50 11th View

M1[1] -46.12 dBm 3.892 kHz (10)

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm


-80 dBm

-90 dBm


30.0 MHz 30000 pts 511.0 MHz 5.14 GHz

14:02:00 18.04.2022


11A_Ant2_5300_5360~40000




11A_Ant1_5320_30~5140




11A_Ant1_5320_5360~40000




11A_Ant2_5320_30~5140




11A_Ant2_5320_5360~40000




11A_Ant1_5500_30~5460




11A_Ant1_5500_5735~40000




11A_Ant2_5500_30~5460




11A_Ant2_5500_5735~40000




11A_Ant1_5520_30~5460



11A_Ant1_5520_5735~40000



11A_Ant2_5520_30~5460



GNU Radio GUI - Spectrum plot

Ref Level: 0.00 dBm Offset: 0.00 dB BW: 1 MHz

AAI 20 dB SWF 150 MHz VSW 1:100 Mode Sweep

Count 10/10

Frequency Span

5.735 GHz 30000 pts 3.43 GHz/ 40.0 GHz

-107.00 dBm

10 dBm

0 dBm

-20 dBm

-40 dBm

-60 dBm

-80 dBm

-100 dBm

-120 dBm

-140 dBm

-160 dBm

-180 dBm

-200 dBm

-220 dBm

-240 dBm

-260 dBm

-280 dBm

-300 dBm

-320 dBm

-340 dBm

-360 dBm

-380 dBm

-400 dBm

-420 dBm

-440 dBm

-460 dBm

-480 dBm

-500 dBm

-520 dBm

-540 dBm

-560 dBm

-580 dBm

-600 dBm

-620 dBm

-640 dBm

-660 dBm

-680 dBm

-700 dBm

-720 dBm

-740 dBm

-760 dBm

-780 dBm

-800 dBm

-820 dBm

-840 dBm

-860 dBm

-880 dBm

-900 dBm

-920 dBm

-940 dBm

-960 dBm

-980 dBm

-1000 dBm

-1020 dBm

-1040 dBm

-1060 dBm

-1080 dBm

-1100 dBm

-1120 dBm

-1140 dBm

-1160 dBm

-1180 dBm

-1200 dBm

-1220 dBm

-1240 dBm

-1260 dBm

-1280 dBm

-1300 dBm

-1320 dBm

-1340 dBm

-1360 dBm

-1380 dBm

-1400 dBm

-1420 dBm

-1440 dBm

-1460 dBm

-1480 dBm

-1500 dBm

-1520 dBm

-1540 dBm

-1560 dBm

-1580 dBm

-1600 dBm

-1620 dBm

-1640 dBm

-1660 dBm

-1680 dBm

-1700 dBm

-1720 dBm

-1740 dBm

-1760 dBm

-1780 dBm

-1800 dBm

-1820 dBm

-1840 dBm

-1860 dBm

-1880 dBm

-1900 dBm

-1920 dBm

-1940 dBm

-1960 dBm

-1980 dBm

-2000 dBm

-2020 dBm

-2040 dBm

-2060 dBm

-2080 dBm

-2100 dBm

-2120 dBm

-2140 dBm

-2160 dBm

-2180 dBm

-2200 dBm

-2220 dBm

-2240 dBm

-2260 dBm

-2280 dBm

-2300 dBm

-2320 dBm

-2340 dBm

-2360 dBm

-2380 dBm

-2400 dBm

-2420 dBm

-2440 dBm

-2460 dBm

-2480 dBm

-2500 dBm

-2520 dBm

-2540 dBm

-2560 dBm

-2580 dBm

-2600 dBm

-2620 dBm

-2640 dBm

-2660 dBm

-2680 dBm

-2700 dBm

-2720 dBm

-2740 dBm

-2760 dBm

-2780 dBm

-2800 dBm

-2820 dBm

-2840 dBm

-2860 dBm

-2880 dBm

-2900 dBm

-2920 dBm

-2940 dBm

-2960 dBm

-2980 dBm

-3000 dBm

-3020 dBm

-3040 dBm

-3060 dBm

-3080 dBm

-3100 dBm

-3120 dBm

-3140 dBm

-3160 dBm

-3180 dBm

-3200 dBm

-3220 dBm

-3240 dBm

-3260 dBm

-3280 dBm

-3300 dBm

-3320 dBm

-3340 dBm

-3360 dBm

-3380 dBm

-3400 dBm

-3420 dBm

-3440 dBm

-3460 dBm

-3480 dBm

-3500 dBm

-3520 dBm

-3540 dBm

-3560 dBm

-3580 dBm

-3600 dBm

-3620 dBm

-3640 dBm

-3660 dBm

-3680 dBm

-3700 dBm

-3720 dBm

-3740 dBm

-3760 dBm

-3780 dBm

-3800 dBm

-3820 dBm

-3840 dBm

-3860 dBm

-3880 dBm

-3900 dBm

-3920 dBm

-3940 dBm

-3960 dBm

-3980 dBm

-4000 dBm

-4020 dBm

-4040 dBm

-4060 dBm

-4080 dBm

-4100 dBm

-4120 dBm

-4140 dBm

-4160 dBm

-4180 dBm

-4200 dBm

-4220 dBm

-4240 dBm

-4260 dBm

-4280 dBm

-4300 dBm

-4320 dBm

-4340 dBm

-4360 dBm

-4380 dBm

-4400 dBm

-4420 dBm

-4440 dBm

-4460 dBm

-4480 dBm

-4500 dBm

-4520 dBm

-4540 dBm

-4560 dBm

-4580 dBm

-4600 dBm

-4620 dBm

-4640 dBm

-4660 dBm

-4680 dBm

-4700 dBm

-4720 dBm

-4740 dBm

-4760 dBm

-4780 dBm

-4800 dBm

-4820 dBm

-4840 dBm

-4860 dBm

-4880 dBm

-4900 dBm

-4920 dBm

-4940 dBm

-4960 dBm

-4980 dBm

-5000 dBm

-5020 dBm

-5040 dBm

-5060 dBm

-5080 dBm

-5100 dBm

-5120 dBm

-5140 dBm

-5160 dBm

-5180 dBm

-5200 dBm

-5220 dBm

-5240 dBm

-5260 dBm

-5280 dBm

-5300 dBm

-5320 dBm

-5340 dBm

-5360 dBm

-5380 dBm

-5400 dBm

-5420 dBm

-5440 dBm

-5460 dBm

-5480 dBm

-5500 dBm

-5520 dBm

-5540 dBm

-5560 dBm

-5580 dBm

-5600 dBm

-5620 dBm

-5640 dBm

-5660 dBm

-5680 dBm

-5700 dBm

-5720 dBm

-5740 dBm

-5760 dBm

-5780 dBm

-5800 dBm

-5820 dBm

-5840 dBm

-5860 dBm

-5880 dBm

-5900 dBm

-5920 dBm

-5940 dBm

-5960 dBm

-5980 dBm

-6000 dBm

-6020 dBm

-6040 dBm

-6060 dBm

-6080 dBm

-6100 dBm

-6120 dBm

-6140 dBm

-6160 dBm

-6180 dBm

-6200 dBm

-6220 dBm

-6240 dBm

-6260 dBm

-6280 dBm

-6300 dBm

-6320 dBm

-6340 dBm

-6360 dBm

-6380 dBm

-6400 dBm

-6420 dBm

-6440 dBm

-6460 dBm

-6480 dBm

Multiview ▾ Spectrum

Ref Level 0.00 dBm Offset 1.00 dB BW 1 MHz
 Att = 25 dB SWT 25.1 ms WWT 1 Hz Mode Sweep

Frequency Span

Count 59/200 [10% Scale]

M[1] = -45.67 dBm
 -68.77510 GHz

-10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm

-61.07 dBm

30.0 MHz 30001 pts 543.0 MHz S-M DPO

Measuring... [Progress Bar] [Icons]

18.04.2023 18:44:30Z

Hub View Spectrum

Ref Level 0.00 dBm Offset 1.00 dB BW 1 MHz


AW 20 dB SWF 100 ms VIEW 1 kHz Mode Sweep

Count 10/10


5.725 GHz 30001 pts 3.43 GHz/ 40.0 GHz

10:24:31 10.44.2022


11A_Ant2_5580_5735~40000




11A_Ant1_5680_30~5460




11A_Ant1_5680_5735~40000




11A_Ant2_5680_30~5460




11A_Ant2_5680_5735~40000




11A_Ant1_5700_30~5460




11A_Ant1_5700_5735~40000




11A_Ant2_5700_30~5460




11A_Ant2_5700_5735~40000




11A_Ant1_5720_30~5460




11A_Ant1_5720_5925~40000




11A_Ant2_5720_30~5460




11A_Ant2_5720_5925~40000




11A_Ant1_5745_30~5650




11A_Ant1_5745_5925~40000




11A_Ant2_5745_30~5650




11A_Ant2_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant2_5785_30~5650




11A_Ant2_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11A_Ant2_5825_30~5650




11A_Ant2_5825_5925~40000




11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant2_5180_30~5140




11N20SISO_Ant2_5180_5360~40000




11N20SISO_Ant1_5200_30~5140




11N20SISO_Ant1_5200_5360~40000




11N20SISO_Ant2_5200_30~5140




11N20SISO_Ant2_5200_5360~40000




11N20SISO_Ant1_5220_30~5140




11N20SISO_Ant1_5220_5360~40000




11N20SISO_Ant2_5220_30~5140




11N20SISO_Ant2_5220_5360~40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant2_5240_30~5140




11N20SISO_Ant2_5240_5360~40000




11N20SISO_Ant1_5260_30~5140




11N20SISO_Ant1_5260_5360~40000




11N20SISO_Ant2_5260_30~5140




11N20SISO_Ant2_5260_5360~40000




11N20SISO_Ant1_5300_30~5140




11N20SISO_Ant1_5300_5360~40000




11N20SISO_Ant2_5300_30~5140




11N20SISO_Ant2_5300_5360~40000




11N20SISO_Ant1_5320_30~5140




11N20SISO_Ant1_5320_5360~40000




11N20SISO_Ant2_5320_30~5140




11N20SISO_Ant2_5320_5360~40000




11N20SISO_Ant1_5500_30~5460




11N20SISO_Ant1_5500_5735~40000




11N20SISO_Ant2_5500_30~5460




11N20SISO_Ant2_5500_5735~40000




11N20SISO_Ant1_5520_30~5460




11N20SISO_Ant1_5520_5735~40000




11N20SISO_Ant2_5520_30~5460




11N20SISO_Ant2_5520_5735~40000




11N20SISO_Ant1_5580_30~5460




11N20SISO_Ant1_5580_5735~40000




11N20SISO_Ant2_5580_30~5460




11N20SISO_Ant2_5580_5735~40000



11N20SISO_Ant1_5680_30~5460



11N20SISO_Ant1_5680_5735~40000



11N20SISO_Ant2_5680_30~5460

