






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.92	3.76	77.66	1.10	---	---
3DH5	Ant1	2402	2.92	3.74	78.07	1.08	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441



Appendix J: Emissions in Restricted Bands

Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.86	2.00	1.10	37.44	≤54	PASS
				AV	2380.955	-59.11	2.00	1.10	39.19	≤54	PASS
				AV	2390.000	-60.21	2.00	1.10	38.09	≤54	PASS
				Peak	2310.000	-52.27	2.00	0.00	44.93	≤74	PASS
				Peak	2354.390	-49.6	2.00	0.00	47.60	≤74	PASS
				Peak	2390.000	-52.21	2.00	0.00	44.99	≤74	PASS
		High	2480	AV	2483.500	-59.03	2.00	1.10	39.27	≤54	PASS
				AV	2483.600	-58.4	2.00	1.10	39.90	≤54	PASS
				AV	2500.000	-59.34	2.00	1.10	38.96	≤54	PASS
				Peak	2483.500	-51.54	2.00	0.00	45.66	≤74	PASS
				Peak	2484.800	-44.91	2.00	0.00	52.29	≤74	PASS
				Peak	2500.000	-51.41	2.00	0.00	45.79	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.7	2.00	1.09	37.59	≤54	PASS
				AV	2385.575	-59.11	2.00	1.09	39.18	≤54	PASS
				AV	2390.000	-59.92	2.00	1.09	38.37	≤54	PASS
				Peak	2310.000	-53.62	2.00	0.00	43.58	≤74	PASS
				Peak	2350.400	-49.43	2.00	0.00	47.77	≤74	PASS
				Peak	2390.000	-51.97	2.00	0.00	45.23	≤74	PASS
		High	2480	AV	2483.500	-59.28	2.00	1.10	39.02	≤54	PASS
				AV	2484.320	-58.36	2.00	1.10	39.94	≤54	PASS
				AV	2500.000	-59.81	2.00	1.10	38.49	≤54	PASS
				Peak	2483.500	-51	2.00	0.00	46.20	≤74	PASS
				Peak	2483.760	-48.67	2.00	0.00	48.53	≤74	PASS
				Peak	2500.000	-50.91	2.00	0.00	46.29	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-60.83	2.00	1.08	37.45	≤54	PASS
				AV	2374.760	-59.02	2.00	1.08	39.26	≤54	PASS
				AV	2390.000	-59.91	2.00	1.08	38.37	≤54	PASS
				Peak	2310.000	-52.93	2.00	0.00	44.27	≤74	PASS
				Peak	2372.660	-47.41	2.00	0.00	49.79	≤74	PASS
				Peak	2390.000	-51.06	2.00	0.00	46.14	≤74	PASS
		High	2480	AV	2483.500	-59.3	2.00	1.09	38.99	≤54	PASS
				AV	2484.640	-58.51	2.00	1.09	39.78	≤54	PASS
				AV	2500.000	-59.64	2.00	1.09	38.65	≤54	PASS
				Peak	2483.500	-51.29	2.00	0.00	45.91	≤74	PASS
				Peak	2486.960	-48.69	2.00	0.00	48.51	≤74	PASS
				Peak	2500.000	-51.44	2.00	0.00	45.76	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

