

Specification for Approval

CONTENTS

Customer:	N/A	Vendor:	N/A
Customer P/N:	N/A	HL P/N:	N/A
Product model:	HSELCQ_01_60MG_71	HL Device Name:	N/A
Pcb antenna brand:	Yuwei	Approval Date:	2025-11-19

Internal Approval		
Approved By:	Checked By:	Prepared By:
		Zhang Bin
Customer Approval		


Revision:

Date	Rev	Description of Changes
2023-10-18	A	Initial Release



1、Products Electrical		
PCB Antenna		
1	Antenna Model	PCB IFA Antenna
2	Frequency Range	2400-2500MHz
3	VSWR (or return loss)	<2 (<-9.5dB)
4	Broadband	>100MHz
5	Impedance	50 ohm
6	Gain	-1.1dbi
7	Polarization	LP


2、Antenna Test Data

2.1 VSWR



2.2 RADIATION PATTERNS 2450MHz





2.3 GAIN AND EFFICIENCY

Frequency (MHz)	Efficiency (%)	Gain (dBi)
2400	31.6	-1.1
2410	29.0	-1.4
2420	31.5	-1.2
2430	32.3	-1.2
2440	32.5	-1.1
2450	31.8	-1.6
2460	29.2	-1.1
2470	29.0	-1.2
2480	31.6	-1.3
2490	32.5	-1.1
2500	29.2	-1.2

Y : 17.016mm 75mm

X : 2.981mm

1 : NetC8_1

Confident

HS1455 CONFIDENTIAL

HS 1455