Appendix A

RF Test Data for BT V4.2(BDR/EDR) (Conducted Measurement)

Product Name: BT Speaker

Trade Mark: REDWIND

Test Model: T5

Environmental Conditions

Temperature:	23.7 ° C
Relative Humidity:	53.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Ben Jin
Supervised by:	Li Huan

A.1 Maxmum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	3.437	30	PASS
	MCH	3.710	30	PASS
	HCH	1.797	30	PASS
π/4DQPSK	LCH	1.591	21	PASS
	MCH	2.862	21	PASS
	HCH	1.021	21	PASS
8DPSK	LCH	1.750	21	PASS
	MCH	3.041	21	PASS
	HCH	1.163	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH		
π/4DQPSK/LCH		

π/4DQPSK/MCH		
π/4DQPSK/HCH		

8DPSK/LCH		
8DPSK/MCH		

8DPSK/HCH		

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
10:19:20 AM Dec 29, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr1 2.479 913 75 GHz
1.163 dBm
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.029	Not Specified	PASS
	MCH	1.033	Not Specified	PASS
	HCH	1.032	Not Specified	PASS
π/4DQPSK	LCH	1.289	Not Specified	PASS
	MCH	1.289	Not Specified	PASS
	HCH	1.288	Not Specified	PASS
8DPSK	LCH	1.294	Not Specified	PASS
	MCH	1.295	Not Specified	PASS
	HCH	1.295	Not Specified	PASS

Test Graphs		
GFSK/LCH		

GFSK/MCH



GFSK/HCH



π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH



8DPSK/MCH



8DPSK/HCH



A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.180	0.689	PASS
	MCH	0.700	0.689	PASS
	HCH	0.872	0.689	PASS
π/4DQPSK	LCH	1.142	0.691	PASS
	MCH	0.900	0.691	PASS
	HCH	1.124	0.691	PASS
8DPSK	LCH	1.102	0.690	PASS
	MCH	0.868	0.690	PASS
	HCH	0.708	0.690	PASS

Test Graphs		
GFSK/LCH		

GFSK/MCH		
GFSK/HCH		

π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH



8DPSK/MCH		
8DPSK/HCH		

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs		
GFSK/Hop		
π/4DQPSK/Hop		

8DPSK/Hop		

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
09:52:13 AM Dec 29, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
ΔMkr1 78.281 MHz
-0.204 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 78.281 MHz (Δ) -0.204 dB
2 F f 2.401 868 GHz -0.490 dBm
Frequency
Auto Tune
Center Freq 2.441750000 GHz
Start Freq 2.400000000 GHz
Stop Freq 2.483500000 GHz
CF Step 8.350000 MHz
Auto Man
Freq Offset 0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.88	106.7	0.307	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.88	106.7	0.308	0.4	PASS
	3DH5	MCH	2.88	106.7	0.308	0.4	PASS
	3DH5	HCH	2.88	106.7	0.308	0.4	PASS

Test Graphs	
GFSK_DH5/LCH	

GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK
_2DH5/LCH



π/4DQPSK
_2DH5/MCH



π/4DQPSK _2DH5/HCH



8DPSK _3DH5/LCH



8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	3.167	-38.145	-16.833	PASS
	MCH	2.935	-37.319	-17.065	PASS
	HCH	1.476	-37.193	-18.524	PASS
π/4DQPSK	LCH	0.457	-37.548	-19.543	PASS
	MCH	1.626	-37.878	-18.374	PASS
	HCH	-0.066	-37.520	-20.066	PASS
8DPSK	LCH	0.393	-38.224	-19.607	PASS
	MCH	1.828	-37.158	-18.172	PASS
	HCH	0.228	-38.358	-19.772	PASS

GFSK_LCH_Graphs

Pref



Puw		

Agilent Spectrum Analyzer - Swept SA
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 3/10
09:13:46 AM Dec 29, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr2 24.797 GHz
-38.145 dBm
-16.83 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz

GFSK_MCH_Graphs		
Pref		
Puw		

GFSK_HCH_Graphs		
Pref		
Puw		

π/4DQPSK_LCH_Graphs		
Pref		
Puw		

π/4DQPSK_MCH_Graphs		
Pref		
Puw		

π/4DQPSK_HCH_Graphs		
Pref		
Puw		

8DPSK_LCH_Graphs		
Pref		
Puw		

8DPSK_MCH_Graphs		
Pref		
Puw		

8DPSK_HCH_Graphs		
Pref		
Puw		

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	3.170	Off	-49.442	-16.83	PASS
			3.062	On	-49.877	-16.94	PASS
	HCH	2480	1.501	Off	-49.036	-18.5	PASS
			2.880	On	-48.916	-17.12	PASS
π/4DQPSK	LCH	2402	0.278	Off	-49.763	-19.72	PASS
			1.813	On	-49.012	-18.19	PASS
	HCH	2480	0.065	Off	-49.678	-19.94	PASS
			1.170	On	-48.064	-18.83	PASS
8DPSK	LCH	2402	0.785	Off	-49.929	-19.22	PASS
			1.528	On	-49.558	-18.47	PASS
	HCH	2480	1.667	Off	-49.622	-18.33	PASS
			1.193	On	-48.973	-18.81	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop



π/4DQPSK/LCH/Hop



π/4DQPSK/HCH/No Hop



π/4DQPSK/HCH/Hop



8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop



8DPSK/HCH/Hop



A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.85	2.0	0	53.41	PEAK	74	PASS
	Off	2310.0	-53.46	2.0	0	43.8	AV	54	PASS
	Off	2390.0	-42.42	2.0	0	54.84	PEAK	74	PASS
	Off	2390.0	-53.11	2.0	0	44.15	AV	54	PASS
	Off	2483.5	-42.47	2.0	0	54.79	PEAK	74	PASS
	Off	2483.5	-52.43	2.0	0	44.83	AV	54	PASS
	Off	2500.0	-42.05	2.0	0	55.21	PEAK	74	PASS
	Off	2500.0	-52.37	2.0	0	44.89	AV	54	PASS
π/4DQPSK	Off	2310.0	-43.01	2.0	0	54.25	PEAK	74	PASS
	Off	2310.0	-53.40	2.0	0	43.86	AV	54	PASS
	Off	2390.0	-42.45	2.0	0	54.81	PEAK	74	PASS
	Off	2390.0	-53.14	2.0	0	44.12	AV	54	PASS
	Off	2483.5	-41.73	2.0	0	55.53	PEAK	74	PASS
	Off	2483.5	-52.52	2.0	0	44.74	AV	54	PASS
	Off	2500.0	-42.32	2.0	0	54.94	PEAK	74	PASS
	Off	2500.0	-52.39	2.0	0	44.87	AV	54	PASS
8DPSK	Off	2310.0	-42.95	2.0	0	54.31	PEAK	74	PASS
	Off	2310.0	-53.56	2.0	0	43.70	AV	54	PASS
	Off	2390.0	-43.50	2.0	0	53.76	PEAK	74	PASS
	Off	2390.0	-53.05	2.0	0	44.21	AV	54	PASS
	Off	2483.5	-42.39	2.0	0	54.87	PEAK	74	PASS
	Off	2483.5	-52.58	2.0	0	44.68	AV	54	PASS
	Off	2500.0	-41.34	2.0	0	55.92	PEAK	74	PASS
	Off	2500.0	-52.45	2.0	0	44.81	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)