







Mode	58																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14050.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>46.35</td><td>39.00</td><td>20.34</td><td>57.66</td><td>1.33</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>38.59</td><td>74.00</td><td>-35.41</td><td>53.32</td><td>37.90</td><td>16.98</td><td>60.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	49.36	88.20	-38.84	46.35	39.00	20.34	57.66	1.33	--	Peak	2	21075.00	38.59	74.00	-35.41	53.32	37.90	16.98	60.07	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14050.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>46.35</td><td>39.00</td><td>20.34</td><td>57.66</td><td>1.33</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>51.73</td><td>37.90</td><td>16.98</td><td>60.07</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	49.36	88.20	-38.84	46.35	39.00	20.34	57.66	1.33	--	Peak	2	21075.00	37.00	74.00	-37.00	51.73	37.90	16.98	60.07	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14050.00	49.36	88.20	-38.84	46.35	39.00	20.34	57.66	1.33	--	Peak																																																																																																					
2	21075.00	38.59	74.00	-35.41	53.32	37.90	16.98	60.07	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14050.00	49.36	88.20	-38.84	46.35	39.00	20.34	57.66	1.33	--	Peak																																																																																																					
2	21075.00	37.00	74.00	-37.00	51.73	37.90	16.98	60.07	-9.54	--	Peak																																																																																																					



Mode	58	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



		59																																																																																																												
Mode	Band Edge																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 7182.76</td><td>66.74</td><td>88.20</td><td>-21.46</td><td>51.85</td><td>35.77</td><td>14.48</td><td>34.56</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>246</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>286 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7182.76	66.74	88.20	-21.46	51.85	35.77	14.48	34.56	0.00									246									286 Peak	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 6985.00</td><td>98.19</td><td>-----</td><td>-----</td><td>82.62</td><td>35.73</td><td>14.36</td><td>34.52</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>246</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>286 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6985.00	98.19	-----	-----	82.62	35.73	14.36	34.52	0.00									246									286 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 7182.76	66.74	88.20	-21.46	51.85	35.77	14.48	34.56	0.00																																																																																																						
								246																																																																																																						
								286 Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 6985.00	98.19	-----	-----	82.62	35.73	14.36	34.52	0.00																																																																																																						
								246																																																																																																						
								286 Peak																																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 7181.56</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>37.59</td><td>35.76</td><td>14.48</td><td>34.56</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>246</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>286 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7181.56	53.27	68.20	-14.93	37.59	35.76	14.48	34.56	0.00									246									286 Average	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 6985.00</td><td>90.01</td><td>-----</td><td>-----</td><td>74.44</td><td>35.73</td><td>14.36</td><td>34.52</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>246</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>286 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6985.00	90.01	-----	-----	74.44	35.73	14.36	34.52	0.00									246									286 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 7181.56	53.27	68.20	-14.93	37.59	35.76	14.48	34.56	0.00																																																																																																						
								246																																																																																																						
								286 Average																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 6985.00	90.01	-----	-----	74.44	35.73	14.36	34.52	0.00																																																																																																						
								246																																																																																																						
								286 Average																																																																																																						







Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak		



Mode	59																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13970.00</td><td>50.73</td><td>88.20</td><td>-37.47</td><td>47.93</td><td>38.88</td><td>20.30</td><td>57.71</td><td>1.33 -- -- Peak</td></tr><tr><td>2</td><td>20955.00</td><td>38.15</td><td>74.00</td><td>-35.85</td><td>52.93</td><td>37.91</td><td>16.94</td><td>60.09</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	13970.00	50.73	88.20	-37.47	47.93	38.88	20.30	57.71	1.33 -- -- Peak	2	20955.00	38.15	74.00	-35.85	52.93	37.91	16.94	60.09	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13970.00</td><td>49.02</td><td>88.20</td><td>-39.18</td><td>46.22</td><td>38.88</td><td>20.30</td><td>57.71</td><td>1.33 -- -- Peak</td></tr><tr><td>2</td><td>20955.00</td><td>37.45</td><td>74.00</td><td>-36.55</td><td>52.23</td><td>37.91</td><td>16.94</td><td>60.09</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	13970.00	49.02	88.20	-39.18	46.22	38.88	20.30	57.71	1.33 -- -- Peak	2	20955.00	37.45	74.00	-36.55	52.23	37.91	16.94	60.09	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	13970.00	50.73	88.20	-37.47	47.93	38.88	20.30	57.71	1.33 -- -- Peak																																																																																													
2	20955.00	38.15	74.00	-35.85	52.93	37.91	16.94	60.09	-9.54 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	13970.00	49.02	88.20	-39.18	46.22	38.88	20.30	57.71	1.33 -- -- Peak																																																																																													
2	20955.00	37.45	74.00	-36.55	52.23	37.91	16.94	60.09	-9.54 -- -- Peak																																																																																													



Mode	59	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	60																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
QP/ Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH07-HY Condition: QP 3m Bilog_35419 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>98.14</td><td>36.49</td><td>43.50</td><td>-7.01</td><td>49.88</td><td>14.84</td><td>1.69</td><td>29.92</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>158.04</td><td>35.47</td><td>43.50</td><td>-8.03</td><td>46.49</td><td>16.64</td><td>2.22</td><td>29.88</td><td>0.00</td><td>200</td><td>284</td><td>QP</td></tr><tr><td>3</td><td>189.00</td><td>35.67</td><td>43.50</td><td>-7.83</td><td>48.30</td><td>14.79</td><td>2.43</td><td>29.85</td><td>0.00</td><td>200</td><td>274</td><td>QP</td></tr><tr><td>4</td><td>609.09</td><td>37.36</td><td>46.00</td><td>-8.64</td><td>37.13</td><td>25.70</td><td>4.27</td><td>29.74</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>690.57</td><td>33.42</td><td>46.00</td><td>-12.58</td><td>31.99</td><td>26.49</td><td>4.48</td><td>29.54</td><td>0.00</td><td>100</td><td>270</td><td>QP</td></tr><tr><td>6</td><td>840.92</td><td>37.02</td><td>46.00</td><td>-8.98</td><td>32.39</td><td>28.70</td><td>5.01</td><td>29.08</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	98.14	36.49	43.50	-7.01	49.88	14.84	1.69	29.92	0.00	--	--	Peak	2	158.04	35.47	43.50	-8.03	46.49	16.64	2.22	29.88	0.00	200	284	QP	3	189.00	35.67	43.50	-7.83	48.30	14.79	2.43	29.85	0.00	200	274	QP	4	609.09	37.36	46.00	-8.64	37.13	25.70	4.27	29.74	0.00	--	--	Peak	5	690.57	33.42	46.00	-12.58	31.99	26.49	4.48	29.54	0.00	100	270	QP	6	840.92	37.02	46.00	-8.98	32.39	28.70	5.01	29.08	0.00	--	--	Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH07-HY Condition: QP 3m Bilog_35419 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.71</td><td>34.44</td><td>40.00</td><td>-5.56</td><td>50.39</td><td>12.65</td><td>1.34</td><td>29.94</td><td>0.00</td><td>100</td><td>227</td><td>QP</td></tr><tr><td>2</td><td>83.53</td><td>34.89</td><td>40.00</td><td>-5.11</td><td>49.29</td><td>13.86</td><td>1.66</td><td>29.92</td><td>0.00</td><td>100</td><td>334</td><td>QP</td></tr><tr><td>3</td><td>188.11</td><td>36.82</td><td>43.50</td><td>-6.68</td><td>49.41</td><td>14.83</td><td>2.43</td><td>29.85</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>265.71</td><td>33.12</td><td>46.00</td><td>-12.88</td><td>40.52</td><td>19.57</td><td>2.85</td><td>29.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>569.32</td><td>39.33</td><td>46.00</td><td>-6.67</td><td>38.84</td><td>26.07</td><td>4.13</td><td>29.71</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>681.84</td><td>39.51</td><td>46.00</td><td>-6.49</td><td>38.10</td><td>26.51</td><td>4.46</td><td>29.56</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	54.71	34.44	40.00	-5.56	50.39	12.65	1.34	29.94	0.00	100	227	QP	2	83.53	34.89	40.00	-5.11	49.29	13.86	1.66	29.92	0.00	100	334	QP	3	188.11	36.82	43.50	-6.68	49.41	14.83	2.43	29.85	0.00	--	--	Peak	4	265.71	33.12	46.00	-12.88	40.52	19.57	2.85	29.82	0.00	--	--	Peak	5	569.32	39.33	46.00	-6.67	38.84	26.07	4.13	29.71	0.00	--	--	Peak	6	681.84	39.51	46.00	-6.49	38.10	26.51	4.46	29.56	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	98.14	36.49	43.50	-7.01	49.88	14.84	1.69	29.92	0.00	--	--	Peak																																																																																																																																																																																																																
2	158.04	35.47	43.50	-8.03	46.49	16.64	2.22	29.88	0.00	200	284	QP																																																																																																																																																																																																																
3	189.00	35.67	43.50	-7.83	48.30	14.79	2.43	29.85	0.00	200	274	QP																																																																																																																																																																																																																
4	609.09	37.36	46.00	-8.64	37.13	25.70	4.27	29.74	0.00	--	--	Peak																																																																																																																																																																																																																
5	690.57	33.42	46.00	-12.58	31.99	26.49	4.48	29.54	0.00	100	270	QP																																																																																																																																																																																																																
6	840.92	37.02	46.00	-8.98	32.39	28.70	5.01	29.08	0.00	--	--	Peak																																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																		
1	54.71	34.44	40.00	-5.56	50.39	12.65	1.34	29.94	0.00	100	227	QP																																																																																																																																																																																																																
2	83.53	34.89	40.00	-5.11	49.29	13.86	1.66	29.92	0.00	100	334	QP																																																																																																																																																																																																																
3	188.11	36.82	43.50	-6.68	49.41	14.83	2.43	29.85	0.00	--	--	Peak																																																																																																																																																																																																																
4	265.71	33.12	46.00	-12.88	40.52	19.57	2.85	29.82	0.00	--	--	Peak																																																																																																																																																																																																																
5	569.32	39.33	46.00	-6.67	38.84	26.07	4.13	29.71	0.00	--	--	Peak																																																																																																																																																																																																																
6	681.84	39.51	46.00	-6.49	38.10	26.51	4.46	29.56	0.00	--	--	Peak																																																																																																																																																																																																																



<Sample 2>

C2-1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-





C2-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	802.11ax HE160	207	7167.88	62.23	68.20	-5.97	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	20955.00	36.45	74.00	-37.55	V	Peak	Pass	Full RU	Harmonic



Mode	61																																																																																																															
	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2025-06-20 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7170.28</td><td>69.24</td><td>88.20</td><td>-18.96</td><td>53.58</td><td>35.74</td><td>14.47</td><td>34.55</td><td>0.00</td><td>100</td><td>123</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7170.28	69.24	88.20	-18.96	53.58	35.74	14.47	34.55	0.00	100	123	Peak	Level (dBuV/m) Date: 2025-06-20 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>93.36</td><td>-----</td><td>-----</td><td>77.79</td><td>35.73</td><td>14.36</td><td>34.52</td><td>0.00</td><td>100</td><td>123</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	93.36	-----	-----	77.79	35.73	14.36	34.52	0.00	100	123	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7170.28	69.24	88.20	-18.96	53.58	35.74	14.47	34.55	0.00	100	123	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6985.00	93.36	-----	-----	77.79	35.73	14.36	34.52	0.00	100	123	Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2025-06-20 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7167.64</td><td>58.90</td><td>68.20</td><td>-9.30</td><td>43.24</td><td>35.74</td><td>14.47</td><td>34.55</td><td>0.00</td><td>100</td><td>123</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7167.64	58.90	68.20	-9.30	43.24	35.74	14.47	34.55	0.00	100	123	Average	Level (dBuV/m) Date: 2025-06-20 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>85.92</td><td>-----</td><td>-----</td><td>70.35</td><td>35.72</td><td>14.37</td><td>34.52</td><td>0.00</td><td>100</td><td>123</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	85.92	-----	-----	70.35	35.72	14.37	34.52	0.00	100	123	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7167.64	58.90	68.20	-9.30	43.24	35.74	14.47	34.55	0.00	100	123	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6985.00	85.92	-----	-----	70.35	35.72	14.37	34.52	0.00	100	123	Average																																																																																																				







Mode	61																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2025-06-20 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7150.12</td><td>73.22</td><td>88.20</td><td>-14.98</td><td>57.61</td><td>35.70</td><td>14.46</td><td>34.55</td><td>0.00</td><td>214</td><td>342 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7150.12	73.22	88.20	-14.98	57.61	35.70	14.46	34.55	0.00	214	342 Peak	 Level (dBuV/m) Date: 2025-06-20 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>96.81</td><td>-----</td><td>-----</td><td>81.25</td><td>35.70</td><td>14.39</td><td>34.53</td><td>0.00</td><td>214</td><td>342 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6985.00	96.81	-----	-----	81.25	35.70	14.39	34.53	0.00	214	342 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7150.12	73.22	88.20	-14.98	57.61	35.70	14.46	34.55	0.00	214	342 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6985.00	96.81	-----	-----	81.25	35.70	14.39	34.53	0.00	214	342 Peak																																																																																					
Avg	 Level (dBuV/m) Date: 2025-06-20 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7167.88</td><td>62.23</td><td>68.20</td><td>-5.97</td><td>46.57</td><td>35.74</td><td>14.47</td><td>34.55</td><td>0.00</td><td>214</td><td>342 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7167.88	62.23	68.20	-5.97	46.57	35.74	14.47	34.55	0.00	214	342 Average	 Level (dBuV/m) Date: 2025-06-20 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>89.61</td><td>-----</td><td>-----</td><td>74.04</td><td>35.73</td><td>14.36</td><td>34.52</td><td>0.00</td><td>214</td><td>342 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6985.00	89.61	-----	-----	74.04	35.73	14.36	34.52	0.00	214	342 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7167.88	62.23	68.20	-5.97	46.57	35.74	14.47	34.55	0.00	214	342 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6985.00	89.61	-----	-----	74.04	35.73	14.36	34.52	0.00	214	342 Average																																																																																					



Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	</	



Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-20  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-20  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-06-20  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-20  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	VBW Setting	Duty Factor(dB)
6GHz 802.11a	99.24	10Hz	0.03
6GHz 802.11ax HE20 Full RU	99.76	10Hz	0.01
6GHz 802.11ax HE20 26 RU	99.35	10Hz	0.03
6GHz 802.11ax HE20 52 RU	99.21	10Hz	0.03
6GHz 802.11ax HE20 106 RU	99.64	10Hz	0.02
6GHz 802.11ax HE20 242 RU	99.57	10Hz	0.02
6GHz 802.11ax HE40 Full RU	99.63	10Hz	0.02
6GHz 802.11ax HE40 484 RU	99.44	10Hz	0.02
6GHz 802.11ax HE80 Full RU	99.76	10Hz	0.01
6GHz 802.11ax HE80 996 RU	98.65	10Hz	0.06
6GHz 802.11ax HE160 Full RU	99.74	10Hz	0.01
6GHz 802.11ax HE160 1992 RU	99.12	10Hz	0.04

