







Mode	10																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5914.04</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>38.61</td><td>35.20</td><td>13.29</td><td>34.19</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 268 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5914.04	52.91	88.20	-35.29	38.61	35.20	13.29	34.19	0.00									299 268 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5965.00</td><td>98.68</td><td>-----</td><td>-----</td><td>84.35</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 268 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5965.00	98.68	-----	-----	84.35	35.22	13.36	34.25	0.00									299 268 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5914.04	52.91	88.20	-35.29	38.61	35.20	13.29	34.19	0.00																																																																																				
								299 268 Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5965.00	98.68	-----	-----	84.35	35.22	13.36	34.25	0.00																																																																																				
								299 268 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5912.78</td><td>43.01</td><td>68.20</td><td>-25.19</td><td>28.71</td><td>35.20</td><td>13.29</td><td>34.19</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 268 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5912.78	43.01	68.20	-25.19	28.71	35.20	13.29	34.19	0.00									299 268 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5965.00</td><td>89.53</td><td>-----</td><td>-----</td><td>75.20</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 268 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5965.00	89.53	-----	-----	75.20	35.22	13.36	34.25	0.00									299 268 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5912.78	43.01	68.20	-25.19	28.71	35.20	13.29	34.19	0.00																																																																																				
								299 268 Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5965.00	89.53	-----	-----	75.20	35.22	13.36	34.25	0.00																																																																																				
								299 268 Average																																																																																				



Mode	10																																																																																																													
	Band Edge																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5889.40</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>39.92</td><td>35.16</td><td>13.25</td><td>34.17</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>110</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>8 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5889.40	54.16	88.20	-34.04	39.92	35.16	13.25	34.17	0.00									110									8 Peak	 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5965.00</td><td>98.35</td><td>-----</td><td>-----</td><td>84.03</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>110</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>8 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5965.00	98.35	-----	-----	84.03	35.21	13.35	34.24	0.00									110									8 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5889.40	54.16	88.20	-34.04	39.92	35.16	13.25	34.17	0.00																																																																																																						
								110																																																																																																						
								8 Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5965.00	98.35	-----	-----	84.03	35.21	13.35	34.24	0.00																																																																																																						
								110																																																																																																						
								8 Peak																																																																																																						
Avg	 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5921.74</td><td>43.02</td><td>68.20</td><td>-25.18</td><td>28.72</td><td>35.20</td><td>13.30</td><td>34.20</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>110</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>8 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5921.74	43.02	68.20	-25.18	28.72	35.20	13.30	34.20	0.00									110									8 Average	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5965.00</td><td>88.53</td><td>-----</td><td>-----</td><td>74.21</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>110</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>8 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5965.00	88.53	-----	-----	74.21	35.21	13.35	34.24	0.00									110									8 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5921.74	43.02	68.20	-25.18	28.72	35.20	13.30	34.20	0.00																																																																																																						
								110																																																																																																						
								8 Average																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																						
1 5965.00	88.53	-----	-----	74.21	35.21	13.35	34.24	0.00																																																																																																						
								110																																																																																																						
								8 Average																																																																																																						





Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11930.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>45.13</td><td>38.70</td><td>19.28</td><td>56.42</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17895.00</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>41.52</td><td>41.58</td><td>23.08</td><td>55.45</td><td>1.27 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11930.00	47.72	74.00	-26.28	45.13	38.70	19.28	56.42	1.03 -- -- Peak	2	17895.00	52.00	74.00	-22.00	41.52	41.58	23.08	55.45	1.27 -- -- Peak	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11930.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>45.87</td><td>38.70</td><td>19.28</td><td>56.42</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17895.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>41.68</td><td>41.58</td><td>23.08</td><td>55.45</td><td>1.27 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11930.00	48.46	74.00	-25.54	45.87	38.70	19.28	56.42	1.03 -- -- Peak	2	17895.00	52.16	74.00	-21.84	41.68	41.58	23.08	55.45	1.27 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11930.00	47.72	74.00	-26.28	45.13	38.70	19.28	56.42	1.03 -- -- Peak																																																																																													
2	17895.00	52.00	74.00	-22.00	41.52	41.58	23.08	55.45	1.27 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11930.00	48.46	74.00	-25.54	45.87	38.70	19.28	56.42	1.03 -- -- Peak																																																																																													
2	17895.00	52.16	74.00	-21.84	41.68	41.58	23.08	55.45	1.27 -- -- Peak																																																																																													







Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	11																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-08  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12410.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>45.00</td><td>39.18</td><td>19.53</td><td>56.50</td><td>1.13 -- -- Peak</td></tr><tr><td>2</td><td>18615.00</td><td>35.50</td><td>74.00</td><td>-38.50</td><td>51.09</td><td>37.90</td><td>15.87</td><td>59.82</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	12410.00	48.34	74.00	-25.66	45.00	39.18	19.53	56.50	1.13 -- -- Peak	2	18615.00	35.50	74.00	-38.50	51.09	37.90	15.87	59.82	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-06-08  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12410.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>44.66</td><td>39.18</td><td>19.53</td><td>56.50</td><td>1.13 -- -- Peak</td></tr><tr><td>2</td><td>18615.00</td><td>35.88</td><td>74.00</td><td>-38.12</td><td>51.47</td><td>37.90</td><td>15.87</td><td>59.82</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	12410.00	48.00	74.00	-26.00	44.66	39.18	19.53	56.50	1.13 -- -- Peak	2	18615.00	35.88	74.00	-38.12	51.47	37.90	15.87	59.82	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	12410.00	48.34	74.00	-25.66	45.00	39.18	19.53	56.50	1.13 -- -- Peak																																																																																													
2	18615.00	35.50	74.00	-38.50	51.09	37.90	15.87	59.82	-9.54 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	12410.00	48.00	74.00	-26.00	44.66	39.18	19.53	56.50	1.13 -- -- Peak																																																																																													
2	18615.00	35.88	74.00	-38.12	51.47	37.90	15.87	59.82	-9.54 -- -- Peak																																																																																													



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL







Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	<	



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	13																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-06  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.64</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>39.72</td><td>35.20</td><td>13.27</td><td>34.18</td><td>0.00</td><td>297</td><td>270 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5901.64	54.01	88.20	-34.19	39.72	35.20	13.27	34.18	0.00	297	270 Peak	Level (dBuV/m) Date: 2025-06-06  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.64</td><td>-----</td><td>-----</td><td>82.23</td><td>35.28</td><td>13.41</td><td>34.28</td><td>0.00</td><td>297</td><td>270 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.64	-----	-----	82.23	35.28	13.41	34.28	0.00	297	270 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5901.64	54.01	88.20	-34.19	39.72	35.20	13.27	34.18	0.00	297	270 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	96.64	-----	-----	82.23	35.28	13.41	34.28	0.00	297	270 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-06  Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.44</td><td>43.47</td><td>68.20</td><td>-24.73</td><td>29.18</td><td>35.20</td><td>13.27</td><td>34.18</td><td>0.00</td><td>297</td><td>270 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.44	43.47	68.20	-24.73	29.18	35.20	13.27	34.18	0.00	297	270 Average	Level (dBuV/m) Date: 2025-06-06  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.77</td><td>-----</td><td>-----</td><td>74.45</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>297</td><td>270 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.77	-----	-----	74.45	35.21	13.35	34.24	0.00	297	270 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5902.44	43.47	68.20	-24.73	29.18	35.20	13.27	34.18	0.00	297	270 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	88.77	-----	-----	74.45	35.21	13.35	34.24	0.00	297	270 Average																																																																																						



Mode	13																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5898.76</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>38.53</td><td>35.20</td><td>13.27</td><td>34.18</td><td>0.00</td><td>111</td><td>8 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5898.76	52.82	88.20	-35.38	38.53	35.20	13.27	34.18	0.00	111	8 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>95.81</td><td>-----</td><td>-----</td><td>81.49</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>111</td><td>8 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	95.81	-----	-----	81.49	35.21	13.35	34.24	0.00	111	8 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 5898.76	52.82	88.20	-35.38	38.53	35.20	13.27	34.18	0.00	111	8 Peak																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 5985.00	95.81	-----	-----	81.49	35.21	13.35	34.24	0.00	111	8 Peak																																																																								
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5915.72</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>29.05</td><td>35.20</td><td>13.29</td><td>34.20</td><td>0.00</td><td>111</td><td>8 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5915.72	43.34	68.20	-24.86	29.05	35.20	13.29	34.20	0.00	111	8 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>87.30</td><td>-----</td><td>-----</td><td>72.90</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>111</td><td>8 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	87.30	-----	-----	72.90	35.21	13.35	34.24	0.00	111	8 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 5915.72	43.34	68.20	-24.86	29.05	35.20	13.29	34.20	0.00	111	8 Average																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 5985.00	87.30	-----	-----	72.90	35.21	13.35	34.24	0.00	111	8 Average																																																																								



Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170251 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11970.00</td><td>48.25</td><td>74.00</td><td>-25.75</td><td>45.52</td><td>38.74</td><td>19.31</td><td>56.35</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17955.00</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>42.60</td><td>41.60</td><td>23.12</td><td>55.31</td><td>1.28 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11970.00	48.25	74.00	-25.75	45.52	38.74	19.31	56.35	1.03 -- -- Peak	2	17955.00	53.29	74.00	-20.71	42.60	41.60	23.12	55.31	1.28 -- -- Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170251 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11970.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>45.48</td><td>38.74</td><td>19.31</td><td>56.35</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17955.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>42.84</td><td>41.60</td><td>23.12</td><td>55.31</td><td>1.28 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11970.00	48.21	74.00	-25.79	45.48	38.74	19.31	56.35	1.03 -- -- Peak	2	17955.00	53.53	74.00	-20.47	42.84	41.60	23.12	55.31	1.28 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11970.00	48.25	74.00	-25.75	45.52	38.74	19.31	56.35	1.03 -- -- Peak																																																																																													
2	17955.00	53.29	74.00	-20.71	42.60	41.60	23.12	55.31	1.28 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11970.00	48.21	74.00	-25.79	45.48	38.74	19.31	56.35	1.03 -- -- Peak																																																																																													
2	17955.00	53.53	74.00	-20.47	42.84	41.60	23.12	55.31	1.28 -- -- Peak																																																																																													



Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	14																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>45.07</td><td>39.10</td><td>19.55</td><td>56.51</td><td>1.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>35.25</td><td>74.00</td><td>-38.75</td><td>50.82</td><td>37.90</td><td>15.90</td><td>59.83</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	48.35	74.00	-25.65	45.07	39.10	19.55	56.51	1.14	--	--	Peak	2	18675.00	35.25	74.00	-38.75	50.82	37.90	15.90	59.83	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>45.79</td><td>39.10</td><td>19.55</td><td>56.51</td><td>1.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>36.21</td><td>74.00</td><td>-37.79</td><td>51.78</td><td>37.90</td><td>15.90</td><td>59.83</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	49.07	74.00	-24.93	45.79	39.10	19.55	56.51	1.14	--	--	Peak	2	18675.00	36.21	74.00	-37.79	51.78	37.90	15.90	59.83	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12450.00	48.35	74.00	-25.65	45.07	39.10	19.55	56.51	1.14	--	--	Peak																																																																																																																		
2	18675.00	35.25	74.00	-38.75	50.82	37.90	15.90	59.83	-9.54	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12450.00	49.07	74.00	-24.93	45.79	39.10	19.55	56.51	1.14	--	--	Peak																																																																																																																		
2	18675.00	36.21	74.00	-37.79	51.78	37.90	15.90	59.83	-9.54	--	--	Peak																																																																																																																		







Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	15																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>46.11</td><td>39.34</td><td>19.71</td><td>57.20</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.56</td><td>74.00</td><td>-37.44</td><td>51.76</td><td>38.10</td><td>16.14</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	49.18	88.20	-39.02	46.11	39.34	19.71	57.20	1.22	--	Peak	2	19155.00	36.56	74.00	-37.44	51.76	38.10	16.14	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>48.49</td><td>88.20</td><td>-39.71</td><td>45.42</td><td>39.34</td><td>19.71</td><td>57.20</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>50.96</td><td>38.10</td><td>16.14</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.49	88.20	-39.71	45.42	39.34	19.71	57.20	1.22	--	Peak	2	19155.00	35.76	74.00	-38.24	50.96	38.10	16.14	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	49.18	88.20	-39.02	46.11	39.34	19.71	57.20	1.22	--	Peak																																																																																																					
2	19155.00	36.56	74.00	-37.44	51.76	38.10	16.14	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	48.49	88.20	-39.71	45.42	39.34	19.71	57.20	1.22	--	Peak																																																																																																					
2	19155.00	35.76	74.00	-38.24	50.96	38.10	16.14	59.90	-9.54	--	Peak																																																																																																					



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	16																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5882.40</td><td>59.84</td><td>88.20</td><td>-28.36</td><td>45.63</td><td>35.13</td><td>13.24</td><td>34.16</td><td>0.00</td><td>280</td><td>267 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.40	59.84	88.20	-28.36	45.63	35.13	13.24	34.16	0.00	280	267 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.40</td><td>-----</td><td>-----</td><td>83.90</td><td>35.36</td><td>13.44</td><td>34.30</td><td>0.00</td><td>280</td><td>267 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.40	-----	-----	83.90	35.36	13.44	34.30	0.00	280	267 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5882.40	59.84	88.20	-28.36	45.63	35.13	13.24	34.16	0.00	280	267 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6025.00	98.40	-----	-----	83.90	35.36	13.44	34.30	0.00	280	267 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5878.00</td><td>48.48</td><td>68.20</td><td>-19.72</td><td>34.27</td><td>35.12</td><td>13.24</td><td>34.15</td><td>0.00</td><td>280</td><td>267 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5878.00	48.48	68.20	-19.72	34.27	35.12	13.24	34.15	0.00	280	267 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.02</td><td>-----</td><td>-----</td><td>75.52</td><td>35.36</td><td>13.44</td><td>34.30</td><td>0.00</td><td>280</td><td>267 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.02	-----	-----	75.52	35.36	13.44	34.30	0.00	280	267 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5878.00	48.48	68.20	-19.72	34.27	35.12	13.24	34.15	0.00	280	267 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6025.00	90.02	-----	-----	75.52	35.36	13.44	34.30	0.00	280	267 Average																																																																													



Mode	16																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5898.40</td><td>59.26</td><td>88.20</td><td>-28.94</td><td>44.98</td><td>35.19</td><td>13.27</td><td>34.18</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 8 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5898.40	59.26	88.20	-28.94	44.98	35.19	13.27	34.18	0.00									113 8 Peak	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 6025.00</td><td>95.76</td><td>-----</td><td>-----</td><td>81.43</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 8 Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6025.00	95.76	-----	-----	81.43	35.22	13.36	34.25	0.00									113 8 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5898.40	59.26	88.20	-28.94	44.98	35.19	13.27	34.18	0.00																																																																																				
								113 8 Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6025.00	95.76	-----	-----	81.43	35.22	13.36	34.25	0.00																																																																																				
								113 8 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5886.40</td><td>47.72</td><td>68.20</td><td>-20.48</td><td>33.48</td><td>35.15</td><td>13.25</td><td>34.16</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 8 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5886.40	47.72	68.20	-20.48	33.48	35.15	13.25	34.16	0.00									113 8 Average	Level (dBuV/m) Date: 2025-06-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 6025.00</td><td>87.63</td><td>-----</td><td>-----</td><td>73.13</td><td>35.36</td><td>13.44</td><td>34.30</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 8 Average</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6025.00	87.63	-----	-----	73.13	35.36	13.44	34.30	0.00									113 8 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5886.40	47.72	68.20	-20.48	33.48	35.15	13.25	34.16	0.00																																																																																				
								113 8 Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6025.00	87.63	-----	-----	73.13	35.36	13.44	34.30	0.00																																																																																				
								113 8 Average																																																																																				