



Mode	16																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																										
ANT	1																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL						Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12850.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>46.17</td><td>38.90</td><td>19.35</td><td>56.32</td><td>1.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18075.00</td><td>36.05</td><td>74.00</td><td>-37.95</td><td>52.20</td><td>37.50</td><td>15.61</td><td>59.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	49.14	74.00	-24.86	46.17	38.90	19.35	56.32	1.04	--	--	Peak	2	18075.00	36.05	74.00	-37.95	52.20	37.50	15.61	59.72	-9.54	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12850.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>46.56</td><td>38.90</td><td>19.35</td><td>56.32</td><td>1.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18075.00</td><td>35.21</td><td>74.00</td><td>-38.79</td><td>51.36</td><td>37.50</td><td>15.61</td><td>59.72</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	49.53	74.00	-24.47	46.56	38.90	19.35	56.32	1.04	--	--	Peak	2	18075.00	35.21	74.00	-38.79	51.36	37.50	15.61	59.72	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	12850.00	49.14	74.00	-24.86	46.17	38.90	19.35	56.32	1.04	--	--	Peak																																																																																																															
2	18075.00	36.05	74.00	-37.95	52.20	37.50	15.61	59.72	-9.54	--	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	12850.00	49.53	74.00	-24.47	46.56	38.90	19.35	56.32	1.04	--	--	Peak																																																																																																															
2	18075.00	35.21	74.00	-38.79	51.36	37.50	15.61	59.72	-9.54	--	--	Peak																																																																																																															







Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	17																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>45.65</td><td>39.08</td><td>19.51</td><td>56.48</td><td>1.12</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18555.00</td><td>36.78</td><td>74.00</td><td>-37.22</td><td>52.48</td><td>37.81</td><td>15.84</td><td>59.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	48.88	74.00	-25.12	45.65	39.08	19.51	56.48	1.12	--	Peak	2	18555.00	36.78	74.00	-37.22	52.48	37.81	15.84	59.81	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>48.64</td><td>74.00</td><td>-25.36</td><td>45.41</td><td>39.08</td><td>19.51</td><td>56.48</td><td>1.12</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18555.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>52.59</td><td>37.81</td><td>15.84</td><td>59.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	48.64	74.00	-25.36	45.41	39.08	19.51	56.48	1.12	--	Peak	2	18555.00	36.89	74.00	-37.11	52.59	37.81	15.84	59.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12370.00	48.88	74.00	-25.12	45.65	39.08	19.51	56.48	1.12	--	Peak																																																																																																					
2	18555.00	36.78	74.00	-37.22	52.48	37.81	15.84	59.81	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12370.00	48.64	74.00	-25.36	45.41	39.08	19.51	56.48	1.12	--	Peak																																																																																																					
2	18555.00	36.89	74.00	-37.11	52.59	37.81	15.84	59.81	-9.54	--	Peak																																																																																																					







Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Date: 2025-06-09  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>46.52</td><td>39.20</td><td>19.67</td><td>57.00</td><td>1.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>36.32</td><td>74.00</td><td>-37.68</td><td>51.55</td><td>38.13</td><td>16.08</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	49.59	74.00	-24.41	46.52	39.20	19.67	57.00	1.20	--	Peak	2	19035.00	36.32	74.00	-37.68	51.55	38.13	16.08	59.90	-9.54	--	Peak	Date: 2025-06-09  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12690.00</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>46.23</td><td>39.20</td><td>19.67</td><td>57.00</td><td>1.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>35.99</td><td>74.00</td><td>-38.01</td><td>51.22</td><td>38.13</td><td>16.08</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	49.30	74.00	-24.70	46.23	39.20	19.67	57.00	1.20	--	Peak	2	19035.00	35.99	74.00	-38.01	51.22	38.13	16.08	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	49.59	74.00	-24.41	46.52	39.20	19.67	57.00	1.20	--	Peak																																																																																																					
2	19035.00	36.32	74.00	-37.68	51.55	38.13	16.08	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	49.30	74.00	-24.70	46.23	39.20	19.67	57.00	1.20	--	Peak																																																																																																					
2	19035.00	35.99	74.00	-38.01	51.22	38.13	16.08	59.90	-9.54	--	Peak																																																																																																					







Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	19																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.21</td><td>88.20</td><td>-38.99</td><td>46.24</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.25 -- -- Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.14</td><td>74.00</td><td>-38.86</td><td>50.26</td><td>38.10</td><td>16.22</td><td>59.90</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	12870.00	49.21	88.20	-38.99	46.24	39.40	19.76	57.44	1.25 -- -- Peak	2	19305.00	35.14	74.00	-38.86	50.26	38.10	16.22	59.90	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.37</td><td>88.20</td><td>-39.83</td><td>45.40</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.25 -- -- Peak</td></tr><tr><td>2</td><td>19305.00</td><td>34.89</td><td>74.00</td><td>-39.11</td><td>50.01</td><td>38.10</td><td>16.22</td><td>59.90</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	12870.00	48.37	88.20	-39.83	45.40	39.40	19.76	57.44	1.25 -- -- Peak	2	19305.00	34.89	74.00	-39.11	50.01	38.10	16.22	59.90	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	12870.00	49.21	88.20	-38.99	46.24	39.40	19.76	57.44	1.25 -- -- Peak																																																																																													
2	19305.00	35.14	74.00	-38.86	50.26	38.10	16.22	59.90	-9.54 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1	12870.00	48.37	88.20	-39.83	45.40	39.40	19.76	57.44	1.25 -- -- Peak																																																																																													
2	19305.00	34.89	74.00	-39.11	50.01	38.10	16.22	59.90	-9.54 -- -- Peak																																																																																													



Mode	19	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	20																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>45.73</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>35.95</td><td>74.00</td><td>-38.05</td><td>51.06</td><td>38.05</td><td>16.28</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.56	88.20	-39.64	45.73	39.40	19.80	57.64	1.27	--	Peak	2	19425.00	35.95	74.00	-38.05	51.06	38.05	16.28	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>49.10</td><td>88.20</td><td>-39.10</td><td>46.27</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>35.48</td><td>74.00</td><td>-38.52</td><td>50.59</td><td>38.05</td><td>16.28</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	49.10	88.20	-39.10	46.27	39.40	19.80	57.64	1.27	--	Peak	2	19425.00	35.48	74.00	-38.52	50.59	38.05	16.28	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	48.56	88.20	-39.64	45.73	39.40	19.80	57.64	1.27	--	Peak																																																																																																															
2	19425.00	35.95	74.00	-38.05	51.06	38.05	16.28	59.90	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	49.10	88.20	-39.10	46.27	39.40	19.80	57.64	1.27	--	Peak																																																																																																															
2	19425.00	35.48	74.00	-38.52	50.59	38.05	16.28	59.90	-9.54	--	Peak																																																																																																															



Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	21																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.64</td><td>88.20</td><td>-39.56</td><td>46.24</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>50.88</td><td>38.00</td><td>16.33</td><td>59.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.64	88.20	-39.56	46.24	39.08	19.83	57.79	1.28	--	Peak	2	19545.00	35.76	74.00	-38.24	50.88	38.00	16.33	59.91	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.04</td><td>88.20</td><td>-40.16</td><td>45.64</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>35.96</td><td>74.00</td><td>-38.04</td><td>51.08</td><td>38.00</td><td>16.33</td><td>59.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.04	88.20	-40.16	45.64	39.08	19.83	57.79	1.28	--	Peak	2	19545.00	35.96	74.00	-38.04	51.08	38.00	16.33	59.91	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	48.64	88.20	-39.56	46.24	39.08	19.83	57.79	1.28	--	Peak																																																																																																					
2	19545.00	35.76	74.00	-38.24	50.88	38.00	16.33	59.91	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	48.04	88.20	-40.16	45.64	39.08	19.83	57.79	1.28	--	Peak																																																																																																					
2	19545.00	35.96	74.00	-38.04	51.08	38.00	16.33	59.91	-9.54	--	Peak																																																																																																					



Mode	21	
	Harmonic	
	U-NII-6 6.425-6.525 802.11a CH113 6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	22																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>46.28</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19385.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>51.87</td><td>38.10</td><td>16.22</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	49.25	88.20	-38.95	46.28	39.40	19.76	57.44	1.25	--	Peak	2	19385.00	36.75	74.00	-37.25	51.87	38.10	16.22	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>46.22</td><td>39.40</td><td>19.76</td><td>57.44</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19385.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>51.65</td><td>38.10</td><td>16.22</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	49.19	88.20	-39.01	46.22	39.40	19.76	57.44	1.25	--	Peak	2	19385.00	36.53	74.00	-37.47	51.65	38.10	16.22	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	49.25	88.20	-38.95	46.28	39.40	19.76	57.44	1.25	--	Peak																																																																																																					
2	19385.00	36.75	74.00	-37.25	51.87	38.10	16.22	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	49.19	88.20	-39.01	46.22	39.40	19.76	57.44	1.25	--	Peak																																																																																																					
2	19385.00	36.53	74.00	-37.47	51.65	38.10	16.22	59.90	-9.54	--	Peak																																																																																																					



Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	23																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Date: 2025-06-09  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>45.02</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>35.55</td><td>74.00</td><td>-38.45</td><td>50.66</td><td>38.05</td><td>16.28</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg	1	12950.00	47.85	88.20	-40.35	45.02	39.40	19.80	57.64	1.27	--	Peak	2	19425.00	35.55	74.00	-38.45	50.66	38.05	16.28	59.90	-9.54	--	Peak	Date: 2025-06-09  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>45.14</td><td>39.40</td><td>19.80</td><td>57.64</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>51.86</td><td>38.05</td><td>16.28</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg	1	12950.00	47.97	88.20	-40.23	45.14	39.40	19.80	57.64	1.27	--	Peak	2	19425.00	36.75	74.00	-37.25	51.86	38.05	16.28	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	12950.00	47.85	88.20	-40.35	45.02	39.40	19.80	57.64	1.27	--	Peak																																																																																																					
2	19425.00	35.55	74.00	-38.45	50.66	38.05	16.28	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	12950.00	47.97	88.20	-40.23	45.14	39.40	19.80	57.64	1.27	--	Peak																																																																																																					
2	19425.00	36.75	74.00	-37.25	51.86	38.05	16.28	59.90	-9.54	--	Peak																																																																																																					



Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	24																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Date: 2025-06-10  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>45.59</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.28</td><td>-- -- Peak</td></tr><tr><td>2 19545.00</td><td>36.24</td><td>74.00</td><td>-37.76</td><td>51.36</td><td>38.00</td><td>16.33</td><td>59.91</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	47.99	88.20	-40.21	45.59	39.08	19.83	57.79	1.28	-- -- Peak	2 19545.00	36.24	74.00	-37.76	51.36	38.00	16.33	59.91	-9.54	-- -- Peak	Date: 2025-06-10  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13030.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>45.37</td><td>39.08</td><td>19.83</td><td>57.79</td><td>1.28</td><td>-- -- Peak</td></tr><tr><td>2 19545.00</td><td>36.23</td><td>74.00</td><td>-37.77</td><td>51.35</td><td>38.00</td><td>16.33</td><td>59.91</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13030.00	47.77	88.20	-40.43	45.37	39.08	19.83	57.79	1.28	-- -- Peak	2 19545.00	36.23	74.00	-37.77	51.35	38.00	16.33	59.91	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	47.99	88.20	-40.21	45.59	39.08	19.83	57.79	1.28	-- -- Peak																																																																																													
2 19545.00	36.24	74.00	-37.76	51.36	38.00	16.33	59.91	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13030.00	47.77	88.20	-40.43	45.37	39.08	19.83	57.79	1.28	-- -- Peak																																																																																													
2 19545.00	36.23	74.00	-37.77	51.35	38.00	16.33	59.91	-9.54	-- -- Peak																																																																																													



Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-11 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2025-06-11 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2025-06-11 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	25																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12890.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>46.12</td><td>39.40</td><td>19.77</td><td>57.49</td><td>1.25 -- -- Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.14</td><td>74.00</td><td>-37.86</td><td>51.25</td><td>38.10</td><td>16.23</td><td>59.90</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12890.00	49.05	88.20	-39.15	46.12	39.40	19.77	57.49	1.25 -- -- Peak	2	19335.00	36.14	74.00	-37.86	51.25	38.10	16.23	59.90	-9.54 -- -- Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12890.00</td><td>49.09</td><td>88.20</td><td>-39.11</td><td>46.16</td><td>39.40</td><td>19.77</td><td>57.49</td><td>1.25 -- -- Peak</td></tr><tr><td>2</td><td>19335.00</td><td>35.90</td><td>74.00</td><td>-38.10</td><td>51.01</td><td>38.10</td><td>16.23</td><td>59.90</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12890.00	49.09	88.20	-39.11	46.16	39.40	19.77	57.49	1.25 -- -- Peak	2	19335.00	35.90	74.00	-38.10	51.01	38.10	16.23	59.90	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	12890.00	49.05	88.20	-39.15	46.12	39.40	19.77	57.49	1.25 -- -- Peak																																																																																													
2	19335.00	36.14	74.00	-37.86	51.25	38.10	16.23	59.90	-9.54 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	12890.00	49.09	88.20	-39.11	46.16	39.40	19.77	57.49	1.25 -- -- Peak																																																																																													
2	19335.00	35.90	74.00	-38.10	51.01	38.10	16.23	59.90	-9.54 -- -- Peak																																																																																													



Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	26																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>45.89</td><td>39.32</td><td>19.81</td><td>57.69</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.16</td><td>74.00</td><td>-37.84</td><td>51.31</td><td>38.00</td><td>16.29</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.60	88.20	-39.60	45.89	39.32	19.81	57.69	1.27	--	Peak	2	19455.00	36.16	74.00	-37.84	51.31	38.00	16.29	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>45.84</td><td>39.32</td><td>19.81</td><td>57.69</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.03</td><td>74.00</td><td>-37.97</td><td>51.18</td><td>38.00</td><td>16.29</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.55	88.20	-39.65	45.84	39.32	19.81	57.69	1.27	--	Peak	2	19455.00	36.03	74.00	-37.97	51.18	38.00	16.29	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	48.60	88.20	-39.60	45.89	39.32	19.81	57.69	1.27	--	Peak																																																																																																					
2	19455.00	36.16	74.00	-37.84	51.31	38.00	16.29	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	48.55	88.20	-39.65	45.84	39.32	19.81	57.69	1.27	--	Peak																																																																																																					
2	19455.00	36.03	74.00	-37.97	51.18	38.00	16.29	59.90	-9.54	--	Peak																																																																																																					



Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL