




EUT Mode


802.11ax HE80 Full RU

Plot on 5985 MHz




05:04:59 PM 10/28/2025

Plot on 6225 MHz




05:09:00 PM 10/28/2025

Plot on 6385 MHz



05:12:58 PM 10/28/2025


Plot on 6465 MHz




05:29:01 PM 10/28/2025




Plot on 6545 MHz




Plot on 6625 MHz




Plot on 6705 MHz




Plot on 6865 MHz



Plot on 6945 MHz



Plot on 7025 MHz







EUT Mode

802.11ax HE80 996RU67


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6385 MHz




Plot on 6465 MHz






Plot on 6545 MHz




11:46:42 AM 10/30/2025

Plot on 6625 MHz




11:49:41 AM 10/30/2025

Plot on 6705 MHz




11:52:24 AM 10/30/2025

Plot on 6865 MHz




11:54:47 AM 10/30/2025

Plot on 6945 MHz



11:56:50 AM 10/30/2025

Plot on 7025 MHz




11:58:43 AM 10/30/2025



EUT Mode


802.11ax HE160 Full RU

Plot on 6025 MHz




11:04:29 AM 10/29/2025

Plot on 6185 MHz




11:07:02 AM 10/29/2025

Plot on 6345 MHz



11:22:04 AM 10/29/2025


Plot on 6505 MHz




11:29:00 AM 10/29/2025




Plot on 6665 MHz



Plot on 6825 MHz



Plot on 6985 MHz






EUT Mode


802.11ax HE160 1992RU68

Plot on 6025 MHz




01:40:08 PM 10/30/2025

Plot on 6185 MHz




01:38:48 PM 10/30/2025

Plot on 6345 MHz



01:43:14 PM 10/30/2025


Plot on 6505 MHz



01:46:49 PM 10/30/2025




Plot on 6665 MHz




01:48:48 PM 10/30/2025

Plot on 6825 MHz



01:50:54 PM 10/30/2025

Plot on 6985 MHz



01:56:43 PM 11/14/2025



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Louis Chung	Temperature :	21.3~25.5℃
		Relative Humidity :	41.2~46.6%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

5O1534
Mode 1
120Vac/60Hz
Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.170000	---	23.99	54.96	30.97	L1	FLO	20.2
0.170000	43.33	---	64.96	21.63	L1	FLO	20.2
0.214000	---	23.77	53.05	29.28	L1	FLO	20.2
0.214000	41.40	---	63.05	21.65	L1	FLO	20.2
0.234000	---	22.78	52.31	29.53	L1	FLO	20.1
0.234000	40.89	---	62.31	21.42	L1	FLO	20.1
0.298000	---	18.61	50.30	31.69	L1	FLO	20.1
0.298000	35.28	---	60.30	25.02	L1	FLO	20.1
0.354000	---	17.57	48.87	31.30	L1	FLO	20.0
0.354000	33.07	---	58.87	25.80	L1	FLO	20.0
0.522000	---	24.53	46.00	21.47	L1	FLO	20.0
0.522000	35.45	---	56.00	20.55	L1	FLO	20.0
12.046000	---	20.88	50.00	29.12	L1	FLO	20.5
12.046000	31.54	---	60.00	28.46	L1	FLO	20.5

EUT Information

Report NO : 5O1534
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.170000	---	26.00	54.96	28.96	N	FLO	20.2
0.170000	43.96	---	64.96	21.00	N	FLO	20.2
0.190000	---	26.37	54.04	27.67	N	FLO	20.2
0.190000	43.25	---	64.04	20.79	N	FLO	20.2
0.210000	---	23.46	53.21	29.75	N	FLO	20.2
0.210000	41.87	---	63.21	21.34	N	FLO	20.2
0.242000	---	22.90	52.03	29.13	N	FLO	20.1
0.242000	40.03	---	62.03	22.00	N	FLO	20.1
0.290000	---	19.81	50.52	30.71	N	FLO	20.1
0.290000	36.47	---	60.52	24.05	N	FLO	20.1
0.354000	---	18.63	48.87	30.24	N	FLO	20.0
0.354000	32.98	---	58.87	25.89	N	FLO	20.0
0.522000	---	25.48	46.00	20.52	N	FLO	20.0
0.522000	37.65	---	56.00	18.35	N	FLO	20.0
11.478000	---	17.67	50.00	32.33	N	FLO	20.5
11.478000	29.11	---	60.00	30.89	N	FLO	20.5



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Li, Karl Hou and Lucifer Jiang	Temperature :	20.9~22.4°C
		Relative Humidity :	58~63.7%

Note symbol

-L	Low channel location
-R	High channel location



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 1	U-NII-5	5.925-6.425	0	802.11a	1	5955	6Mbps	-
Mode 2	U-NII-5	5.925-6.425	0	802.11a	49	6195	6Mbps	-
Mode 3	U-NII-5	5.925-6.425	0	802.11a	93	6415	6Mbps	-
Mode 4	U-NII-5	5.925-6.425	0	802.11ax HE20	1	5955	MCS0	Full RU
Mode 5	U-NII-5	5.925-6.425	0	802.11ax HE20	1	5955	MCS0	Partial RU 26/0
Mode 6	U-NII-5	5.925-6.425	0	802.11ax HE20	1	5955	MCS0	Partial RU 52/37
Mode 7	U-NII-5	5.925-6.425	0	802.11ax HE20	1	5955	MCS0	Partial RU 106/53
Mode 8	U-NII-5	5.925-6.425	0	802.11ax HE20	49	6195	MCS0	Full RU
Mode 9	U-NII-5	5.925-6.425	0	802.11ax HE20	93	6415	MCS0	Full RU
Mode 10	U-NII-5	5.925-6.425	0	802.11ax HE40	3	5965	MCS0	Full RU
Mode 11	U-NII-5	5.925-6.425	0	802.11ax HE40	51	6205	MCS0	Full RU
Mode 12	U-NII-5	5.925-6.425	0	802.11ax HE40	91	6405	MCS0	Full RU
Mode 13	U-NII-5	5.925-6.425	0	802.11ax HE80	7	5985	MCS0	Full RU
Mode 14	U-NII-5	5.925-6.425	0	802.11ax HE80	55	6225	MCS0	Full RU
Mode 15	U-NII-5	5.925-6.425	0	802.11ax HE80	87	6385	MCS0	Full RU
Mode 16	U-NII-5	5.925-6.425	0	802.11ax HE160	15	6025	MCS0	Full RU
Mode 17	U-NII-5	5.925-6.425	0	802.11ax HE160	47	6185	MCS0	Full RU



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 18	U-NII-5	5.925-6.425	0	802.11ax HE160	79	6345	MCS0	Full RU
Mode 19	U-NII-6	6.425-6.525	0	802.11a	97	6435	6Mbps	-
Mode 20	U-NII-6	6.425-6.525	0	802.11a	105	6475	6Mbps	-
Mode 21	U-NII-6	6.425-6.525	0	802.11a	113	6515	6Mbps	-
Mode 22	U-NII-6	6.425-6.525	0	802.11ax HE20	97	6435	MCS0	Full RU
Mode 23	U-NII-6	6.425-6.525	0	802.11ax HE20	105	6475	MCS0	Full RU
Mode 24	U-NII-6	6.425-6.525	0	802.11ax HE20	113	6515	MCS0	Full RU
Mode 25	U-NII-6	6.425-6.525	0	802.11ax HE40	99	6445	MCS0	Full RU
Mode 26	U-NII-6	6.425-6.525	0	802.11ax HE40	107	6485	MCS0	Full RU
Mode 27	U-NII-6	6.425-6.525	0	802.11ax HE40	115	6525	MCS0	Full RU
Mode 28	U-NII-6	6.425-6.525	0	802.11ax HE80	103	6465	MCS0	Full RU
Mode 29	U-NII-6	6.425-6.525	0	802.11ax HE80	119	6545	MCS0	Full RU
Mode 30	U-NII-6	6.425-6.525	0	802.11ax HE160	111	6505	MCS0	Full RU
Mode 31	U-NII-7	6.525-6.875	0	802.11a	117	6535	6Mbps	-
Mode 32	U-NII-7	6.525-6.875	0	802.11a	149	6695	6Mbps	-
Mode 33	U-NII-7	6.525-6.875	0	802.11a	185	6875	6Mbps	-
Mode 34	U-NII-7	6.525-6.875	0	802.11ax HE20	117	6535	MCS0	Full RU



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 35	U-NII-7	6.525-6.875	0	802.11ax HE20	149	6695	MCS0	Full RU
Mode 36	U-NII-7	6.525-6.875	0	802.11ax HE20	185	6875	MCS0	Full RU
Mode 37	U-NII-7	6.525-6.875	0	802.11ax HE40	123	6565	MCS0	Full RU
Mode 38	U-NII-7	6.525-6.875	0	802.11ax HE40	147	6685	MCS0	Full RU
Mode 39	U-NII-7	6.525-6.875	0	802.11ax HE40	187	6885	MCS0	Full RU
Mode 40	U-NII-7	6.525-6.875	0	802.11ax HE80	135	6625	MCS0	Full RU
Mode 41	U-NII-7	6.525-6.875	0	802.11ax HE80	151	6705	MCS0	Full RU
Mode 42	U-NII-7	6.525-6.875	0	802.11ax HE80	183	6865	MCS0	Full RU
Mode 43	U-NII-7	6.525-6.875	0	802.11ax HE160	143	6665	MCS0	Full RU
Mode 44	U-NII-7	6.525-6.875	0	802.11ax HE160	175	6825	MCS0	Full RU
Mode 45	U-NII-8	6.875-7.125	0	802.11a	189	6895	6Mbps	-
Mode 46	U-NII-8	6.875-7.125	0	802.11a	209	6995	6Mbps	-
Mode 47	U-NII-8	6.875-7.125	0	802.11a	229	7095	6Mbps	-
Mode 48	U-NII-8	6.875-7.125	0	802.11ax HE20	189	6895	MCS0	Full RU
Mode 49	U-NII-8	6.875-7.125	0	802.11ax HE20	209	6995	MCS0	Full RU
Mode 50	U-NII-8	6.875-7.125	0	802.11ax HE20	229	7095	MCS0	Full RU
Mode 51	U-NII-8	6.875-7.125	0	802.11ax HE20	229	7095	MCS0	Partial RU 26/8
Mode 52	U-NII-8	6.875-7.125	0	802.11ax HE20	229	7095	MCS0	Partial RU 52/40



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU
Mode 53	U-NII-8	6.875-7.125	0	802.11ax HE20	229	7095	MCS0	Partial RU 106/54
Mode 54	U-NII-8	6.875-7.125	0	802.11ax HE40	195	6925	MCS0	Full RU
Mode 55	U-NII-8	6.875-7.125	0	802.11ax HE40	211	7005	MCS0	Full RU
Mode 56	U-NII-8	6.875-7.125	0	802.11ax HE40	227	7085	MCS0	Full RU
Mode 57	U-NII-8	6.875-7.125	0	802.11ax HE80	199	6945	MCS0	Full RU
Mode 58	U-NII-8	6.875-7.125	0	802.11ax HE80	215	7025	MCS0	Full RU
Mode 59	U-NII-8	6.875-7.125	0	802.11ax HE160	207	6985	MCS0	Full RU
Mode 60	WLAN 6GHz		0	LF	-	-	-	-



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5841.38	42.35	68.20	-25.85	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	43.08	54.00	-10.92	V	Avg.	Pass	-	Harmonic
2	802.11a	49	12390.00	42.22	54.00	-11.78	H	Avg.	Pass	-	Harmonic
3	802.11a	93	19245.00	39.16	74.00	-34.84	V	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5853.08	42.36	68.20	-25.84	H	Avg.	Pass	Full	Band Edge
	802.11ax HE20	1	17865.00	41.81	54.00	-12.19	V	Avg.	Pass	Full	Harmonic
5	802.11ax HE20	1	5839.30	42.42	68.20	-25.78	V	Avg.	Pass	26/0	Band Edge
6	802.11ax HE20	1	5842.16	42.44	68.20	-25.76	H	Avg.	Pass	52/37	Band Edge
7	802.11ax HE20	1	5855.55	42.46	68.20	-25.74	H	Avg.	Pass	106/53	Band Edge
8	802.11ax HE20	49	12390.00	41.54	54.00	-12.46	V	Avg.	Pass	Full	Harmonic
9	802.11ax HE20	93	19245.00	39.23	74.00	-34.77	V	Peak	Pass	Full	Harmonic
10	802.11ax HE40	3	5856.08	42.70	68.20	-25.50	H	Avg.	Pass	Full	Band Edge
	802.11ax HE40	3	17895.00	41.81	54.00	-12.19	V	Avg.	Pass	Full	Harmonic
11	802.11ax HE40	51	12410.00	40.26	54.00	-13.74	H	Avg.	Pass	Full	Harmonic
12	802.11ax HE40	91	19215.00	39.57	74.00	-34.43	H	Peak	Pass	Full	Harmonic
13	802.11ax HE80	7	5924.84	46.05	68.20	-22.15	H	Avg.	Pass	Full	Band Edge
	802.11ax HE80	7	17955.00	41.86	54.00	-12.14	H	Avg.	Pass	Full	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
14	802.11ax HE80	55	12450.00	40.44	54.00	-13.56	V	Avg.	Pass	Full	Harmonic
15	802.11ax HE80	87	19155.00	39.46	74.00	-34.54	V	Peak	Pass	Full	Harmonic
16	802.11ax HE160	15	5871.40	52.70	68.20	-15.50	H	Avg.	Pass	Full	Band Edge
	802.11ax HE160	15	12050.00	40.07	54.00	-13.93	H	Avg.	Pass	Full	Harmonic
17	802.11ax HE160	47	12370.00	39.88	54.00	-14.12	V	Avg.	Pass	Full	Harmonic
18	802.11ax HE160	79	12690.00	40.68	54.00	-13.32	H	Avg.	Pass	Full	Harmonic
19	802.11a	97	19305.00	39.55	74.00	-34.45	V	Peak	Pass	-	Harmonic
20	802.11a	105	19425.00	38.44	74.00	-35.56	H	Peak	Pass	-	Harmonic
21	802.11a	113	19545.00	38.86	74.00	-35.14	H	Peak	Pass	-	Harmonic
22	802.11ax HE20	97	19305.00	39.25	74.00	-34.75	H	Peak	Pass	Full	Harmonic
23	802.11ax HE20	105	19425.00	38.70	74.00	-35.30	V	Peak	Pass	Full	Harmonic
24	802.11ax HE20	113	19545.00	40.21	74.00	-33.79	V	Peak	Pass	Full	Harmonic
25	802.11ax HE40	99	19335.00	39.22	74.00	-34.78	V	Peak	Pass	Full	Harmonic
26	802.11ax HE40	107	19455.00	38.71	74.00	-35.29	H	Peak	Pass	Full	Harmonic
27	802.11ax HE40	115	19575.00	39.72	74.00	-34.28	V	Peak	Pass	Full	Harmonic
28	802.11ax HE80	103	19395.00	39.64	74.00	-34.36	H	Peak	Pass	Full	Harmonic
29	802.11ax HE80	119	19635.00	39.51	74.00	-34.49	H	Peak	Pass	Full	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
30	802.11ax HE160	111	19515.00	39.62	74.00	-34.38	H	Peak	Pass	Full	Harmonic
31	802.11a	117	19605.00	38.82	74.00	-35.18	H	Peak	Pass	-	Harmonic
32	802.11a	149	13390.00	42.38	54.00	-11.62	H	Avg.	Pass	-	Harmonic
33	802.11a	185	20625.00	39.87	74.00	-34.13	H	Peak	Pass	-	Harmonic
34	802.11ax HE20	117	19605.00	40.05	74.00	-33.95	H	Peak	Pass	Full	Harmonic
35	802.11ax HE20	149	13390.00	42.33	54.00	-11.67	V	Avg.	Pass	Full	Harmonic
36	802.11ax HE20	185	20625.00	39.46	74.00	-34.54	H	Peak	Pass	Full	Harmonic
37	802.11ax HE40	123	19695.00	39.60	74.00	-34.40	V	Peak	Pass	Full	Harmonic
38	802.11ax HE40	147	13370.00	41.75	54.00	-12.25	V	Avg.	Pass	Full	Harmonic
39	802.11ax HE40	187	20655.00	39.13	74.00	-34.87	H	Peak	Pass	Full	Harmonic
40	802.11ax HE80	135	13250.00	42.20	54.00	-11.80	H	Avg.	Pass	Full	Harmonic
41	802.11ax HE80	151	20115.00	39.16	74.00	-34.84	V	Peak	Pass	Full	Harmonic
42	802.11ax HE80	183	20595.00	39.64	74.00	-34.36	V	Peak	Pass	Full	Harmonic
43	802.11ax HE160	143	13330.00	42.51	54.00	-11.49	H	Avg.	Pass	Full	Harmonic
44	802.11ax HE160	175	20475.00	39.63	74.00	-34.37	H	Peak	Pass	Full	Harmonic
45	802.11a	189	20685.00	39.54	74.00	-34.46	V	Peak	Pass	-	Harmonic
46	802.11a	209	20985.00	40.09	74.00	-33.91	H	Peak	Pass	-	Harmonic
47	802.11a	229	14190.00	53.89	88.20	-34.31	V	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
48	802.11ax HE20	189	20685.00	39.80	74.00	-34.20	V	Peak	Pass	Full	Harmonic
49	802.11ax HE20	209	20985.00	39.05	74.00	-34.95	H	Peak	Pass	Full	Harmonic
50	802.11ax HE20	229	7230.45	45.07	68.20	-23.13	H	Avg.	Pass	Full	Band Edge
	802.11ax HE20	229	21285.00	41.16	74.00	-32.84	V	Peak	Pass	Full	Harmonic
51	802.11ax HE20	229	7224.15	45.17	68.20	-23.03	V	Avg.	Pass	26/8	Band Edge
52	802.11ax HE20	229	7217.10	45.20	68.20	-23.00	H	Avg.	Pass	52/40	Band Edge
53	802.11ax HE20	229	7211.25	45.18	68.20	-23.02	H	Avg.	Pass	106/54	Band Edge
54	802.11ax HE40	195	13850.00	53.26	88.20	-34.94	H	Peak	Pass	Full	Harmonic
55	802.11ax HE40	211	21015.00	39.20	74.00	-34.80	V	Peak	Pass	Full	Harmonic
56	802.11ax HE40	227	7204.36	45.20	68.20	-23.00	H	Avg.	Pass	Full	Band Edge
57	802.11ax HE80	199	13890.00	53.56	88.20	-34.64	H	Peak	Pass	Full	Harmonic
58	802.11ax HE80	215	7126.64	47.78	68.20	-20.42	H	Avg.	Pass	Full	Band Edge
	802.11ax HE80	215	21075.00	39.66	74.00	-34.34	V	Peak	Pass	Full	Harmonic
59	802.11ax HE160	207	7125.16	50.86	68.20	-17.34	H	Avg.	Pass	Full	Band Edge
	802.11ax HE160	207	20955.00	39.67	74.00	-34.33	V	Peak	Pass	Full	Harmonic
60	LF		715.79	36.70	46.00	-9.30	H	Peak	Pass	-	-





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5883.11</td><td>52.57</td><td>88.20</td><td>-35.63</td><td>37.00</td><td>34.03</td><td>11.31</td><td>34.15</td><td>3.58</td><td>100</td><td>298 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5883.11	52.57	88.20	-35.63	37.00	34.03	11.31	34.15	3.58	100	298 Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.89</td><td>-----</td><td>-----</td><td>82.21</td><td>34.00</td><td>11.38</td><td>34.25</td><td>3.55</td><td>100</td><td>298 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.89	-----	-----	82.21	34.00	11.38	34.25	3.55	100	298 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5883.11	52.57	88.20	-35.63	37.00	34.03	11.31	34.15	3.58	100	298 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	96.89	-----	-----	82.21	34.00	11.38	34.25	3.55	100	298 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5841.38</td><td>42.35</td><td>68.20</td><td>-25.85</td><td>27.47</td><td>34.10</td><td>11.27</td><td>34.09</td><td>3.60</td><td>100</td><td>298 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5841.38	42.35	68.20	-25.85	27.47	34.10	11.27	34.09	3.60	100	298 Average	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.97</td><td>-----</td><td>-----</td><td>75.29</td><td>34.00</td><td>11.38</td><td>34.25</td><td>3.55</td><td>100</td><td>298 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.97	-----	-----	75.29	34.00	11.38	34.25	3.55	100	298 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5841.38	42.35	68.20	-25.85	27.47	34.10	11.27	34.09	3.60	100	298 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	89.97	-----	-----	75.29	34.00	11.38	34.25	3.55	100	298 Average																																																																																							



Mode	1																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																											
ANT	0																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.93</td><td>52.61</td><td>88.20 -35.59</td><td>37.88</td><td>34.00</td><td>11.32</td><td>34.17</td><td>3.58</td><td>400</td><td>177 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.93	52.61	88.20 -35.59	37.88	34.00	11.32	34.17	3.58	400	177 Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.97</td><td>-----</td><td>76.27</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>400</td><td>177 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.97	-----	76.27	34.00	11.37	34.23	3.56	400	177 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5897.93	52.61	88.20 -35.59	37.88	34.00	11.32	34.17	3.58	400	177 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	90.97	-----	76.27	34.00	11.37	34.23	3.56	400	177 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5839.43</td><td>42.27</td><td>68.20 -25.93</td><td>27.39</td><td>34.10</td><td>11.27</td><td>34.09</td><td>3.60</td><td>400</td><td>177 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5839.43	42.27	68.20 -25.93	27.39	34.10	11.27	34.09	3.60	400	177 Average	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.31</td><td>-----</td><td>68.61</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>400</td><td>177 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.31	-----	68.61	34.00	11.37	34.23	3.56	400	177 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5839.43	42.27	68.20 -25.93	27.39	34.10	11.27	34.09	3.60	400	177 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	83.31	-----	68.61	34.00	11.37	34.23	3.56	400	177 Average																																																																																		



Mode	1																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																										
ANT	0																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>35.38</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>39.97</td><td>54.00</td><td>-14.03</td><td>25.15</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>39.10</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>28.89</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	50.20	74.00	-23.80	35.38	38.68	15.98	40.34	0.50	--	Peak	2	11910.00	39.97	54.00	-14.03	25.15	38.68	15.98	40.34	0.50	--	Average	3	17865.00	53.11	74.00	-20.89	39.10	40.36	19.70	46.76	0.71	--	Peak	4	17865.00	42.90	54.00	-11.10	28.89	40.36	19.70	46.76	0.71	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11910.00	50.20	74.00	-23.80	35.38	38.68	15.98	40.34	0.50	--	Peak																																																																																
2	11910.00	39.97	54.00	-14.03	25.15	38.68	15.98	40.34	0.50	--	Average																																																																																
3	17865.00	53.11	74.00	-20.89	39.10	40.36	19.70	46.76	0.71	--	Peak																																																																																
4	17865.00	42.90	54.00	-11.10	28.89	40.36	19.70	46.76	0.71	--	Average																																																																																
Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 VERTICAL																																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>35.66</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>40.34</td><td>54.00</td><td>-13.66</td><td>25.52</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>39.30</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>29.07</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	50.48	74.00	-23.52	35.66	38.68	15.98	40.34	0.50	--	Peak	2	11910.00	40.34	54.00	-13.66	25.52	38.68	15.98	40.34	0.50	--	Average	3	17865.00	53.31	74.00	-20.69	39.30	40.36	19.70	46.76	0.71	--	Peak	4	17865.00	43.08	54.00	-10.92	29.07	40.36	19.70	46.76	0.71	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11910.00	50.48	74.00	-23.52	35.66	38.68	15.98	40.34	0.50	--	Peak																																																																																
2	11910.00	40.34	54.00	-13.66	25.52	38.68	15.98	40.34	0.50	--	Average																																																																																
3	17865.00	53.31	74.00	-20.69	39.30	40.36	19.70	46.76	0.71	--	Peak																																																																																
4	17865.00	43.08	54.00	-10.92	29.07	40.36	19.70	46.76	0.71	--	Average																																																																																



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-01 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-01 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	2																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>36.70</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>42.22</td><td>54.00</td><td>-11.78</td><td>26.46</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>54.14</td><td>38.34</td><td>20.08</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.46	74.00	-21.54	36.70	39.18	16.34	40.23	0.47	--	--	Peak	2	12390.00	42.22	54.00	-11.78	26.46	39.18	16.34	40.23	0.47	--	--	Average	3	18585.00	38.32	74.00	-35.68	54.14	38.34	20.08	64.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EM_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>35.45</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>25.24</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.39</td><td>74.00</td><td>-35.61</td><td>54.21</td><td>38.34</td><td>20.08</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.21	74.00	-22.79	35.45	39.18	16.34	40.23	0.47	--	--	Peak	2	12390.00	41.00	54.00	-13.00	25.24	39.18	16.34	40.23	0.47	--	--	Average	3	18585.00	38.39	74.00	-35.61	54.21	38.34	20.08	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	52.46	74.00	-21.54	36.70	39.18	16.34	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	42.22	54.00	-11.78	26.46	39.18	16.34	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.32	74.00	-35.68	54.14	38.34	20.08	64.70	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	51.21	74.00	-22.79	35.45	39.18	16.34	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	41.00	54.00	-13.00	25.24	39.18	16.34	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.39	74.00	-35.61	54.21	38.34	20.08	64.70	-9.54	--	--	Peak																																																																																																																																												



Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-01 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-01 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL







Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																											
ANT	0																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-11-20  Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>51.48</td><td>88.20</td><td>-36.72</td><td>35.00</td><td>39.90</td><td>16.68</td><td>40.54</td><td>0.44</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>38.40</td><td>74.00</td><td>-35.60</td><td>53.55</td><td>38.20</td><td>20.44</td><td>64.25</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12830.00	51.48	88.20	-36.72	35.00	39.90	16.68	40.54	0.44	--	--	Peak	2	19245.00	38.40	74.00	-35.60	53.55	38.20	20.44	64.25	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-11-01  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH10-E_LE2C05A18EN_250702 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>51.42</td><td>88.20</td><td>-36.78</td><td>34.94</td><td>39.90</td><td>16.68</td><td>40.54</td><td>0.44</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>54.31</td><td>38.20</td><td>20.44</td><td>64.25</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12830.00	51.42	88.20	-36.78	34.94	39.90	16.68	40.54	0.44	--	--	Peak	2	19245.00	39.16	74.00	-34.84	54.31	38.20	20.44	64.25	-9.54	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	12830.00	51.48	88.20	-36.72	35.00	39.90	16.68	40.54	0.44	--	--	Peak																																																																																																																																
2	19245.00	38.40	74.00	-35.60	53.55	38.20	20.44	64.25	-9.54	--	--	Peak																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	12830.00	51.42	88.20	-36.78	34.94	39.90	16.68	40.54	0.44	--	--	Peak																																																																																																																																
2	19245.00	39.16	74.00	-34.84	54.31	38.20	20.44	64.25	-9.54	--	--	Peak																																																																																																																																



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-01 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-01 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	4																																																																																														
	Band Edge																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																														
ANT	0																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-11-05  Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5888.18</td><td>53.54</td><td>88.20 -34.66</td><td>38.78</td><td>34.02</td><td>11.31</td><td>34.15</td><td>3.58</td><td>100</td><td>295</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5888.18	53.54	88.20 -34.66	38.78	34.02	11.31	34.15	3.58	100	295	Peak	Level (dBuV/m) Date: 2025-11-05  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>100.95</td><td>-----</td><td>86.25</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>295</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	100.95	-----	86.25	34.00	11.37	34.23	3.56	100	295	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5888.18	53.54	88.20 -34.66	38.78	34.02	11.31	34.15	3.58	100	295	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5955.00	100.95	-----	86.25	34.00	11.37	34.23	3.56	100	295	Peak																																																																																					
Avg	Level (dBuV/m) Date: 2025-11-05  Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.00</td><td>42.36</td><td>68.20 -25.84</td><td>27.51</td><td>34.09</td><td>11.28</td><td>34.11</td><td>3.59</td><td>100</td><td>295</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.00	42.36	68.20 -25.84	27.51	34.09	11.28	34.11	3.59	100	295	Average	Level (dBuV/m) Date: 2025-11-05  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>91.76</td><td>-----</td><td>77.00</td><td>34.00</td><td>11.38</td><td>34.25</td><td>3.55</td><td>100</td><td>295</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	91.76	-----	77.00	34.00	11.38	34.25	3.55	100	295	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5853.00	42.36	68.20 -25.84	27.51	34.09	11.28	34.11	3.59	100	295	Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5955.00	91.76	-----	77.00	34.00	11.38	34.25	3.55	100	295	Average																																																																																					



Mode	4																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																									
ANT	0																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5881.16</td><td>52.85</td><td>88.20 -35.35</td><td>38.07</td><td>34.04</td><td>11.31</td><td>34.15</td><td>3.58</td><td>100</td><td>265 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5881.16	52.85	88.20 -35.35	38.07	34.04	11.31	34.15	3.58	100	265 Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>95.19</td><td>-----</td><td>80.51</td><td>34.00</td><td>11.38</td><td>34.25</td><td>3.55</td><td>100</td><td>265 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	95.19	-----	80.51	34.00	11.38	34.25	3.55	100	265 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5881.16	52.85	88.20 -35.35	38.07	34.04	11.31	34.15	3.58	100	265 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	95.19	-----	80.51	34.00	11.38	34.25	3.55	100	265 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5842.81</td><td>42.35</td><td>68.20 -25.85</td><td>27.48</td><td>34.10</td><td>11.27</td><td>34.10</td><td>3.60</td><td>100</td><td>265 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5842.81	42.35	68.20 -25.85	27.48	34.10	11.27	34.10	3.60	100	265 Average	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>86.86</td><td>-----</td><td>72.18</td><td>34.00</td><td>11.38</td><td>34.25</td><td>3.55</td><td>100</td><td>265 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	86.86	-----	72.18	34.00	11.38	34.25	3.55	100	265 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5842.81	42.35	68.20 -25.85	27.48	34.10	11.27	34.10	3.60	100	265 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5955.00	86.86	-----	72.18	34.00	11.38	34.25	3.55	100	265 Average																																																																																	



	4																																																																																																																																																																									
Mode	Harmonic																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																									
ANT	0																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>34.78</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>24.38</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>38.66</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>27.57</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	49.60	74.00	-24.40	34.78	38.68	15.98	40.34	0.50	--	Peak	2	11910.00	39.20	54.00	-14.80	24.38	38.68	15.98	40.34	0.50	--	Average	3	17865.00	52.67	74.00	-21.33	38.66	40.36	19.70	46.76	0.71	--	Peak	4	17865.00	41.58	54.00	-12.42	27.57	40.36	19.70	46.76	0.71	--	Average	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>34.99</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>39.18</td><td>54.00</td><td>-14.82</td><td>24.36</td><td>38.68</td><td>15.98</td><td>40.34</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>38.18</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>41.81</td><td>54.00</td><td>-12.19</td><td>27.00</td><td>40.36</td><td>19.70</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	49.81	74.00	-24.19	34.99	38.68	15.98	40.34	0.50	--	Peak	2	11910.00	39.18	54.00	-14.82	24.36	38.68	15.98	40.34	0.50	--	Average	3	17865.00	52.19	74.00	-21.81	38.18	40.36	19.70	46.76	0.71	--	Peak	4	17865.00	41.81	54.00	-12.19	27.00	40.36	19.70	46.76	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	49.60	74.00	-24.40	34.78	38.68	15.98	40.34	0.50	--	Peak																																																																																																																																																															
2	11910.00	39.20	54.00	-14.80	24.38	38.68	15.98	40.34	0.50	--	Average																																																																																																																																																															
3	17865.00	52.67	74.00	-21.33	38.66	40.36	19.70	46.76	0.71	--	Peak																																																																																																																																																															
4	17865.00	41.58	54.00	-12.42	27.57	40.36	19.70	46.76	0.71	--	Average																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																
1	11910.00	49.81	74.00	-24.19	34.99	38.68	15.98	40.34	0.50	--	Peak																																																																																																																																																															
2	11910.00	39.18	54.00	-14.82	24.36	38.68	15.98	40.34	0.50	--	Average																																																																																																																																																															
3	17865.00	52.19	74.00	-21.81	38.18	40.36	19.70	46.76	0.71	--	Peak																																																																																																																																																															
4	17865.00	41.81	54.00	-12.19	27.00	40.36	19.70	46.76	0.71	--	Average																																																																																																																																																															



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL







Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 26/0_5955MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5865.17</td><td>53.05</td><td>88.20</td><td>-35.15</td><td>38.22</td><td>34.07</td><td>11.29</td><td>34.12</td><td>3.59</td><td>103</td><td>306</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5865.17	53.05	88.20	-35.15	38.22	34.07	11.29	34.12	3.59	103	306	Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.63</td><td>-----</td><td>-----</td><td>83.93</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>103</td><td>306</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.63	-----	-----	83.93	34.00	11.37	34.23	3.56	103	306	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5865.17	53.05	88.20	-35.15	38.22	34.07	11.29	34.12	3.59	103	306	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	98.63	-----	-----	83.93	34.00	11.37	34.23	3.56	103	306	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5843.33</td><td>42.41</td><td>68.20</td><td>-25.79</td><td>27.55</td><td>34.10</td><td>11.27</td><td>34.10</td><td>3.59</td><td>103</td><td>306</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5843.33	42.41	68.20	-25.79	27.55	34.10	11.27	34.10	3.59	103	306	Average	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.56</td><td>-----</td><td>-----</td><td>76.86</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>103</td><td>306</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.56	-----	-----	76.86	34.00	11.37	34.23	3.56	103	306	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5843.33	42.41	68.20	-25.79	27.55	34.10	11.27	34.10	3.59	103	306	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	91.56	-----	-----	76.86	34.00	11.37	34.23	3.56	103	306	Average																																																																																								



Mode	5																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 26/0_5955MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.70</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>38.96</td><td>34.05</td><td>11.30</td><td>34.14</td><td>3.58</td><td>100</td><td>317 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5875.70	53.75	88.20	-34.45	38.96	34.05	11.30	34.14	3.58	100	317 Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.01</td><td>-----</td><td>-----</td><td>76.31</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>317 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.01	-----	-----	76.31	34.00	11.37	34.23	3.56	100	317 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5875.70	53.75	88.20	-34.45	38.96	34.05	11.30	34.14	3.58	100	317 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	91.01	-----	-----	76.31	34.00	11.37	34.23	3.56	100	317 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5839.30</td><td>42.42</td><td>68.20</td><td>-25.78</td><td>27.54</td><td>34.10</td><td>11.27</td><td>34.09</td><td>3.60</td><td>100</td><td>317 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5839.30	42.42	68.20	-25.78	27.54	34.10	11.27	34.09	3.60	100	317 Average	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.93</td><td>-----</td><td>-----</td><td>70.23</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>317 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.93	-----	-----	70.23	34.00	11.37	34.23	3.56	100	317 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5839.30	42.42	68.20	-25.78	27.54	34.10	11.27	34.09	3.60	100	317 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	84.93	-----	-----	70.23	34.00	11.37	34.23	3.56	100	317 Average																																																																																							







Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 52/37_5955MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.13</td><td>52.73</td><td>88.20</td><td>-35.47</td><td>38.01</td><td>34.00</td><td>11.34</td><td>34.19</td><td>3.57</td><td>103</td><td>305</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.13	52.73	88.20	-35.47	38.01	34.00	11.34	34.19	3.57	103	305	Peak	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.09</td><td>-----</td><td>-----</td><td>84.39</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>103</td><td>305</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.09	-----	-----	84.39	34.00	11.37	34.23	3.56	103	305	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5916.13	52.73	88.20	-35.47	38.01	34.00	11.34	34.19	3.57	103	305	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	99.09	-----	-----	84.39	34.00	11.37	34.23	3.56	103	305	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5842.16</td><td>42.44</td><td>68.20</td><td>-25.76</td><td>27.56</td><td>34.10</td><td>11.27</td><td>34.09</td><td>3.60</td><td>103</td><td>305</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5842.16	42.44	68.20	-25.76	27.56	34.10	11.27	34.09	3.60	103	305	Average	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.02</td><td>-----</td><td>-----</td><td>76.32</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>103</td><td>305</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.02	-----	-----	76.32	34.00	11.37	34.23	3.56	103	305	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5842.16	42.44	68.20	-25.76	27.56	34.10	11.27	34.09	3.60	103	305	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	91.02	-----	-----	76.32	34.00	11.37	34.23	3.56	103	305	Average																																																																																								



Mode	6																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 52/37_5955MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.55</td><td>53.06</td><td>88.20</td><td>-35.14</td><td>38.34</td><td>34.00</td><td>11.33</td><td>34.18</td><td>3.57</td><td>100</td><td>318 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.55	53.06	88.20	-35.14	38.34	34.00	11.33	34.18	3.57	100	318 Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.33</td><td>-----</td><td>-----</td><td>78.63</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>318 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.33	-----	-----	78.63	34.00	11.37	34.23	3.56	100	318 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5907.55	53.06	88.20	-35.14	38.34	34.00	11.33	34.18	3.57	100	318 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	93.33	-----	-----	78.63	34.00	11.37	34.23	3.56	100	318 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.26</td><td>42.42</td><td>68.20</td><td>-25.78</td><td>27.56</td><td>34.10</td><td>11.28</td><td>34.11</td><td>3.59</td><td>100</td><td>318 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.26	42.42	68.20	-25.78	27.56	34.10	11.28	34.11	3.59	100	318 Average	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.31</td><td>-----</td><td>-----</td><td>70.61</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>318 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.31	-----	-----	70.61	34.00	11.37	34.23	3.56	100	318 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5851.26	42.42	68.20	-25.78	27.56	34.10	11.28	34.11	3.59	100	318 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	85.31	-----	-----	70.61	34.00	11.37	34.23	3.56	100	318 Average																																																																																							



Mode	7																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.72</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.57</td><td>34.00</td><td>11.35</td><td>34.20</td><td>3.57</td><td>100</td><td>304</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.72	53.29	88.20	-34.91	38.57	34.00	11.35	34.20	3.57	100	304	Peak	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.69</td><td>-----</td><td>-----</td><td>84.99</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>304</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.69	-----	-----	84.99	34.00	11.37	34.23	3.56	100	304	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.72	53.29	88.20	-34.91	38.57	34.00	11.35	34.20	3.57	100	304	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	99.69	-----	-----	84.99	34.00	11.37	34.23	3.56	100	304	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.55</td><td>42.46</td><td>68.20</td><td>-25.74</td><td>27.61</td><td>34.09</td><td>11.28</td><td>34.11</td><td>3.59</td><td>100</td><td>304</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.55	42.46	68.20	-25.74	27.61	34.09	11.28	34.11	3.59	100	304	Average	Level (dBuV/m) Date: 2025-11-21  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.72</td><td>-----</td><td>-----</td><td>77.02</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>100</td><td>304</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.72	-----	-----	77.02	34.00	11.37	34.23	3.56	100	304	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5855.55	42.46	68.20	-25.74	27.61	34.09	11.28	34.11	3.59	100	304	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	91.72	-----	-----	77.02	34.00	11.37	34.23	3.56	100	304	Average																																																																																								



Mode	7																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.16</td><td>52.16</td><td>88.20</td><td>-36.04</td><td>37.35</td><td>34.06</td><td>11.29</td><td>34.13</td><td>3.59</td><td>381</td><td>240 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5868.16	52.16	88.20	-36.04	37.35	34.06	11.29	34.13	3.59	381	240 Peak	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.18</td><td>-----</td><td>-----</td><td>80.48</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>381</td><td>240 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.18	-----	-----	80.48	34.00	11.37	34.23	3.56	381	240 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5868.16	52.16	88.20	-36.04	37.35	34.06	11.29	34.13	3.59	381	240 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	95.18	-----	-----	80.48	34.00	11.37	34.23	3.56	381	240 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5838.13</td><td>42.43</td><td>68.20</td><td>-25.77</td><td>27.55</td><td>34.10</td><td>11.27</td><td>34.09</td><td>3.60</td><td>381</td><td>240 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5838.13	42.43	68.20	-25.77	27.55	34.10	11.27	34.09	3.60	381	240 Average	Level (dBuV/m) Date: 2025-11-21 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.89</td><td>-----</td><td>-----</td><td>72.19</td><td>34.00</td><td>11.37</td><td>34.23</td><td>3.56</td><td>381</td><td>240 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.89	-----	-----	72.19	34.00	11.37	34.23	3.56	381	240 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5838.13	42.43	68.20	-25.77	27.55	34.10	11.27	34.09	3.60	381	240 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	86.89	-----	-----	72.19	34.00	11.37	34.23	3.56	381	240 Average																																																																																							



Mode	8																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.19</td><td>74.00</td><td>-22.81</td><td>35.43</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>25.19</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>55.17</td><td>38.34</td><td>20.08</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.19	74.00	-22.81	35.43	39.18	16.34	40.23	0.47	--	--	Peak	2	12390.00	40.95	54.00	-13.05	25.19	39.18	16.34	40.23	0.47	--	--	Average	3	18585.00	39.35	74.00	-34.65	55.17	38.34	20.08	64.70	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EM_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.77</td><td>74.00</td><td>-22.23</td><td>36.01</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12390.00</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>25.78</td><td>39.18</td><td>16.34</td><td>40.23</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>54.14</td><td>38.34</td><td>20.08</td><td>64.70</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.77	74.00	-22.23	36.01	39.18	16.34	40.23	0.47	--	--	Peak	2	12390.00	41.54	54.00	-12.46	25.78	39.18	16.34	40.23	0.47	--	--	Average	3	18585.00	38.32	74.00	-35.68	54.14	38.34	20.08	64.70	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	51.19	74.00	-22.81	35.43	39.18	16.34	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	40.95	54.00	-13.05	25.19	39.18	16.34	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	39.35	74.00	-34.65	55.17	38.34	20.08	64.70	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12390.00	51.77	74.00	-22.23	36.01	39.18	16.34	40.23	0.47	--	--	Peak																																																																																																																																												
2	12390.00	41.54	54.00	-12.46	25.78	39.18	16.34	40.23	0.47	--	--	Average																																																																																																																																												
3	18585.00	38.32	74.00	-35.68	54.14	38.34	20.08	64.70	-9.54	--	--	Peak																																																																																																																																												





Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-01 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-01 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>50.99</td><td>88.20</td><td>-37.21</td><td>34.51</td><td>39.90</td><td>16.68</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>38.62</td><td>74.00</td><td>-35.38</td><td>53.77</td><td>38.20</td><td>20.44</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	50.99	88.20	-37.21	34.51	39.90	16.68	40.54	0.44	--	Peak	2	19245.00	38.62	74.00	-35.38	53.77	38.20	20.44	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2025-11-01 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH10-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>50.77</td><td>88.20</td><td>-37.43</td><td>34.29</td><td>39.90</td><td>16.68</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>54.38</td><td>38.20</td><td>20.44</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	50.77	88.20	-37.43	34.29	39.90	16.68	40.54	0.44	--	Peak	2	19245.00	39.23	74.00	-34.77	54.38	38.20	20.44	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	50.99	88.20	-37.21	34.51	39.90	16.68	40.54	0.44	--	Peak																																																																																																															
2	19245.00	38.62	74.00	-35.38	53.77	38.20	20.44	64.25	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	50.77	88.20	-37.43	34.29	39.90	16.68	40.54	0.44	--	Peak																																																																																																															
2	19245.00	39.23	74.00	-34.77	54.38	38.20	20.44	64.25	-9.54	--	Peak																																																																																																															



Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-01  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-01  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	10																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>38.70</td><td>34.00</td><td>11.35</td><td>34.20</td><td>3.57</td><td>102</td><td>293</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	53.42	88.20	-34.78	38.70	34.00	11.35	34.20	3.57	102	293	Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>101.47</td><td>-----</td><td>-----</td><td>86.79</td><td>34.00</td><td>11.39</td><td>34.26</td><td>3.55</td><td>102</td><td>293</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.47	-----	-----	86.79	34.00	11.39	34.26	3.55	102	293	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.46	53.42	88.20	-34.78	38.70	34.00	11.35	34.20	3.57	102	293	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	101.47	-----	-----	86.79	34.00	11.39	34.26	3.55	102	293	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.00</td><td>42.70</td><td>68.20</td><td>-25.50</td><td>27.85</td><td>34.00</td><td>11.28</td><td>34.11</td><td>3.59</td><td>102</td><td>293</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5856.00	42.70	68.20	-25.50	27.85	34.00	11.28	34.11	3.59	102	293	Average	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>91.92</td><td>-----</td><td>-----</td><td>77.24</td><td>34.00</td><td>11.39</td><td>34.26</td><td>3.55</td><td>102</td><td>293</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	91.92	-----	-----	77.24	34.00	11.39	34.26	3.55	102	293	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5856.00	42.70	68.20	-25.50	27.85	34.00	11.28	34.11	3.59	102	293	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	91.92	-----	-----	77.24	34.00	11.39	34.26	3.55	102	293	Average																																																																																								



Mode	10																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5846.56</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>38.50</td><td>34.10</td><td>11.27</td><td>34.10</td><td>3.59</td><td>100</td><td>265 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5846.56	53.36	88.20	-34.84	38.50	34.10	11.27	34.10	3.59	100	265 Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.46</td><td>-----</td><td>-----</td><td>81.76</td><td>34.00</td><td>11.38</td><td>34.24</td><td>3.56</td><td>100</td><td>265 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.46	-----	-----	81.76	34.00	11.38	34.24	3.56	100	265 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5846.56	53.36	88.20	-34.84	38.50	34.10	11.27	34.10	3.59	100	265 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	96.46	-----	-----	81.76	34.00	11.38	34.24	3.56	100	265 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5847.54</td><td>42.45</td><td>68.20</td><td>-25.75</td><td>27.58</td><td>34.10</td><td>11.28</td><td>34.10</td><td>3.59</td><td>100</td><td>265 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5847.54	42.45	68.20	-25.75	27.58	34.10	11.28	34.10	3.59	100	265 Average	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.66</td><td>-----</td><td>-----</td><td>72.98</td><td>34.00</td><td>11.40</td><td>34.27</td><td>3.55</td><td>100</td><td>265 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.66	-----	-----	72.98	34.00	11.40	34.27	3.55	100	265 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5847.54	42.45	68.20	-25.75	27.58	34.10	11.28	34.10	3.59	100	265 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	87.66	-----	-----	72.98	34.00	11.40	34.27	3.55	100	265 Average																																																																																							



	10											
Mode	Harmonic											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz											
ANT	0											
Pol.	Horizontal						Vertical					
Peak Avg												



Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-05 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-05 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	11																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																																							
ANT	0																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m 88HA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>35.11</td><td>39.24</td><td>16.36</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>40.26</td><td>54.00</td><td>-13.74</td><td>24.41</td><td>39.24</td><td>16.36</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>38.20</td><td>74.00</td><td>-35.80</td><td>53.93</td><td>38.37</td><td>20.10</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	50.96	74.00	-23.04	35.11	39.24	16.36	40.22	0.47	--	--	Peak	2	12410.00	40.26	54.00	-13.74	24.41	39.24	16.36	40.22	0.47	--	--	Average	3	18615.00	38.20	74.00	-35.80	53.93	38.37	20.10	64.66	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EM_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>35.13</td><td>39.24</td><td>16.36</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>24.38</td><td>39.24</td><td>16.36</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>54.92</td><td>38.37</td><td>20.10</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	50.98	74.00	-23.02	35.13	39.24	16.36	40.22	0.47	--	--	Peak	2	12410.00	40.23	54.00	-13.77	24.38	39.24	16.36	40.22	0.47	--	--	Average	3	18615.00	39.19	74.00	-34.81	54.92	38.37	20.10	64.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	50.96	74.00	-23.04	35.11	39.24	16.36	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	40.26	54.00	-13.74	24.41	39.24	16.36	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	38.20	74.00	-35.80	53.93	38.37	20.10	64.66	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	50.98	74.00	-23.02	35.13	39.24	16.36	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	40.23	54.00	-13.77	24.38	39.24	16.36	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	39.19	74.00	-34.81	54.92	38.37	20.10	64.66	-9.54	--	--	Peak																																																																																																																																												



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	12																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																																								
ANT	0																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-11-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>34.63</td><td>39.90</td><td>16.66</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.57</td><td>74.00</td><td>-34.43</td><td>54.73</td><td>38.20</td><td>20.42</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	51.12	88.20	-37.08	34.63	39.90	16.66	40.51	0.44	--	Peak	2	19215.00	39.57	74.00	-34.43	54.73	38.20	20.42	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH10-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>51.34</td><td>88.20</td><td>-36.86</td><td>34.85</td><td>39.90</td><td>16.66</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>38.97</td><td>74.00</td><td>-35.03</td><td>54.13</td><td>38.20</td><td>20.42</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	51.34	88.20	-36.86	34.85	39.90	16.66	40.51	0.44	--	Peak	2	19215.00	38.97	74.00	-35.03	54.13	38.20	20.42	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12810.00	51.12	88.20	-37.08	34.63	39.90	16.66	40.51	0.44	--	Peak																																																																																																														
2	19215.00	39.57	74.00	-34.43	54.73	38.20	20.42	64.24	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12810.00	51.34	88.20	-36.86	34.85	39.90	16.66	40.51	0.44	--	Peak																																																																																																														
2	19215.00	38.97	74.00	-35.03	54.13	38.20	20.42	64.24	-9.54	--	Peak																																																																																																														



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	13																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																	
ANT	0																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5904.52</td><td>55.80</td><td>88.20 -32.40</td><td>41.00</td><td>34.00</td><td>11.33</td><td>34.18</td><td>3.57</td><td>100</td><td>292 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5904.52	55.80	88.20 -32.40	41.00	34.00	11.33	34.18	3.57	100	292 Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>101.14</td><td>-----</td><td>86.40</td><td>34.08</td><td>11.44</td><td>34.32</td><td>3.54</td><td>100</td><td>292 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	101.14	-----	86.40	34.08	11.44	34.32	3.54	100	292 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5904.52	55.80	88.20 -32.40	41.00	34.00	11.33	34.18	3.57	100	292 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	101.14	-----	86.40	34.08	11.44	34.32	3.54	100	292 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>46.05</td><td>68.20 -22.15</td><td>31.33</td><td>34.00</td><td>11.35</td><td>34.20</td><td>3.57</td><td>100</td><td>292 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.84	46.05	68.20 -22.15	31.33	34.00	11.35	34.20	3.57	100	292 Average	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>92.34</td><td>-----</td><td>77.57</td><td>34.10</td><td>11.45</td><td>34.33</td><td>3.55</td><td>100</td><td>292 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	92.34	-----	77.57	34.10	11.45	34.33	3.55	100	292 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.84	46.05	68.20 -22.15	31.33	34.00	11.35	34.20	3.57	100	292 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5985.00	92.34	-----	77.57	34.10	11.45	34.33	3.55	100	292 Average																																																																									



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.44</td><td>54.05</td><td>88.20</td><td>-34.15</td><td>39.33</td><td>34.00</td><td>11.34</td><td>34.19</td><td>3.57</td><td>101</td><td>267</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.44	54.05	88.20	-34.15	39.33	34.00	11.34	34.19	3.57	101	267	Peak	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.18</td><td>-----</td><td>-----</td><td>82.51</td><td>34.00</td><td>11.40</td><td>34.28</td><td>3.55</td><td>101</td><td>267</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.18	-----	-----	82.51	34.00	11.40	34.28	3.55	101	267	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5914.44	54.05	88.20	-34.15	39.33	34.00	11.34	34.19	3.57	101	267	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	97.18	-----	-----	82.51	34.00	11.40	34.28	3.55	101	267	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>43.99</td><td>68.20</td><td>-24.21</td><td>29.27</td><td>34.00</td><td>11.35</td><td>34.20</td><td>3.57</td><td>101</td><td>267</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	43.99	68.20	-24.21	29.27	34.00	11.35	34.20	3.57	101	267	Average	Level (dBuV/m) Date: 2025-11-05 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.60</td><td>-----</td><td>-----</td><td>73.86</td><td>34.08</td><td>11.44</td><td>34.32</td><td>3.54</td><td>101</td><td>267</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.60	-----	-----	73.86	34.08	11.44	34.32	3.54	101	267	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.84	43.99	68.20	-24.21	29.27	34.00	11.35	34.20	3.57	101	267	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	88.60	-----	-----	73.86	34.08	11.44	34.32	3.54	101	267	Average																																																																																								



	13													
Mode	Harmonic													
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz													
ANT	0													
Pol.	Horizontal							Vertical						
Peak Avg														



Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	0	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-11-05 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL